$T \Lambda$	\Box	T	Ö
1 A	\Box		· 9.

DEATHS IN THE UNITED STATES, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

=		4.12	Under 1	1	2	3	4	Under 5	5 to 9	704.74	75 - 70	20 4 24	ar
_	CAUSE OF DEATH,	All ages.								10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	892, 092	170,665	49,212	22,890		10, 493	267,908	30, 272	19, 160	28, 877	39, 519	39, 927
3	Males. Females	477, 080 415, 012	95, 344 75, 321	26, 033 23, 179	11, 938 10, 952	7,458 7,190	5, 340 5, 153	146, 118 121, 795	15,570 14,702	9,780 9,380	14, 242 14, 635	19,661 19,858	20,008 19,919
4	Unknown eause	28, 159	13,480	1,449	656	412	314	16, 311	846	496	559	628	586
5 6	Males. Females	15, 068 13, 091	7, 459 6, 021	768 681	335 321	$\frac{220}{192}$	161 153	8, 943 7, 368	445 401	247 249	283 276	273 355	249 337
7	1. General diseases. General diseases—A	175, 356	48, 323	21,078	9,421	6,165	4, 557	89, 544	12, 697	6,088	7,112	7,523	6,025
8 9	Males	90, 128 85, 228	26, 126 22, 197	10, 974 10, 104	4,752 4,669	3,012 3,153	2, 268 2, 289	47, 182 42, 412	6, 121 6, 576	2,755 3,333	3, 389 8, 723	4, 077 3, 446	3, 204 2, 821
10	M easles. M .	4, 946 5, 267	1,292 1,100	1 268 1,138	566 569	275 313	175 174	3,511 8,294	399 438	182 198	185 242	189 178	98
11	Searlet fever \dots \mathbb{F}	3,008 3,061	296 227	427 896	452 441	150 443	332 368	1,957 1,875	768 799	138 187	58 79	32 36	20 23
12	Diphtheria $\left\{egin{array}{ll} M \ . \ \end{array}\right.$	7,746 8,065	587 454	1,061 966	1,120 1,045	1,011 1,020	851 886	4, 630 4, 371	2, 144 2, 482	535 694	182 210	82 83	35 62
13	Whooping cough $\left\{ egin{array}{l} M_{-} \\ F_{-} \end{array} \right.$	3, 657 4, 261	2, 221 2, 289	764 978	274 441	133 208	83 110	3, 475 4, 021	111 161	21 27	10 12	8 2	4
14	Malarial fever $\begin{cases} M \\ F \end{cases}$	4, 749 4, 536	598 542	384 358	180 199	138 162	126 134	1,376 1,395	424 470	271 271 259	935 308	356 309	278 240
15	Influenza	6, 288 7, 504	754 543	165 135	69 82	44 45	26 39	1,058 844	97 105	55 74	82 115	125	112 173
16	Typhoid fever $\left\{egin{array}{l} H \ \\ F \ \end{array}\right\}$	15, 606 13, 242	392 384	341 341	240 268	223 266	194 156	1,390 1,415	905 1,001	899 1,339	1,900 2,124	127 2,565 1,768	1,951 1,160
17	Cholera morbus	2, 970 2, 718	886 684	341 341 310	206 159	75 71	43 38	1,551 1,262	164 133	106	72 72 81	70	50 87
18	Colitis $\left\{ egin{array}{ll} M & . & . \\ F & . & . \\ \end{array} \right.$	720 589	304 232	121 106	39 29	27	7 2	498	13	78 2 3	3 3	89 7	10
19	Diarrhea	3,601	1, 171 951	394 348	134 110	28 36	20 13	378 1,747	111	47 50	25 19	11 35 27	6 46
20	Dysentery M . M . M . M . M . M . M	2, 852 4, 809 4, 433	899 775	998 772	359 316	159 120	90 72	1,458 2,500 2,055	145 202 142	75 52	67 46	101 56	40 82 77
21	Enteritis M	9, 370 8, 529	5, 598 4, 476	1,387 1,240	354 311	125 140	94 97	7,558 6,264	191 192	76 67	77 68	72 93	87 123
22	Cholera infantum M .	12,544 10,933	9,189 7,829	2,763 2,490	424 434	114 116	47 58	12,537 10,927					
23	Fever	767 742	216 197	126 101	42 33	26 20	17 20	427 371	55 60	27 22	32 42	36 37	31 43
24	Cerebro-spinal fever $\left\{ egin{matrix} M & \\ P & \\ \end{array} \right\}$	2,145 1,705	565 447	306 281	153 124	101 100	79 56	1, 204 958	247 210	130 140	144	84 63	76 56
25	Smallpox F	802 564	113 94	34 43	35 23	21 27	28 14	231 201	49 73	29 34	50 42	91 53	72 31
26	Erysipelas M	1,502 1,206	411 379	44 48	19	11	6 5	491 452	22 17	23 16	31 37	33 30	54 41
27	Septicemia N .	2,716 3,871	306 265	54 63	43 45	28 33	84 31	465 437	134 93	111 69	104 179	144 439	128 417
28	Venereal diseases $\left\{egin{array}{l} MI & \\ F\end{array}\right\}$	603 427	290 248	19	8 8	5 5	1 1	828 273	1 4	2	9 8	5 11	25 12
29	Others of this group $\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{bmatrix}$	1	98 81	37 29	35 21	18 15	15 15	203 161	59 37	26 20	28 18	47 34	49 85
30	General diseases—B	16, 167	9, 241	595	255	158	78	10, 827	159	78	164	333	465
81 82	Males. Females.	9, 917 6, 250	5, 120 4, 121	327 268	141 114	83 75	50 28	5, 721 4, 606	84 75	42 31	70 94	178 155	292 173
3 3	Alcoholism $\left\{ egin{matrix} M. \\ F \end{array} \right.$,		1		·····i	$\frac{2}{1}$	8 3	5	1	$\frac{2}{3}$	39 18	153 50
34	Parasitic diseases. M . F .	. 113 112	12 13	22 24	22 18	16 23	11 8	、 83 86	16 16	2	2 1	1	1
85	Lead poison ${M \choose F}$		2 6	1 1	1 1			4 8	i		2	3	6
86	Other poisons $\begin{cases} M \\ F \end{cases}$	1,875 1,120	91 70	185 77	83 64	42 30	19 14	370 255	49 40	31 22	60 86	128 125	123 114
87	Inanition $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	5,565 4,591	5, 015 4, 032	168 166	35	25 21	18 5	5, 261 4, 254	14 18	8 8	4 4	7 12	9 8
38	General diseases—C		26, 775	958	206	72	51	28, 062	93	60	57	104	112
39 40	Males. Females		15, 128 11, 647	464 494		46 26	24 27	15,770 12,292	-16 -17	82 28	38 19	46 58	40 72
41	Old age	1 .											
42	Premature birth ${M \choose F}$.							7,634 5,701					,
43	Malformation $\binom{M}{F}$.			16 28	6	3 5	2	1,345 1,126	5 5	5 5	8	1	·····i
44	Debility and atrophy $\left\{ egin{matrix} M \\ F \end{array} \right\}$	8.130	5, 331 4, 273	448		42 21	24 25	5, 947 4, 882	41 42	27 23	35 18	45 57	40 71
45	Others of this group $\left\{ egin{matrix} M \\ F \end{array} \right\}$. 847 -586	843 583		:::::::	. 1		844 588					

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

WHITE

	Unknown.	95 and over.	90 to 94	85 to 89	80 to 84	75 to 79	70 to 74	65 to 69	60 to 64	55 to 59	50 to 54	45 to 49	40 to 44	85 to 89	80 to 84
-	5, 434	1,709	5, 298	15, 969	31,289	43, 207	49, 179	48, 329	43, 455	39, 141	37, 241	34, 948	35, 880	38, 074	87,276
-	3, 282 2, 152	658 1,051	2, 250 3, 048	7,822 8,147	16, 228 15, 066	23,090 20,117	26, 599 22, 580	26, 411 21, 918	23,748 19,707	21, 791 17, 350	20,975 $16,266$	19, 813 15, 135	19,673 16,207	20, 220 17, 845	19, 142 18, 134
-1	647	53	115	304	596	819	909	891	741	601	635	582	611	590	587
,	349 298	19 84	54 61	148 156	333 263	473 346	497 412	501 303	418 328	384 307	336 200	307 275	305 306	274 325	235 302
,	705	164	500	1,645	3, 201	4,177	4, 529	4, 335	3,716	3, 309	8, 417	3, 493	3, 823	4,461	4,802
! !	380 325	56 108	198 302	797 848	1,552 1,649	2,018 2,159	2, 181 2, 348	2, 125 2, 210	1,820 1,896	1,746 1,563	1,826 1,591	1, 987 1, 506	1,970 1,853	2, 203 2, 168	2,501 2,891
į	12 13		i	$\frac{2}{4}$	5 8	12 13	$\frac{7}{22}$	14 28	1.4 25	11 46	-19 77	64 80	57 127	150	75 162
, j	7 5		1	1 1	* 1 2		$\frac{2}{2}$	$\frac{1}{2}$	1.4	1 1	2 2	1 1	7 ' 6 '	6 17	14 19
2	12 12		1	.1 1	4 1	3 5	3 5	6 5	·5	10	14 16	. 12 17	11 16	18 27	35 40
)	9 11		1 1		3	$\frac{2}{1}$	$\frac{3}{2}$	1 1	2	8	·····i	4	5 3	2 2	2 6
	29 25	1 6	6 2	31 31	54 63	127 94	127 139	182 143	121 132	164 118	163 129	197 146	179 161	179 151	199 215
Ĺ	31 43	21 68	107 176	355 424	673 802	715 947	721 910	551 705	385 561	272 359	223 310	215 200	197 211	151 177	137 178
	81 82	1 2	5	22 20	42 57	117 99	183 186	923 257	285 280	377 351	511 431	719 466	839 578	1,160 739	1,431 886
3	13 10	4 3	9	28 31	58 71	93 98	113 106	116 109	99 86	100 90	92 70	78 52	56 79	50 92	48 78
3	3		2	6	11	20	22	19	20	11	20	18	20	7	8
2	52 52	10	3 16	6 75	9 154	15 202	18 216	27 229	22 177	10 155	15 98	13 60	13 34	46	. 36
	30 31	8 7	19 15	78 84	118 172	147 208	171 217	128 214	112 186	76 123	55 142	45 113	39 94	44 85 75	43 91 73
	14 22 12	7 4	35 5	103 48	181 88	291 141	287 140	280 160	196 185	130 111	119 102	106 109	108 96	75 85	73 68
7	12 7 6	6	10	60	116	199	220	239	176	124	109	112	114	117	108
3	8		2	2	11 10	9 7	14 12	14 14	11 9	9	.9	19 15	15 21	16 19	22 23
5	5 4		1		4	G	8	8	15	22 13	17 19	34	40	54	44
)	10				3 2	6 5	5	3 9	9 12	25	17 32	25 39	29 38	33 54	37 49
5	5	1	5 5	1 28	50	1 72 54	4 76	5 100	9 73 69	8 105	11 76	17 72	22 72	22 59	23 59
	5 21 23	1	5 3	16 27	41 71	109	61. 110	63 182	69 172	60 164	56 183	44 148	48 134	58 · 181	32 125
)	10			13	84	51 7	77 5	71 10	91	107 27	95 80	119 30	223	884 87	410 28
2	5 12	7	21	94	149	1 170	4 209	7 136	23 7 84	4 56	8 61	17 55	31 24 45	19 43	19 30
	163	7 6	21 24 10	55 51	130 72	130 170	114 187	123 288	99 294	51 409	53 495	31 576	31 589	31 730	ăî (
2	112	2	5	30 21	41	112	117 70	205			399			570	
	51 38	4	5	21	. 81 6	58 84	70 43	78 111	227 67 114	321 88 195	96 264	465 111 909	479 110 991	160 - 302	445 166 967
3	8			1	1	4	6 1	12 1	15	21 1	1	202 46 1	321 62	70	267 51
						2	ī 2	ì 3	3	4	1 8	i 11	$\begin{bmatrix} 2 \\ 2 \\ 6 \end{bmatrix}$	2	
 7	27	1 1		6	12	45	$\frac{5}{43}$	65	. 1	3	1		•••••	15 2	11
	1 .		1 5	20	9 22	16	26	88	89 30	103 42	113 47	150 47	142 38	157 78	161 99
]		4	20	21	38	28 35	25 27	21 21	18 22	18 15	11 17	8	6 8	6 12
_,	288	965	2,601	5,679	7, 911	5,775	3,665	1,586	728	348	213	140	144	135	123
	141	595	1,097 1,504	2,630 3,049	3,776 4,135	2,698 3,077	1,748 1,917	712 824	322 406	157 191	99 114	75 65	66 78	59 76	62 61
ó	78 75	566	1,057 1,440	2,501 2,904	3,534 3,855	2,387 2,775	1,475 1,646	471 591	149 286						
 0									 						
	1							1		2	i				1
ó	65 65	29	40 64	129 145	242 280	310 302	273 270	241 232	172 170	155 190	98 113	75 65	66 78	59 75	61 61

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE WHITE—Continued.

T	CAUSE OF DEATH.	All ages.	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 20
1	1. General diseases—Continued. General diseases—D	146,124	4,378	2,209	1,113	697	502	8,899	1, 923	2,322	7, 471	13,312	14,190
2 3	Males:	70, 135 75, 989	2,387 1,991	1,176 1,033	598 515	854 848	270 232	4,785 4,114	985 938	907 1,415	2,841 4,630	5, 722 7, 590	6,515 7,675
4	Anemia $\left\{ egin{array}{l} \mathbf{M}_{\mathbf{F}} \\ \mathbf{F}_{\mathbf{F}} \end{array} \right.$	910 1,223	131 112	26 28	7 11	9	6	179 172	28 22	16 27	25 71	28 92	20 83
5	Diabetes. $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	2,571 1,955	15 9	18 15	16 13	$\frac{14}{21}$	13 8	76 66	90 66	$^{114}_{94}$	133 73	108 78	106 76
6	Rheumatism $\begin{cases} M \\ F \end{cases}$.	2, 257 2, 035	31 27	19 11	15 15	10	21 17	96 78	115 98	135 121	$\frac{125}{102}$	88 85	89 69
7	Scrofula and tabes $\cdots \qquad {\stackrel{M}{F}} \cdots$	1,214 1,286	282 176	112 101	52 39	20 18	18 18	434 352	46 85	16 40	56 72	70 94	61 90
8	Hydrocephalus $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	$\frac{2,179}{1,786}$	792 655	$\frac{432}{345}$	207 156	112 114	74 68	1,617 1,338	205 174	66 62	55 62	44 33	32 31
9	Tuberculosis, general $\dots \{M, \{F\}\}$	614 536	39 50	23 22	13 6	9 8	10 4	94 90	25 22	14 81	33 32	46 60	79 51
10	Consumption $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	48,670 44,003	824 742	$\frac{410}{393}$	194 179	109 108	87 67	1,624 1,489	271 362	378 877	2, 233 4, 026	5, 122 6, 871	5,898 6,846
11	• Cancer $\left\{ egin{array}{ll} \mathbf{M}_{\mathbf{F}} \end{array} \right.$	11,072 16,900	32 32	12 11	16 14	8 8	10	78 74	29 30	29 25	43 45	69 87	126 232
12	Tumor $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,203 1,906	64 42	16 19	24 18	18 15	8 9	130 103	44 27	23 28	41 42	43 63	37 74
13	Dropsy $\left\{ egin{array}{ll} \mathbb{N} & \mathbb{N} \\ \mathbb{F} & \mathbb{N} \end{array} \right\}$	3, 919 3, 919	63 45	61 51	81 42	32 19	17 18	207 170	107 83	96 90	69 86	83 103	45 104
14	Others of this group $\left\{egin{array}{l} M \\ F \end{array}\right\}$	526 440	164 101	47 87	20 22	18 11	6 11	250 182	25 19	20 20	25 19	21 24	13 19
15	2. Diseases of the nervous system	100,616	21, 252	6, 120	2, 675	1,644	1,129	32,820	3, 296	2,006	2, 089	1, 985	2,113
16 17	Males Females	58, 522 48, 094	12, 251 9, 001	3, 249 2, 871	1,414 1,261	861 788	589 540	18, 364 14, 456	1,796 1,500	1,079 927	1, 128 961	1,040 945	1,121 992
18	Inflammation of the brain $\ldots egin{array}{c} M, \\ F \end{array}$	3,068 2,403	1,056 817	450 387	214 150	115 95	78 75	1,908 1,524	224 168	113 104	100 100	90 77	55 64
19	Meningitis $\{ egin{array}{ll} \{ \egin{array}{ll} $	9, 985 7, 978	8, 875 2, 526	1,528 1,322	684 637	$\frac{424}{383}$	270 281	6, 281 5, 149	895 762	409 410	381 274	288 224	258 200
20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13,618 11,818	157 124	30 37	14 19	10 17	11 4	222 201	34 29	26 35	58 68	. 103	161 122
21	Paralysis $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	10,786 9,620	121 84	43 42	28 35	28 28	15 17	230 201	71 61	51 34	64 66	54 91	94 91
22	Paralysis, general (of insane) $\{M\}$	874 382							1 1	2	1	3 3	20
23	Tetanus and trismus nascentium $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	1,152 482	447 279	13 4	8 2	$\begin{array}{c} 14 \\ 4 \end{array}$	9 6	491 295	98 30	172 19	81 16	53 16	45 14
24	Chorea ${\mathbb{N}}_{F}^{M}$	60 110	3 3	·····i	9	.8 .2	1 3	10 10	9	2 31	7 31	3 7	1 2
25	Epilepsy $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$		153 136	23 19	10 16	11 9	5 7	202 187	53 46	86 61	184 106	142 115	164 108
26	Convulsions $\{M, \{M, \{F, \}\}\}$		5,743 4,171	736 679	270 240	129 135	78 64	6, 956 5, 289	122 118	45 33	16 60	21 65	22 82
27	Mental diseases $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1 '							3 2	3 5	1	62 55	76 74
28	Diseases of the brain $\cdots \qquad \stackrel{\left\{\mathrm{M}\right.}{\left\{\mathrm{F}\right.}$,	1,064 755	377 328	157 144	112 103	114 69	1,824 1,300	238 224	141 156	165 155	183	161 182
29	Diseases of the spinal cord \dots \mathbb{R}^M	835 669	93 78	38 40	20 15	13 10	12 10	176 148	33 31	22 22	10		25 15
30	Locomotor ataxia $\left\{ egin{matrix} M \\ F \end{array} \right\}$	1	11	·····i	1			3 2	1	2		. 3	2
81	Others of this class $\left\{ egin{matrix} M \\ F \end{array} \right\}$	949 - 1,894	38	11	1	7 2	1 4	61 51	15 18	5 16	23 45		29 78
32	8. Diseases of the circulatory system		-	255	167	150	201	4,771	1,101	1,259	1,368	<u> </u>	1,827
$\frac{38}{34}$	Males. Females	37, 206. 31, 210		139 116	95 72	88 62	109 92	2,740 2,031	532 569	524 785	751	965	1,008
85	Pericarditis, $\left\{ egin{array}{ll} \mathbf{H} & \mathbf{H} \end{array} \right\}$		11	3 2	2	4	9	22 28	18 25	30 31	. 31	22	1
86	Diseases of the heart $\prod_{F} M$		и .	129 109		· 56	100 78	2,013 1,547	501 534	1	697	801.	745 917
37	Angina pectoris $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	1 '							5	1	18	46	85
38	Diseases of the arteries $\dots \left\{ egin{matrix} M \\ F \end{array} \right\}$	1	1	i	-			$\begin{vmatrix} 2\\2 \end{vmatrix}$. 1	1	. 1	
39	Aneurism $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$. 195	 		:				2 2		i 4	10	14
40	$egin{array}{ccccc} egin{array}{cccccccccccccccccccccccccccccccccccc$	1	2			1			11		[3 5 28	
41	Others of this class $\cdots \qquad M_{F}$. 705 479	661 439	7	3	6 2	5 4	682 450	2 2		<u>}</u>	[-	1 1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE-Continued.

		·····									-	·				
80) to 84	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	<u>'</u>
	12,652	11,557	10, 431	9,664	9, 501	9,812	9, 011	8,756	7, 282	5,046	2,644	1,016	280	70	835	
	6, 109 6, 548	5, 697 5, 860	5, 148 5, 283	4,758 4,911	4,677 4,824	4,501 4,811	4,405 4,606	4, 891 4, 365	8,784 3,548	2,548 2,498	1,356 1,288	511 505	98 132	27 48	425 410	1
	29 71	30 80	50 82	58 78	76 91	74 82	80 77	82 72	44 60	49 39	26 15	6	2	1	5 6	1
	118 68	108 81	146 90	145 107	181 179	181 237	250 241	283 204	244 155	178 86	80 41	28 9	6 3	i	11 5	h
	88 74	101 92	92 84	123 98	115 136	177 134	171 166	208 212	215 187	160 154	106 85	87 42	3 9	3 1	15 8	
	58 98	49 65	49 58	50 59	52 66	57 54	64 50	61 46	41 44	22 80	15 18	1 7	1 1	2	9 7	
	46 28	30 15	28 14	21 8	10 6	5 6	5 4	5 2	3 4	4 2	1				7 2	1
	51 54	52 87	45 29	47 35	40 22	34 18	15 17	19 15	$\frac{12}{7}$	7 7	1 8	3			3	1
	5, 383 5, 386	4, 835 4, 269	8, 920 8, 122	3, 170 2, 260	2,730 1,881	2,285 1,618	1, 797 1, 414	1, 543 1, 293	1,158 1,005	687 641	261 276	86 103	17 22	4 7	268 235	
	218 507	842 948	591 1,426	859 1,873	1, 146 2, 026	1,325 2,192	1,588 2,069	1,570 1,917	1,864 1,476	937 1,051	493 557	198 212	49 59	11 14	62 80	-
	55 109	55 134	86 190	91 170	98 161	102 182	108 185	109 163	88 186	55 83	28 31	5 12	1 1	·····i	6 11	.
	63 180	79 180	116 172	174 209	218 248	244 272	865 870	495 422	552 463	445 402	841 260	153 110	21 35	5 19	41 46	
	15 28	16 14	80 16	20 19	16 13	17 16	12 13	16 19	18 12	9 8	4 2	2		1	1 1	
	2, 350	2, 909	8,800	3, 943	4,704	5, 522	6, 672	8, 141	8,722	7,704	5,048	2,086	540	120	546	
	1,328 1,027	1,691 1,218	1,926 1,374	2, 194 1, 749	2, 599 2, 105	8,078 2,444	3, 587 3, 085	4, 528 3, 618	4,712 4,010	4, 074 8, 630	2,668 2,880	1,009 1,077	224 316	45 75	341 205	
	59 46	60 36	56 44	59 36	57 35	54 33	40 27	55 31	53 28	32 25	24 15	14	2 4	······i	18 4	1
	226 153	243 126	179 129	185 129	157 80	114 76	76 75	90 59	76 48	56 87	23 26	9 7	4 8		85 11	.
	255 173	868 265	560 427	717 686	1,020 911	1,822 1,118	1, 612 1, 876	1,987 1,567	1,964 1,703	1,626 1,464	1,062 948	390 484	80 131	13 86	88 89	1
	172 118	275 165	354 247	441 329	566 488	772 673	1,010 964	1,487 1,262	1,759 1,547	1,635 1,549	1,121 1,029	488 487	93 128	25 81	74 56	
	68 26	109 28	186 36	189 18	97 25	77 24	68 80	51 38	41 39	22 31	13 14	10 6	2 3		14 5	
	48 17	20 17	26 18	26 5	28 5	23 18	16 9	10 8	11 2	5 2	·····i	1			3	
	8		8	3 5	6 2	2	$\frac{2}{4}$	$\frac{2}{4}$	2	1 3	$\frac{1}{2}$	i	1		1	
	115 81	122 98	94 54	81 63	58 50	58 42	65 50	52 84	50 41	46 25	24 14	9	2 4		18 14	
	21 60	28 49	11 28	19 15	20 8	11 8	8 11	8 14	16 9	5 6	8 8	1 1	$\frac{1}{2}$	1	27 25	,
	88 97	134 133	182 128	116 121	132 124	144 108	154 148	204 187	171 182	164 129	. 101 93	87 87	11 16	·····i	26 18	
	203 140	283 165	241 148	287 184	278 207	289 172	819 207	855 277	373 265	327 234	220 158	77 62	19 19	4 5	80 19	, [
	18 25	89 36	50 28	49 40	72 48	62 54	68 50	76 47	40 44	36 30	18 16	2 8	3		2 3	;
	20 4	84 14	38 10	67 15	60 20	70 28	69 25	71 15	89 14	24 8	10 6	$\frac{1}{2}$			4 1	
	27 87	31 90	46 82	55 103	58 107	80 99	85 114	125 180	117 142	95 87	47 50	20 27	9	2 1	6 10	
	2,178	2,701	8,008	8, 375	4, 495	5, 875	6,786	7,924	8,016	6, 493	8, 798	1,536	353	76	370	ا ب
	1,020 1,158	1,328 1,373	1,472 1,581	1, 795 1, 580	2,507 1,988	3, 064 2, 311	3, 842 2, 894	4, 585 3, 389	4,637 8,879	3, 751 2, 742	2,098 1,695	803 733	165 188	84 42	222 148	
	17 25	80 16	24 24	15 20	32 14	82 22	22 23	88 82	24 16	24 11	7 14	3 4	2 2		2 2	
	988 1,041	1,174 1,277	1,811 1,417	1, 621 1, 438	2, 233 1, 855	2, 789 2, 121	8, 444 2, 684	4, 084 8, 114	4, 246 8, 113	3, 407 2, 529	1,888 1,531	729 677	150 165	30 86	204 186	ιl
	36 44	60 50	69 48	81 86	140 81	158 108	284 127	244 154	187 185	155 86	85 65	25 14	2 5	***********	7 3	1
	2 2	6 8	10 4	15 5	82 12	63 26	84 85	118 54	134 86	182 78	108 68	45 80	11 15	4 5	5 8	5
	25 19	52 10	49 17	49 18	53 18	56 14	42 18	81 15	24 12	17 15	3 7	4	ii		4 1	
	6 25	6 16	8	12 12	14 11	16 20	12 12	23 17	22 16	14 20	9 7	1 4			2	
	1 2	;	1 .		8		4	2 3	1	1					,	

PART II——VITAL STAT——43

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE WHITE—Continued.

	CAUSE OF DEATH,	All ages.	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	188, 392	29,780	12, 519	6,050	3,484	2,206	53,989	4,832	1,985	3,027	8,744	3, 894
3	Males. Females.	72,187 61,205	16,916 12,814	6, 788 5, 781	8, 202 2, 848	1,799 1,685	1,108 1,108	29, 808 24, 181	2, 478 2, 859	971 1,014	1,693 1,384	2, 155 1, 589	$\frac{2,182}{1,712}$
4	Croup $\{^{ ext{M}}_{ ext{ ext{ iny F}}}$.	5,830 4,804	2,267 1,821	965 746	814 687	615 528	895 845	5,056 4,072	684 620	51 49	9	6 9	3
5	Pneumonia $\left\{egin{array}{l} M \ldots \\ F \ldots \end{array}\right.$	49,727 41,186	9,582 7,118	4, 502 3, 849	1,898 1,781	939 887	587 565	17,458 14,150	1,407 1,865	768 809	1,457 1,091	1,875 1,250	1, 865 1, 400
6	Laryngitis $\{ egin{array}{ll} egin{array} egin{array}{ll} egin{array}{ll} egin{array}{ll} egin{array}$	484 878	68 50	54 59	82 35	42 48	28 24	224 216	70 62	$\frac{16}{12}$	3 10	5 7	5 11
7	Bronchitis $\left\{egin{array}{ll} \mathbf{M} & \cdots & \mathbf{K} \\ \mathbf{F} & \cdots & \mathbf{K} \end{array}\right\}$	9,056 9,191	3,653 2,875	1,080 889	345 851	184 161	99 110	5,261 4,886	164 175	50 58	59 88	81 115	96 101
8	Pleurisy $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	1,387 1,024	44 28	"48 29	31 23	28 10	11 10	157 100	40 44	32 21	56 88	60 62	71 58
9	Asthma $\left\{egin{array}{l} \mathbf{M} \ldots \\ \mathbf{F} \end{array}\right.$	1,480 1,064	48 38	8 8	8 1	2 3	3 2	64 47	11 10	8 5	15 7	10 16	14 21
10	Others of this class $$	4, 878 3, 558	1,254 889	181 151	84 70	44 58	30 47	1,598 1,210	97 88	51 60	94 101	118 180	128 120
11	5. Diseases of the digestive system	52, 979	8,748	2,480	958	603	489	18, 218	1,910	1,789	2,023	2,388	2,517
12 13	MalesFemales	27, 689 25, 840	4, 987 8, 806	1,264 1,166	485 468	298 305	246 243	7, 230 5, 988	999 911	995 794	1,048 975	$1,123 \\ 1,265$	1,106 1,411
14	Dentition $\left\{egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \end{array}\right.$	712 676	883 353	295 287	23 81	7 3	$_{2}^{2}$	710 676					
15	Angina $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right.$	596 618	98 85	66 63	- 58 - 50	47 43	36 48	305 289	89 183	32 53	16 24	24 11	15 16
16	Gastritis	8,769 8,967	645 518	195 218	70 88	46 51	80 84	986 899	108 96	36 51	45 72	78 128	84 183
17	Diseases of the stomach $\dots \{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \}$	2,528 2,261	878 811	140 117	60 56	86 88	36 34	650 551	96 94	60 52	48 74	57 108	79 108
18	Obstruction of the bowels $\ldots \ldots \begin{Bmatrix} M \ldots \end{Bmatrix}$	1,778 1,788	329 193	40 32	38 23	22 39	16 18	445 300	86 59	63 39	84 47	. 75 62	87 90
19	Appendicitis \mathbb{R}^{M} .	3,125 1,788	20 10	9 12	12 11	22 10	25 15	88 58	210 181	427 275	445 265	441 194	3 13 176
20	Hernia $\left\{egin{matrix} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	960 781	109 41	14 6	1	3 1	2	128 52	10	9	25 5	25 2	'26 5
21	Other diseases of the bowels $\ldots \left\{ egin{matrix} M \ldots \\ F \ldots \end{smallmatrix} \right\}$	1,494 1,220	427 826	159 128	47 42	23 22	14 9	670 522	48 85	29 29	43 29	49 27	86 57
22	Jaundice $egin{cases} M \ F \ \end{array}$	1,201 988	595 871	19	11 18	5 6	2 9	682 418	29 28	12 16	81 19	26 81	31 28
28	Inflammation and abscess of the M . liver.	1,326 1,213	77 64	16 22	12 13	6 11	10 10	121 120	29 18	26 19	22 80	51 48	68 51
24	Other diseases of the liver $\ldots egin{array}{c} M \ F \end{array}$	3, 955 2, 477	148 114	· 28	21 15	7	8 7	207 160	27 26	28 20	24 16	46 41	92 68
25	Peritonitis $\left\{ egin{matrix} \mathbf{M} & \dots & \mathbf{K} \\ \mathbf{F} & \dots & \mathbf{M} \end{array} \right.$	2,604 4,232	187 148	68 57	53 46	81 86	28 29	362 316	201 175	217 201	235 854	210 550	190 562
26	Ascites $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	487 494	12 11	11 6	6 8	2 3	4 2	85 25	7 9	19 11	4 13	8 16	9 14
27	Others of this class $\cdots \qquad M$.	3, 159 2, 947	1,584 1,266	209 199	74 71	41 48	38 28	1,891 1,607	64 58	87 27	26 27	33 47	46 58
28	6. Diseases of the urinary system and male organs of generation.	41,156	. 804	289	198	190	159	1,590	611	521	703	1,253	1,567
29 80	Males. Females	25, 552 15, 604	486 818	127 112	94 104	108 82	82 77	897 698	884 277	246 275	820 388	559 694	721 846
81	Bright's disease $\left\{ egin{align*} \mathbf{M} \\ \mathbf{F} \end{array} \right.$								253 220	179 224	248 285	427 524	561 616
32	Calculus, urinary $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	287 75	7 10	1	1	1 2	1	11 12	6	8	8	. 8	7 8
88	Diseases of the kidney $\dots \{ M_F \}$	2, 625 1, 445	328 288	111 99	87 90	95 78	70 71	691 566	86 26	24 20	34 38		49 50
84	Diseases of the bladder $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$	2,087 266	17 14	5	····· <u>2</u>		3 1	25 17	4 2	6	6 8		20 9
85	Others of this class $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$	8,172 1,777	184 61	10 18	6 12	12 7	8 5	170 98	85 29	84 81	· 62	64 113	84 168
36	7. Diseases of the female organs of generation	1	11	2	• • • • • • • • • • • • • • • • • • • •	1	2	16	2	. 18	117	259	840
37 99	Ovarian tumors Ovarian diseases	1		1				1 1	2		7		35 22
38 89	Diseases of the tubes	806	1					1			. 18	45	72
40	Uterine tumors Uterine diseases	1		·	·		1	1		. 1	1	1	ı
41 42	l .	1	9	1	1	1	1	12		1 16	1	1	1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE-Continued.

Ī	30 to 34	85 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 80	90 to 94	95 and over.	Unknown.	
	4,049	4,575	4,570	4,707	5, 128	5,468	6, 319	6, 999	7,081	5,975	8, 970	1,845	512	147	576	
	2,226 1,823	2,702 1,878	2,780 1,790	2,887 1,820	3,006 2,122	3,021 2,447	3, 264 3, 055	8,494 8,505	3,417 3,664	2,873 8,102	1,820 2,150	823 1,022	180 332	56 91	856 220	
	1 7	3 4	1 4	······ <u>ż</u>	5	3	2 4	1 4	· 2	i	3	1		1	7 6	}
	1,922 1,492	2, 327 1, 545	2,365 1,461	2,405 1,457	2,426 1,658	2,260 1,874	2,426 2,261	2,478 $2,478$	2, 314 2, 455	1,887 2,039	1, 157 1, 886	518 632	107 190	84 48	286 155	}
	14 13	5	16	13	18 3	9 8	12 4	7 2	4 7	6 7	6	2 1			2	}
	72 106	94 85	105 109	188 158	186 197	294 289	304 405	428 589	525 712	531 671	394 499	194 291	52 108	16 89	17 20	}
Į	70 56	79 56	83 57	74 52	76 51	79 46	94 68	97 79	106 99	91 68	48 45	19 17	2 8	1	7 8	} :
	17 21	24 28	40 82	70 38	107 68	189 72 240	182 186 244	207 149	228 152	152 131	96 78	35 80	9	3	13 11	}
	130 128	168 150	170 123	192 117	198 145	155	177	281. 204	243 288	206 185	122 186	59 51	18 17	5	24 23	}1
	2, 282	2,509	2,648	2,554	2,788	2,960	3,078	3, 226	2,887	2,216	1,196	498	120	22	215	1
	1,021 1,261	1,147 1,862	1,403 1,240	1,404 1,150	1,477 1,256	1,637 1,323	1,681 1,892	1, 677 1, 549	1,501 1,386	1,168 1,058	614 582	288 260	55 65	12 10	108 107 2	1
	99	7	12	10	10	5	10	19	11	7	7		1		1	վչւ
	22 15 107	7 8 119	6	11	1.0	13	10 2	.12 • 9 906	11 5 313	7 5 251	139	2 48	14	6	2	\}^1
	141 64	183	158 167 129	188 155 143	222 212 150	264 230 173	290 280 178	306 817 196	819 162	258 141	174 66	72	21 2	2 2	12 12 12	11
	87	119	129 82 68	100 86	116 97	173 121 91	178 142 89	151 104	158 117	105	58	25 25 . 19			12 7 6	10
	68 72 281 119	68 87 208 105	118 187	98 147	94 102	91 118 79	114 71	186 50 82	116	97 90 28 17	49 13	25 2	<u>ā</u>	2	18	}1 },
	119 27 24	105 41 40	81 41 54	72 47	48 44	44 76	32 81	88	46 18 94	17 101 54	9 61	24	5	1	6	li.
	24 40 48	40	42	65 30	84 58 83	82 70	86 54 42	94 68	84 80 55	54 62 52	21 46	20 21 21	7		8 6 12	
	48 29 29	48 25 27	38 27 24	33 30	87	41 68 50	42 41 48	61 48	55 55 58	52 42 34	28 27 26	11	5 2	4	8	1
١	29 85 54	27 85 78	100 80	27 108	128 81	101	118 110	68 96	84 97	68 70	84	11 8	5 2 2	1	7	lin
	155 102	262 158	862 181	98 870 196	405 242	96 462 249	459 268	118 448 256	304 284	201 158	87 65 72	18 21 25	6	1	8 10 9	
	147 497	141 429	165 296	145 170	96 183	119 129	103 109	83 115	78 85	50 54	29 17	12 14	3 5		18 21	
Ì	7 16	8 20	30 25	28 29	25 27	33 35	42 42	52 52	48 56	41 52	26 80	16 18	1 2		3 7	
	44 57	58 65	87 88	82 101	118 182	101 115	145 122	126 140	109 101	79 109	69 62	81 19	6 11	1 1	16 5	
	1,782	2,186	2, 333	2, 521	8,079	3, 464	4,019	4,394	4,410	8,572	1,985	861	150	į.	200	1.
ľ	860 872	1,056 1,080	1,298 1,085	1,424 1,097	1,872 1,207	2,180 1,284	2,598 1,421	2, 979 1, 415	8,122 1,288	2,641 981	1,521 464	652 209	111 48	26 20	185 65	2
Ì	681 665	860 840		1,149 919	1,518 1,028	1,724 1,089	1,977 1,208	2,092 1,156	2,018 1,072	1,569 787	770 861	280 168	·42 82	9		}:
	5 4	5 2	9 6	7 6	18 5	18 1	22 5	32 7	36 7	28 5	19 6	7	8			: }:
	62 59	56 64	78 59	81 61	99 65	116 56	166 55	287 90	270 65	287 65	178 37		16 5	} 2	15	: }{
	16 5	22 16	82 5	\$8 6	64 7	94 25	172 80	281 23	404 86	363 88	276 18	161 18	22 7	1	9	}{
	96 139	118 158	185 118	149 105	183 102	228 118	261 128	387 189	399 108	899 86	278 42	122 20	28 4	7	21. 18	}{
	888	337	344	279	184	117	105	81	55	89	16	6	8		8	-
	88 29	41 22	50 13	58 10	46 3	82 7	30 2	93 4	20	14	6	1	1	1	8	. 8
	68	56	31	12	4	1		1	2							. 8
	.89 41	72 40	115 19	83 16	70 .9	42 . 7	42 11	26 7	17 8	12 5	4	1	1		1 2	4
1	128	106	116	105	52	28	20	10	1 6	8	2	1 4	1	1	2	1 4

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 10	90 to 94	OF to On
		- I					- Chuer o	9 00 9	10 10 14	15 to 19	20 to 24	25 to 20
8. Affections connected with pregnancy	7,816								9	660	1,700	1,818
Abortion	464		• • • • • • • • •							30	86	120
Childbirth Puerperal septicemia	8,290		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •	• • • • • • • •				8	277	628	665
Extra-uterine pregnancy	2,824 172		••••	•••••		• • • • • • • •			5	222 2	692	785
Others of this class	1,066								1	129	24 270	50 248
	} ' }		100	400							· ·	
9. Diseases of the bones and joints	2,760	595	189	102	63	67	1,016	214	184	171	137	99
MalesFemales	1,565 1,195	317 278	103 86	58 44	38 25	44	560 456	118	114	102	84	62
	880	272	82	52	27	28 26	459	96 71	70 51	69 44	53 84	37 21
Diseases of the spine $\ldots \ldots iggl\{ egin{smallmatrix} M \ldots \\ \mathbb{F} \ldots \end{matrix} $	751	241	77	85	22	17	892	54	81	86	80	15
Abscess, lumbar and psoas ${M \choose F}$	55 30	2 2	1	i			3	2	3 1	1	11 2	8 2
	367	83	14	4	6	13	70	20	32	82	24	22 22
Diseases of the bones $\left\{ egin{matrix} M \dots \\ \mathbb{F} \dots \end{array} \right.$	211	19	8	ŝ	š	5	38	- 21	28	15	13	9
Diseases of the hip-joint $\dots \{ M \}$	136 72	8	1 1	3	4	3 1	12 13	21 18	22 9	20 11	9 4	10 6
Others of this class $\binom{M}{F}$	127 131	6	5	2 2	1	2	1.6	6	6	6	6	1
10. Diseases of the skin	1,855	522	93	86	18	18	682	48	6 32	6 37	4 55	5 55
	1,038	281	49	22			366	27	16	17	23	26
MalesFemales	822	241	44	14	11	7 6	316	21	16	20	82	20 29
Abscess $\left\{egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{matrix}\right\}$	490 416	96 98	22 15	10	4 5	6 8	138 125	28 18	13 12	13 18	16 24	19 21
Carbuncle $\left\{egin{array}{l} M \dots \\ F \end{array}\right.$	168	8	1	1			10	1	2	2	4	4
	74	3		3		•••••	6		1	1	3	4
Others of this class $\cdots \qquad \begin{Bmatrix} M \dots \\ F \dots \end{Bmatrix}$	375 332	177 142	26 29	11 5	8 6	1 3	218 185	3	1 3	2 6	8 5	8 4
11. Diseases of the absorbent system	678	52	25	9	.9	7	102	27	22	21	85	40
MalesFemales	870 308	36 16	15 10	5 4	9	4 8	69 33	19 8	14 8	18 8	15 20	21 19
Addison's disease $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	93 78							2	2	4 8	4 6	7 5
Discases of the spleen $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	94 71	8 4	8 2	₁	5	$\frac{1}{2}$	17	8 2	8	4	4 7	6
Others of this class $\left\{ egin{aligned} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right\}$	183 159	28 12	12 8	5 8	4	3	52 24	14	9	5 5	7	8
12. Accidents and injuries	49,218	2,761	1,051	1,049	982	718	6, 561	2,513	2,296	3,298	4, 397	4, 279
Males Females	37,768	1,591 1,170	590	629	585	383	8,728	1,591	1,838	2,688	8,665	8, 650
ì	2 067	1,170	461 278	420 859	447 288	335 137	2,888 1,194	022 155	458 57	615 41	782 72	629
Burns and scalds $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	2,067 2,918	95	224	251	291	228	1,089	495	166	141	184	124
Drowning $\left\{egin{array}{l} M \dots \\ F \dots \end{array}\right.$	4,151 569	24 14	101 66	77 37	54 22	56 13	812 152	447 57	547 46	482 74	442 88	338 25
Exposure and neglect $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	334 229	188 126	13 10	5 7	1 3	4 3	156 149	8	7 2	3 8	8 10	į į
Gunshot wounds $\left\{egin{array}{l} M \\ F \end{array}\right\}$	2,506 335	7 5	6	10	10	14 5	47 81	83 41	226 38	390 47	371 56	807 25
Homicide $\left\{ egin{array}{l} M \\ F \end{array} \right.$				3 4	1 3	6 8	10 11	18 12	22 6	57 20	145 29	161 24
Infanticide $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	15 21	15 21			ļ		15 21					
Injuries by machinery $\dots \{ egin{array}{l} M \dots \\ F \dots \end{array} \}$	280 12		1		1		2	6	7	41	42	86
Railroad accidents $\{M, \dots, \{K, \dots, \{$	I .	10	11	1 20	14	24	79	199	241	1 446	802	760
Suffocation $\left\{ egin{aligned} \mathbb{F}_{+} \end{array} \right.$	1,208	648	9 29 34	10 19 15	12 8 10	12 10	714	61	82 25	40 30	42 47	25 40 17
Suicide by shooting $\dots binom{F}{F}$	720 1,162	464	84	15	10	10	533	28	4 8	14 19	11 121	13 11 10
Suicide by drowning F .	99 155								1	11	22 9	,
	82 743								2	6 22	11 68	1.1
Suicide by poison ${M \choose F}$.	448 2,144		· · · · · · · · · · · · · · · · · · ·					4	6 8	70 57	82 128	81 64 156
Other suicides	518	ДE	· · · · · · · · · · · · · · · · · · ·					11	5	41	64	60
Sunstroke \cdots $\left\{egin{array}{l} M \\ F \end{array}\right.$	166	45 86	10	5	1 3	8 2	62 56	13 4	6 3	11 4	28 6	28
Surgical operations $\left\{egin{array}{l} M \\ F \end{array}\right.$	220 432	16	4	3 2	1	1	26 11	10 5	5	12 11	15 59	28 5
Wounds $\left\{egin{array}{l} M \\ F \end{array}\right.$	617 51	6	2	1	12 1	4	28 10	21 8	17 8	59 2	72	76
Others of this class $$	14,810 4,147	557 891	133 101	126 79	145 92	122 58	1,088 721	618 210	669 140	1,009 125	1,800 170	1,441 179

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE-Continued.

80 to 84	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
1,489	1,291	678	90	13	6	1	1		5					55
96	90	83	1	1	1				1				[5
630	617	377	51	7	5		ļ		1					29
551	397	177	26	5		1	[8					10
44	38	11	1	[·····	<u> </u>			[2
168	149	80	11				1							9
94	109	94	101	97	84	87	88	87	53	26	14	3		2
45 49	66 43	62 82	54 47	54 48	39 45	56 31	58 35	40 47	85 18	10 16	8 6	2		1
11 21	29 29	25 12	18 26	19 20	17 22	21 18	18 15	15 12	17 10	6 3	4 3	i		i
6	6	 	8	2 5	1	4	2	8 8	2					ı
2 17	1 18	2 17	8 17		8 12	19	20	8.	11	4	8	-		
16	5	9	9	20 11	6	5	6	18	2	8	2			
8 4	6	10	4 1	5	4	[1	2	1 2	1	2		[.
8	5 7	10	12	8	5	11	11 13	12 17	4	ĺ	1	2		
6 57	· 3	9 75	8 76	6 87	14 96	98	18	92	6 79	3 61	1 23	5		
	40	39	45	56	62	54.	71	58	49	40	18	2	1	7
22 35	82	36	31	31	34	44	41	34	80	21	10	8	1	5
14 22	27 22	27 20	20 16	86 13	31 19	23 22	28 26	25 12	15 18	15 9	8 4	$\frac{1}{2}$		3 8
5	7 2	1 6	14	12	21	20	20	16	12	9	2			1
1		8	5	9	5	8	8	9	8	5				1
$\frac{3}{12}$	6 8	6 8	11 10	8 9	10 10	11 14	23 12	17 18	22 14	16 7	8 6	1 1	1	3
49	44	58	50	44	48	48	37	30	17	. 7				4
27 22	21 28	27 26	29 21	21 23	22 26	28 20	19 18	13 17	7 10	3 4				2 2
6	9	10	13	10	9	9	3 5	2 2	2 8					1
8	6		7	9	8	10	6	3		1				
8	7	7 7	. 7	6	5	2	4	3	2 2	ĩ				
18 8	6 7	10 11	9 15	7 8	10 12	9 12	10	8 12	8 5	2 2				1 1
8,848	3, 909	8, 189	2,797	2,416	1,932	1,807	1,522	1, 227	1,067	763	405	147	87	808
8, 246 602	3, 285 624	2,698 491	2,394 408	2,046 370	1,579 353	1,451 856	1,126 396	822 405	648 419	891 872	160 245	59 88	11 26	697 111
76	68	64	50	41	29	34		20		21 42	8	00	1	
120	109	71	64	52	50	65	25 49	58	22 58	l.	19	6		2: 11
267 33	283 29	246 18	171 16	189 17	128 12	91 12	72 14	46 8	80 10	9	8	2	1	100 12
12	12	12	19	11	11	16	15	8	14	7	7	1		
4	6	3	2	1	7) 2	5 24	2	8	4	8	3 2		1
219 24	227 28	161 12	181 10	98	74 6	64	24	15	10	i				57
148 24	137 21	81 17	72 11	60 7	40 4	39 1	12 4	15 2	4 3	3 2	1			22
34 1	83 1	28	16	18'	5	6	7	1	2					1
666 26	585	426	368 27	887 26	229 24	218 18	116	91	71	42	, 13		. 2	176
26 48	24 55	29	31				25	24 12	20 15	6 4	1 3	1		80
9	12	5	8	20 6	28 10	28 10	26 7	า๊จ๊	7	5	ĭ			29
122 15	149	145	124	108	73	68	45	82	19	7	2	[21
	11 12	7 18	11 11	3 21	4 14	14	1 11	5	14	4	1			2
12 7	12 7	5	5	9	7	6	2	4	2					
86 49	79 50	92 35	76 24	79	89 14	46	31 7	21 8	8 3	2	1		.	10
198	215		248	14 213	185	162	129	91	63	l .	5	1 9		36
52	58	238 55	40	213 34	30	162 21	26	11	6	28	8	ľ	[4
$^{31}_{\ 2}$	42 6	33	82 7	87 11	28 7	21 14	28	24 18	1.7	4 3	2	. 2		8
11	17	14	12	111	18	16	17	7	2	4				4
55	68	51	82	30	20	18	9	3	รื	1 1	i			8
59 2	55 2	38	42	36	28	30	18	11 8	6 1	1	i i	1		18 1
1,272	1,316	1,073	996	822	660	618	555	423	351	248	117	47	7	190
179	1,310	173	144	153	156	179	283	259	291	298	215	75		1 24

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE TOTAL COLORED.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	8	4	Under 5	5 to/9	10 to 14	15 to 19	20 to 24	25 to 20
1 -	All causes	147,002	28,660	10,667	5, 246	2,990	2,061	49,624	6, 476	5, 340	9, 232	11,485	8, 766
2 8	Males Females	74, 531 72, 471	15, 329 13, 331	5,566 5,101	2,720 2,526	1,484 1,506	1,000 1,061	26, 099 23, 525	3,090 3,386	2,416 2,924	4,087 5,145	5,591 5,894	4, 165 4, 601
4	Unknown cause	12, 380	5,518	931	470	221	179	7, 319	456	324	394	452	366
5	Males	6, 250	2,962	492	264 206	117 104	83 96	3, 918 3, 401	226 230	142 182	159 235	196 256	148 218
6	Females	6,180	2,556	439			-						
7	General diseases—A	34, 463	7,488	4,305	2,028	1,112	812	15,690	2,538	1,841	2, 359 1, 093	2,837	1,635
8 9	Males Females	17,576 16,887	3,918 3,515	2, 216 2, 089	1,018	527 585	408 409 47	8,082 7,608 842	1,234 1,304 142	1,011	1, 266 78	1, 076 59	808
10	Measles $\left\{ egin{array}{ll} \mathbb{M} & \mathbb{N} \\ \mathbb{F} & \mathbb{N} \end{array} \right\}$	1,285 1,368	360 320 29	229 238 20	$122 \\ 119 \\ 14$	84 90 8	51 2	818 73	131	97 11	100	63 5	44
11	Scarlet fever $\left\{ egin{array}{l} egin{$	127 137	19	20 21 46	14 48	11	$\frac{2}{6}$	71 213	19 22 66	10	14 7	7	$\begin{bmatrix} 2\\2 \end{bmatrix}$
12	Diphtheria $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	824 340 944	61 87 467	81 245	41 98	37 27 53	84 24	170 887	106 43	28 35 5	10 5	3	6
18	Whooping cough $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1,096 2,748	510 812	279	117 165	69 100	89 89	1,014 952	58 286	14 181	8 223	283	1 148
14	Malarial fever $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	2,748 2,841 1,435	293 312	286 259 104	181 47	116	86 22	935 507	807 48	214 24	282 48	219 46	170 45
15	Innuenza\F.	1,423 1,423 3,275	272 172	100	44 115	22 25 81	15 68	456 612	40 821	40 313	59 461	53 500	42 290
16	Typhoid fever $\left\{ egin{align*}{l} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$	3, 256 400	141	164	124 82	75 11	81 12	585 222	845 21	483	546 14	397 15	242 11
17	Cholera morbus	. 321	60 19	85 6	28	14	8	145 29	24	13	10	12	14 3
18	Colitis	62	23 185	12 126	8 6 56	18	1 18	398	1 41	2 18	15	11	2 11
19	Diarrnea\fr.	. 586	168 314	116 267	46 111	22 42	7 86	859 770	86 68	9 28	8 26	9 38	14 31
20	Dysentery $\left\{ egin{array}{ll} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$	1 '	263 381	260 178	101 57	37 24	14 20	675 660	52 82	14 21	21 13	35 17	27 13
21	Enterius\F.	. 870	358 733	156 305	63 61	25 11	10	1,118	42	17		25	24
22	Cholera infantum $\left\{ egin{align*}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$. 625	638 167	264 89	55 46	13 24	22	981 848	53	20		48	18 81
23	Fever $\{F\}$ Cerebro-spinal fever $\{M\}$		184 46	81 8	35 9	33	7	852 74	59 23	18	14	40 12 7	1
24	, (M.	. 1,314	28 106	13 26	7 19	8	10	61 165	25 48	18 43	117	190 112	158
2 5	$egin{array}{lll} & & & & & & & & & & & & & & & & & &$		86	32 2	13	12		. 157 15	32	30	. 4	8	4
26 27	Septicemia F	l l	20 85	10	8	1	$\begin{vmatrix} 1\\2\\1 \end{vmatrix}$		9	17			24
28	\mathbb{V}_{F}		28 79	14	4	2		99	4	3	1	86	32
29	Others of this group	164	22		2		1 4	42	8 8		. 8	. 19	6
30	General diseases—B			1	1	1		11	109	į			1
31 32	Males		-	_	70	38	29	817	46				25 27
32 83	Females		2	1	70		21	713	11	1		1	
34	Parasitic diseases $\left\{egin{array}{l} \mathbf{F} \end{array}\right.$	152	. 17	34		20	20	122 123	25 42				i
85	Lead poison						. 1	. 1	 			· L	
36	Other poisons	i i	20	21	28 18	1	3 6	86	18	3	5 1 4 1		3 14 7 20
87	Inanition		550	36	1.0	: :	2 2	606	1 1	/	2		14
38	General diseases—C			1		·		il.	11	1	1 2	2 1	9 15
39 40	MalesFemales		1,425	104			8 4	1,599 1,402	10		6 5 1		0 7 9 8
41.	Old age		i II										
42	Premature birth $^{ ext{M}}$		3 756					756 629	}				
43	Malformation		7 9	1 :	3 2	3	1	2 108 1 85	3	в			1
44	Debility and atrophy $\left\{ egin{array}{c} M \\ \mathbf{F} \end{array} \right.$	1	7 519	10	1 39) 1		2 678 5 628				8 4	9 7
45	Others of this group	5	II	3				56	3				

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued. ${\tt TOTAL\ COLORED}.$

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65·to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6, 581	6, 293	5, 559	5, 253	5, 425	4,028	4,723	3,861	3, 894	2,832	2,497	1,278	837	1,012	2,006	1
3, 207 3, 374	3,067 3,226	2,755 2,804	2,716 2,537	2, 940 2, 485	2, 233 1, 795	2,521 2,202	2, 152 1, 709	2, 162 1, 782	1,537 1,295	1, 302 1, 195	685 643	866 471	387 625	1,103 903	8
248	249	262	237	287	208	283	252	186	182	175	. 77	57	64	802	4
106 142	102 147	121 141	109 128	144 143	101 107	139 144	115 187	101 85	95 87	97 78	35 42	20 37	25 39	151 151	6
1,096	-939	811	741	761	541	680	529	545	383	343	176	95	91	332	7
546 550	465 474	452 859	407 334	409 852	270 271	372 308	282 247	305 240	223 160	173 170	90	42 53	35 56	178 154	8
$\frac{11}{32}$	13 16	8 12	9 11	. 9	4 5	8 6	4 1	$\frac{1}{2}$	4 1	$\frac{1}{2}$	2		·····i	7 8	}10
8	2 4	3			3 1	8	1								}t:
1	3	1	1	$\frac{1}{2}$	i	1 1		1		i i	:			1	}19
1 115	88	1 85	75	77	2 50	67	46	43	80	16	11	5	3	3 1 19	$\left \right ^{1}$
75 19	88 90 82	89 35	75 73 85	74 40	61 47	64 82	53 76	40 95	30 23 82	16 14 74	11 10 44	5 5 20 27	9 21 27	84 15	}1: }1:
43 147	40 128 129	106	40 109	62 73	58 44	66 46	64 22 24	81	68 18 7	70 15	84 9	27 2 5	1 3	14 25 27	}1 }1
- 157 6 16	129 10 14	90 10 8	73 7 6	50 13 11	44 5 8	54 15 9	5 9	29 8 7	4	11 3 5	5 2 2	2	1	6	} ₁ '
2	1	8	2	1 1	1 8	1 2	3 1	1	1 8	2				1]]1
8 19	9 12	9 18	15 10	28 17	17 10	21 14	23 18	16 12	15 7	. G	4 3	2 3	1 4	13 4	}1
27 28	82 26	20 16	38 32	42 87	28 18	87 88	80 88	85 87	25 23	12 22	8 8	2 7	5	7 11	$ _2$
12 14	15 18	12 10	18 14	16 17	11	11 5	11	10 9	1 6	6 4	2 4	2	1	9	}2
10	19	8	8	17	6	11	7	7	4	8 5	2 9	2 1		3 1	${}_{2}^{2}$
20 5	19 19 8 2	8 7 5	8 11 4	8 5	9	11 11 2	4 1	4	9	5	9	1	1		\ \}2
5 125 66	85 45	88 40	42 28	48 84	24 17	1 86 15	20 19	87 9	1 14 4	10 5	8 1	2 1	1 2	58 27	$\left \frac{1}{2} \right $
.,6	2 3	5 1	8 4	5 2	1 3	3 2	6 2	4 2	3 2	3 6	·····i	. 1		1	}2
18 32	13 32	26 17	18 20	15 15	12 8	17 13	12 1	7 4	11 2	7 5	5 6	1 1	2 2	5 4	}2
28 29	15 18	26 7	22 8	15 8	8 8	11 8	11	1	3	. 1	1			7	}2
8 8	3 2	5 8	3	9 7	8 9	5 4	11	3	8 5	11 1	, 1	2	}	8	}2
81	29	35	82	33	20	24	12		17	8	3	4	5	28	-
22 9 7	24 5 11	23 12 18	28 9 9	22 11 12	18 7	15 9	8 4	.:	10 7 5	5	8	2	3	17 11 6	1
i	1 1	18 3	2	12 2 1		8		-	ž 		i	. 1	-	1	}{ }{ .
· · · · · · · · · · · · · · · · · · ·		1	1	1	2										$\cdot \}_i$
14 6	11 4	8	11 7	7 6	8	5 5	5		. 2	1		. i	1	8 8	٠,
1 2	1	1 1	2	1 2	8 1	3 1	3	2	. 3	2 5	i	. 1	ſ	8	 }:
18	17	17	29	62	59	162	186	474	1	1	i	1	ļ	_	-1
8 15	9 8	7 10	13 16	24 38	31, 28	65 97	101 85	224 250	į.	346	226	220	875	77	1 4
						42 67	75 65	197 219	189 249	291 825	174 215	156 207		87 65	11
				:						:					: }
9	α	7	10	9.4	91	00	98	97	09	90	11	11		19	: } ₁
3 15	9 7	10	18 16	24 88	81 28	23	26 20	27 31	28 17	20 21	11	11	9	19 12	-{} -{}.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE COLORED—Continued.

Ť	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	. General diseases—Continued.			682	486	321	202	2, 484	1,063	1,841	3,176	4, 458	3, 416
1 2	General diseases—D	29, 948 13, 465	798 401	361 321	260	165	101	1,288 1,196	453 610	477 864	1,175 2,001	1, 907 2, 546	1,389 2,027
8	Females	16,483 88 64	892 7	321 2 3	226 1 3	156 1 1	101	1, 196 11 16	1 8	2 4	2,001	2,040	2 7
5	Diabetes $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	79 67		4	2	····i		6 2		5 2	8	1	6 1
6	Rheumatism $\begin{bmatrix} M \\ F \end{bmatrix}$	412 868	7 10	3 2	3 8	5 .	i	18 19	12 13	18 18	20 22	18 18	15 15
7	Scrofula and tabes $$	493 496	48 45	42 41	81 25	25 23	14 18	160 147	67 77	42 61	85 43	48 85	30 24
8	Hydrocephalus	177 160	62 52	34 31	16 13	10 14	8 6	125 116	15 12	8 5	7	6 2	5
9	Tuberculosis, general $\cdots {M \choose F}$.	98 61	3 8	2 4	8	2		10 10	3 4	6	9 7	23 8	9 6
10	Consumption $\{F_{i}^{M}\}$	9, 956 12, 121	218 227	194 171	182 117	80 78	62 62	686 655	254 400	841 714	1,041 1,804	1,717 2,321	1, 256 1, 811
11	Cancer $\cdots \{ egin{matrix} M \\ F \end{bmatrix}$	364 1,189	4 2	····i	2	2		6 5	4 3 4	6 5	13 6	13 33	10
12	Tumor $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	102 216	8	3	2 1	3	2	14 12 206	2 89	6 8 42	9	14 80	17 53
18	Dropsy $\left\{ egin{array}{ll} \mathbf{F} \end{array} \right.$	1,681 1,745	29 21	63 54	59 51	87 27 2	18 17 2	170 46	90	48	86	107	100
14	Others of this group $\left\{ egin{matrix} \mathbf{F} & \mathbf{F} & \mathbf{F} \\ \mathbf{F} & $	65 51	17 15	14 14	11 7	6	2	44	8	• • • • • • • • • • • • • • • • • • • •		1 388	329
15	2. Diseases of the nervous system		2,903	658 868	169	100	170 78	9 849	524 278	190	199	214	166
16 17	MalesFemales		1,692 1,271 87	295 50	141	102	92	2,842 1,901 195	246 58	187 28	217 85	174 31	168 14
18	Inflammation of the brain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	345	64 198	29 102	19 53	12 17 38	11 28	140 414	48 88 83	82 66	28 61	14 48	14 29
19	MeninguisfF.	658	134	94	3	32	82	841 13	4	56 3	46 9	86 22	21 24
20	Apoptexy\F.	771	7 12	5 11	8	9	4	17 44	6 24	7 10 14	6 16	12 20	25 16 24
21	Paralysis	1		11	2	2	2	30	18	14	21	. 21	2 2 2
22 23	Paralysis, general (of insane) $ {M top F}$. Tetanus and trismus nascentium ${M top F}$	1	238	5	1	1	8	247 208	18	23		9	14 6
24	Ghansa (M.	. 8	198	8		1		208	i	1 2	1		1
25	Epilepsy	290	41 38		5	5 5	1 3	60 54	17	20	80	38 16	26 12
26	Convulsions \prod_{F}^{M}	1	919	121	46	16 82	14 21	1,116	26 28	12	. 5	2	3 12
27	Mental diseases									8	6	9	9 15
28	Diseases of the brain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	574			25 16	17 10	15 20	235 168	44 55	25 87	25 37	24	21 28
29	Diseases of the spinal cord $\dots = \left\{ egin{matrix} M \\ F \end{array} \right.$	35 38	1			· i		5 7	8 2	4 2	1 5		1 1
30	Locomotor ataxia ${M \choose F}$	9										i	
31	Others of this class \cdots ${}^{M}_{F}$	69	10 7	2	i		. 1	13 9	1	2	4	1	3
82	3. Diseases of the circulatory system		-	-	_		.	-	83	-		_	_
3 3 3 4	MalesFemales	3,777) 20	17	12 8		181	50	64	t 8'	7 214	176
35	Pericarditis $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	48	3			. i		H	2	. 4	i :	í 4	2
3 6	Diseases of the heart $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		11	28			11 6			60		3 203	167 1
87	Angina pectoris	1	3					-	-			í	
38	Diseases of the arteries $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$		ə								1	1	5
39	Aneurism		4						. 1		2	1	
40	Embolism		8 2		1			. 25		,	••	i	2
41	Others of this class $\left\{ egin{array}{l} \mathbf{F} \end{array} \right.$	1	7						11		٠٠.٠٠٠٠		

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

COLORED-Continued.

ıknown.	95 and over.	90 to 94	85 to 89	80 to 84	75 to 79	70 to 74	65 to 69	60 to 64	55 to 59	50 to 54	45 to 49	40 to 44	85 to 39	30 to 34
424	61	61	127	316	899	683	759	944	951	1,410	1,552	1,778	2,149	2, 401
212 212	84 27	31 30	68 64	180 186	215 184	871 812	428 331	484 460	524 427	712 698	784 818	773 1,005	985 1,164	1,080 1,371
1				1		3 1	2	2 2	1 1	2 3	3 8	2 6	2 2	2 1
1	2	3	3	3	4 4	4 3	2 5	9	7 9	8 7	5 4	6	7 8	8 2
5 5	6	5 4	9 7	20 15	29 22	40 32	26 17	28 31	27 20	87 20	27 28	22 20	18 20	17 16
8 7	2	1		2 2	4 5	6 8	8	10 8	7 5	10 14	17 10	6 14	20 21	17 14
						1	1		1	1	1 8	4 3	1 2	5 2
i				1	1	i	4	1 2	3 1	3 1	3 2	8 2	11 8	9 8
151 189	7 5	8 2	18 12	47 81	68 63	133 100	210 147	269 172	323 198	486 368	566 460	627 707	851 878	902 1,184
12 18	2 3	3	5 18	9 23	18 31	24 49	87 56	84 105	89 96	42 158	88 173	24 138	19 113	16 66
Б	1		1 2	2 1	3 6	2	6 7	3 20	4 11	11 20	4 28	10 21	8 15	7 14
34 36	16 10	11 16	35 27	96 61	88 52	158 114	135 92	128 114	112 85	112 112	70 111	66 93	52 107	50 114
1				· 2	1				1		1	8	1	2
186	50	59	116	237	841	447	441	510	423	546	442	854	812	272
82 54	20 80	21 88	56 60	104 133	164 177	216 281	217 224	244 266	218 210	278 278	198 244	176 178	157 155	137 135
8			2	2	4 8	5 4	8	. 6	7 6	8	9	8 6	8 11	11 8
6	3		i	1	4 3	. 3 5	6	4 9	4 8	12 7	6	9 7	17 10	24 14
7 12	8	9 11	15 18	80 25	89 47	58 66	66 65	80 85	68 80	88 91	68 82	43 43	80 44	15 25
22 14	12 16	10 25	88 82	56 82	88 100	120 126	101 116	108 118	72 84	99	53 85	47 59	46 34	17 25
3		***********	1		1	3	4	4	8 2	12 6	7 6	12, 2	4	11 4
3	i				8	2	4	5 1	3	4 3	4	8 2	7 8	6
					1						1			
4 5	18		1 1	2 2	8 2	7 4	6 2	7 4	11 5	6 11	10 7	15 9	1 8	18 8
9 8				ı	3	1	2	4	1	8 5	2 2	4 4	15 1 2	3 7
10	1	1	3 3	8 3	5 6	8 10	7 7	10	12 3	11	6 13	8 21	18 6	8 14
18 5	ĩ	1 1	1 3	8 12	12 5	7 10	13 19	13 25	19 18	8 24 18	26 20	22 18	17	20 20
2	1			1	1 1		1 1	8	10 1	1 1	3 2	2 2	16 8 5	3
1	1							1	2 1	2 2	8			
1	2 1		i	2 6	3 7	4 3	6 8	3 8	6	8 14	1 8	8 5	3 7	1 3
184	52	59	117	245	870	501.	551	687	559	663	591	585	525	410
75 50	16 36	25 84	52 65	189 106	204 166	259 242	289 262	852 335	298 266	819	278 818	266 319	244 281	183 227
					2	1	4	2	8	844 · 7	2	8	5	8 3
71 59	15 84	28 82	50	186	198	244	2 269	2 335	5 281	2 299	259	5 288	2 222	166
2		l	62	101	155	280 5	250 4 7	822 4	250 4	828 5	296 3	294 7 9	269	214 2
1	$\frac{1}{2}$	2		1 2 2	8 4 2	6	8	8	4 8	9	7 8	1 4 1	2	8 1
1	2	1	2	2	1	3	3	8	1 2	3	1 1 <u>1</u>	2 14	1 10	9
						2 2	1 1	2	4	2 1	Б	8	5 2	4 2
						1	1		2	2		1	1	2

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE TOTAL COLORED—Continued.

1 2 3 4	The residence of the residence or		i i	i i			il	- 11					25 to 29
	i. Diseases of the respiratory system	20, 643	5,111	2, 181	1,087	517	286	9,082	721	570	1,043	1,363	952
	MalesFemales	11,485 9,158	2,757 2,854	1,096 1,035	539 498	262 255	146 140	4,800 4,282	343 378	282 288	578 465	817 546	573 879
	Croup	978 872	693 633	127 99	66 52	36 33	17 13	939 830	80 23	3 7	2	1	8 2
5	Pneumonia $\begin{cases} M \dots \\ F \dots \end{cases}$	8,618 6,445	1,561 1,301	747 698	877 848	181 182	113 95	2, 979 2, 624	264 286	280 285	528 398	750 451	503 309
6	Laryngitis $\begin{cases} M & \cdots \\ F & \cdots \end{cases}$	33 15	8 2	4 2	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	2	2	18 6	1 1	i	$\frac{2}{1}$	1	8
7	Bronchitis $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	975 1,001	390 337	184 198	74 79	85 21	11 24	694 659	28 49	15 23	15 80	24 25	18 22
8	Pleurisy	242 203	6 10	2 8	5 3	3 .		16 24	7 3	9 5	9 8	16 18	16 19 7
9	$ \text{Asthma} \left\{ \begin{matrix} \text{M} . \\ \text{F} . \end{matrix} \right. $	249 263	8 5	7 6	6 5	1 4	····i	$\begin{bmatrix} 22\\21 \end{bmatrix}$	4 3	4 2	1 2	8	9
10	Others of this class $\dots igg(egin{array}{c} M \ \cdot \end{matrix} igg)$	395 359	91 66	25 24	10	4 11	8 7	182 118	9 13	21 15	28 24	23 42	23 18
11	5. Diseases of the digestive system	7,250	1,712	1,104	292	130	81	3, 319	284	179	278	404	320
12 18	MalcsFemales	3, 818 3, 432	912 800	591 518	147 145	68 62	41 40	1,759 1,560	149 135	88 91	124 154	183 221	151 169
14	Dentition $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$	657 598	282 223	370 312	45 56	9	1	657 598					2
15	Angina $\left\{ egin{matrix} M \\ F \end{array} \right.$	107	40 17	12 9	10	8 3	7 3	76 42	10	3	4	9	11
16	Gastritis $\left\{ egin{matrix} M \\ F \end{array} \right.$		47 48	27 25	10 6	6 10	3 4	98 88	12 20	4 8 5	3 17 7	18	24
17	Diseases of the stomach $\cdots \cdot $. 182	29 82	9 16	10	8	8	49 64	11 18	11 5	8	8	18
18	Obstruction of the bowels $\left\{ egin{matrix} \mathbf{H} \\ \mathbf{F} \end{array} \right.$	1	11 8	1 2	2	1	1 2	15 13	4 2 5	1 12	8 21	15	14 22
19	Appendicitis $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	- 96	2 4	1	1	1	1	6 6 82	9	5 2	17	10	9
20	$egin{array}{lll} ext{Hernia} & & & & iggridge M \ ext{F} \end{array}$	- 41	23 6		1 1	2		7 158	13	. î	1		
21	Other diseases of the bowels $ {M \choose F}$	272	86 69	43 35 9	20 12	8 11 11	3	180	14	13	17	15	7
22	Jaundlee $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	139	81 72	5	3 1 6		2 1 4	79 29	8		8	11	7
23	Inflammation and abscess of the M. liver.	150	14 7	5		3 8	3	28 38	12	6	. 5	5 18	. 9
24	Other diseases of the liver $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	148	18 11 16	7 7 7	4	8 4 3	2	26 84	7 24	8	: 8	3 1.1	19
25	Peritonitis $\left\{ egin{array}{ll} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$	424	14	6	3 4	8	3 7	29 28	13	21	. 47	7 87	56 7
26	Ascites $\left\{ egin{array}{ll} \mathbf{F} \end{array} \right.$. 183	5	4	4	4 4 18	5	19 458	11 82	7		1.	11 21
27	Others of this class $\left\{ F \right\}$		289	86	88	14	14	436	80	1.5	· · ·) 19	
28	6. Diseases of the urinary system and male organs of generation.		_ -	_		17	18	198	34				_
29 30	MalesFemales		32	82 22	15	6	7	82	82 22	81	5 51	5 10	9 78
31	Bright's disease $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,132		1	1			7	24	30	4:	2 7	8 62
32	Calculus, urinary $\left\{ egin{array}{l} M \\ F \end{array} \right\}$		↓ ∫ 2		. 2	1	13	5 90			1	5 1	7 9 8
33	Diseases of the kidney $\left\{ egin{array}{l} M \\ F \end{array} \right.$	ı	2 22	1	12	, š	7	64	1		3	4	9 2
84	Diseases of the bladder $\cdots M_{\mathbf{F}}^{\mathbf{M}}$	1	5 4					10		3	в .	8	8 18
35		1	4	4	1		-	. 9		3 3		7 1	- 1
36 37	7. Diseases of the female organs of generation		_	-	-					_ -			4 2
38	Ovarian diseases	10) ∥								1		1 2 8 12
89 40	Diseases of the tubes		11 -						1				2 9
41 42	Uterine diseases	128	III .	3				<u> </u>		- 1		I	7 15 32 80

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

0 to 84	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
755	785	710	668	761	565	657	509	505	826	257	122	54	56	182
478 277	487 348	423 287	406 262	474 287	351 214	363 294	300 209	814 191	180 146	135 122	78 49	23 81	24 32	111 71
	1	1	2	1	1									1 2
411 240 1	388 277	378 232	840 198 2	397 224	271 161 2	204 217	227 147 2	253 184	142 102	95 87	54 80	17 22	18 20	84 51
1	14	1 1		95		1 7		1	6	9	1 4	2		
12 13 18	14 17 14	16 8 5	23 19 12	25 17 14	19 13 17	23	16 18 19	19 16 16	20 12	11	8		3	9 7 4
18 5 11 5	14	5 6 13 18	12 15 12 19	15 19	11 29 18	19 19 25	25 27	10 22 25	9 14	10 5 15	6 8 7 4	2 4 2 4	4 7	3
5 25 13	19 22 20	18 15 21	19 17 9	20 18	13	26 18 8	11	4	10 .6	14 6	4 2 3		1 4	6
18 267	20 262	21 247	9 278	274	10 242	8 285	201	5 154	5 101	5 80	88 88	1 16	1 16	60
132 135	119 148	112 135	154	156	189	138 97	121 80	96	69 82	51	21 17	8	11	37 28
135	148	135	119	118	103	97	80	58	82	29	17	8	5	28
2 2	3	2 3	1 4	$\frac{2}{3}$	1 3	1	, 1	8 2	1 1	4	1,		. 1	
13 18	10 17	12 14	18 18	26 20	18 19	14 16	14 10	9 5	7 8	5 5	1 8	$\frac{1}{2}$	1 1	2 2
7 6	18	5 9	9 7	9 5	. 9	7 5	7 8	- 8 5	5 1	4	4 2	i	1	
9	4 6	5 11	8 9	3 6	11 8	8	3 5	6 4	2 1	1	2			4
14 8	9 7	10 4	4 4	4 5	7 4	5 4	6 3	I 1	2	1				1
9	6 1	11 4	14 4	9	15 5	14 8	12 4	16	12 2	9	7	2 1	8	7
9	10 9	6 3	10 8	8 5	10 8	10 6	6	7 10	10 4	5 5	2	1	2	2
5 8	2 7	2 4	$\frac{2}{2}$	8 2	4	2 2	2 2		1		1			i
14 9	11 9	18 13	.19 10	1.7 6	12 6	20 11	8 9	8 4	8 4	4 3	2		. 1	5 1
18 10	18 5	16 15	28 13	22 14	17 10	16 7	19 6	5 5	6 4	, 1	8	1		8
17 38	11 49	8 31	17 16	9 14	5 6	10 8	10 8	6 2	8	11				2
4. 9	5 10	8 7	5 7	15 14	14 18	14 10	16 9	11 14	12 8	10 6	4 1	2	. 1	8 2
11 13	17 14	14 17	19 17	24 18	16 15	18 20	17 15	16 8	5 8	7 4	2 3	1 3	1 1	8
199	247	271	325	348	284	846	289	280	157	99	59	21		49
93 106	188 114	147 124	189 136	225 123	177 107	282 114	217 72	210 70	119 88	71 28	88 21	17	i	80 19
66 86	105 88	121 105	150 116	171 102	180 90	158 101	183 61	124 58	66 82	38 22	21 20	8	4 2	16 14
• • • • • • • • • •	8 1	i	4	1	5 2	12	21	14	11 2	7	4	4	2	8
10 11	9	11 6	11.	22 7	28 6	27 8	26 5	16	22 8	12 8	1	4	1	4
2 1	8	2 2	8 4	11	5 1	16 1	11	82 1	10	5	6		4	4
15 8	12 19	13 10	16 12	20 18	14 8	19 4	26 4	24 8	10	14 8	5	1	2	. 3
<u>60</u>	69	67	76	31	15	16	18	6	6				<u> </u>	12
7 · 2	6		8	1	1		1							
9 11	5 13	2 16	2 18	6	4	8	3	1						2
10 21	19 25	10	6 42	7	3 7	9	4 10	2	4 2					7

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE TOTAL COLORED—Continued.

	CAUSE OF DEATH,	All ages,	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	1,883								23	381	485	829
2	Abortion	114								1	21	27	30
3	Childbirth	1,237								19	238	296	207
5	Puerperal septicemia	383								2	77	118	73
6	Extra-uterine pregnancy Others of this class	16 133		•••••								3	3
7		1 1				_	_			1	45	41	16
	9. Diseases of the bones and joints	261	28	15	19	8	8	78	24	17	20	18	15
8	Males Females	152 109	16 12	10 5	9 10	3 5	3 5	41 37	14 10	12 5	14 6	9	11 4
10	Diseases of the spine $\dots \{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \}$	78 62	10 10	6	9 8	1	3	29	9	8	7	2	8 2
11	Abscess, lumbar and psoas $\dots egin{cases} M \dots \\ F \dots \end{cases}$	8		8		4	2	27	5 1	4	3	5 1	2
12	Diseases of the bones $\left\{egin{array}{l} M \ldots \\ F \end{array}\right\}$	5 28	8	2		1		6	2 2	2	8	1 1	
	· · · · · · · · · · · · · · · · · · ·	19 18		2	1		2	5	•••••		1	2	
18	Diseases of the hip-joint $\left\{egin{matrix}M\ldots\\\mathbf{F}\ldots\end{aligned} ight\}$	10							2	2 1	2	3	2 1
14	Others of this class $\cdots \{_{\mathbf{F}}^{\mathbf{M}} \cdots \}$	25 18	3 2	2	i	1	i	6 5	2 1		3	2 1	1 1
15	10. Diseases of the skin	808	59	25	6	8	2	100	4	13	10	. 9	18
16 17	MalesFemales	171 182	37 22	14 11	$\frac{4}{2}$	5 3	2	62 88	3	8 5	4 6	9	10
18	Abscess $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \end{array}\right.$	92	15	6	4	2	1	24	2	6	8	7	6
19	Or .	55 12	8		•••••	1	• • • • • •	9	1	1 2	2		6
	,	14	1					1					1
20	Others of this class $$	67 68	22 13	8 11	2	8 2	1	38 28	1	4	1 4	2	1
21.	11. Diseases of the absorbent system	- 86	4	1				5	1		4	8	3
22 23	Males Females	15 21	2 2	1				2 3	i		2 2	1 2	1 2
24	Addison's disease $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	1						8					2
25	Diseases of the spleen $egin{array}{c} \mathbb{M} & \mathbb{M} & \mathbb{M} \\ \mathbb{F} & \mathbb{M} & \mathbb{C} \end{array}$	1 4										1	1
26	Others of this class	5 10	2					2			$\frac{1}{2}$		2
27		15	2	i	*******			3	i		1	2	*********
	12. Accidents and injuries	8, 295	1,109	817	312	332	228	2,298	577	430	770	905	735
28 29	Males. Females	5, 646 2, 649	551 558	165 152	165 147	158 174	86 187	1,125 1,168	267 310	298 187	587 188	786 169	608 127
30	Burns and scalds $$	683 1,104	54 46	99 88	122 113	126 144	54 118	455 504	84 234	17 63	12 56	15 42	7 23
81	Drowning $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \end{array}\right.$	572 95	5	10	12	6	8	41	54	78	86	76	63
32	Exposure and neglect $\left\{ egin{array}{ll} \mathbb{R} & \mathbb{R} \end{array} \right.$	166	91	7 12 13	4	6	3	18 111	14 8	11 2	14 5	9 1	6 4
33 ⁻	Gunshot wounds $\dots \qquad \begin{cases} M \dots \\ F \dots \end{cases}$	193 1,065	113 1	$\begin{vmatrix} 13 \\ 4 \end{vmatrix}$	6	5 5	4	141 18	5 31	1. 75	7 168	225	5 185
34	Homicide $\int_{M} M$	154 491	4	8	2	2	8	14	9	20 18	98 58	80 108	22 95
	(F'	93			่ชื่			. 3	8	. 3	12	22	19
35	Infanticide $\left\{egin{array}{l} M \ F \end{array}\right.$	8	8			•••••		8 8					
36	Injuries by machinery $ iggl\{^{ ext{M}}_{ ext{F}} :$	40 1					· · · · · · · ·		1	3	5 1	9	2
87	Railroad accidents ${}^{\mathrm{M}}_{\mathrm{F}}$	509 49	3 1		1	1 1	1 1	6 8	12 3	27	78 5	97 5	70 6
88	Suffocation $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	246 274	199 226	10	8	1		213	2		4	4	1
39	Suicide by shooting $\left\{ egin{array}{l} M \ \\ F \ \end{array} \right.$	28	220	13	3	2	8	247	8	7	2	6	5
40	Suicide by drowning $\dots \{ egin{array}{l} \mathbb{F} \ \end{array} \}$	2									1	1	1
i	,	2 18										1 5	
41	Suicide by poison \mathbb{F} .	21								¹ .	7	5 9	3
42	Other suicides $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	61 16								2	1 3	6 3	9
43	Sunstroke $\{F, \dots, \{F\}\}$	88 30	3 5	1 	1	1 1	1	7 6	$\frac{1}{2}$	2 4	4	5	5 1
44	Surgical operations $\left\{egin{align*}{c} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right\}$	21 31								1	2	1 4	1 6
45	Wounds $\left\{egin{matrix}M\dots\\ \mathbf{F}\end{array}\right.$	73 11	1 4					1 4	4	1	6	13	7
46	Others of this class $\binom{M}{F}$		186	29 28	17 16	17 13	15 12	11	1 71	76	171	170	152
•	(4. ••		190	28	16	13	12	ıı 225	36	24	ì 89	31	29

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	85 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
256	232	105	31	4	. 3	3	2	1	•••••					28
16	10	6	1											2
177	174	71	23	4	2	3	1	1						21
46 6	89	20	4	• • • • • • • • • • • • • • • • • • • •			1	····				• • • • • • • • • • • • • • • • • • • •		3
11	8	8	3		1				*********		• • • • • • • • • • • • • • • • • • • •			2
(12					***								
14		11	11	6	8	11	4	6	2		1	1	1	1
7 7	9 3	6 5	8	3	5 3	3 8	2 2	4 2	1 1		1		1	1
2	3	2	4	1	1		1							1
4 2	2 (2	1	$\frac{2}{1}$	2	8		\ <i>.</i>	• • • • • • • • • • • • • • • • • • • •					
		1		·i										
8	2 1	1	1		1	1 4	1 1	3	1					
• • • • • • • • • • • • • • • • • • • •	3	1	1		. <i>.</i>	1		}						
2		, 1	1				 					[J
·····i		2	2	1	2	1	i	1 1			1	1		
14	22	16	13	19	12	15	9	8	4	5	4	2	3	3
		9	·	11	6	4	5	3	3	1		1		4
8 6	11	9 7	8 5	8	6	11	4	5	1	4	2	1	3	·
8	8 8	Ď	7 4	6 8	3 8	1 4	2 2	······································	1	1 2		1		1
		5 2	1	1			1	2						1.
	2	ī	ì	2		8		1		1			1	····;
3	$\frac{3}{1}$	2		4 8	8 8	3 4	2 2	$\frac{1}{2}$	2	1	2 2	1	2	1
8	8	1	5	5	2		. 1		l		<u> </u>		<u>.</u>	
		\ <u>-</u>					·	-		}			\ <u> </u>	
2 1	1 2	·····i	8 2	1 4	1 1		1							
					1			.			.		-	
	1		1											
· • • • • • • • • • • • • • • • • • • •	i				1					.)				.}
$\frac{2}{1}$		i	2 2	1 4			1			-				
687	441	289	227	215	186	150	98	90	72	75	27	21	. 25	182
·					.	.	- - 	_	42	37	19		8	150
460 77	871 70	240 49	186 41	167 48	109 27	110 40	66 32	56 34	30	38	8	12	17	32
9	9	7	2	6	5 18	5 15	5 15		3 17	10 18	8 2		$\frac{4}{3}$	11
22 35	11	10	11.	,	8	L .	2	. 2	1		1	1		. 24
8	36 2	26 3		1	2	2	1	l .					1	1 2
4 2	2 5	1 2		$\frac{1}{2}$	2 3	6	1 1			3 3	i			
180	80	39	44	17	6	10		:∫ 3	2	1 2	.)i	.)	۱	.) 31
7	6	8	1 1	8 91	2	1	9	8	1	1	1			l r
58 5	8	38	18	1 1	i	ļ,		٠	.	. ī				
******	.	.]	.	:]	.)				.)					
6	4	8	2	2	1		. 2							
• • • • • • • • • • • • • • • • • • • •		•	•		-		10	9	8					ı
55 2	44 3	28	11 2			(0		1	. 1	. 2		-] 1	
2	2	2	3	1	5	1 1			$\frac{1}{2}$					
2	1	3	1	1	1	"(]		. 1			
	. 1				. :	.[
	.[1													
1 5	1	. 2	1			.)								
	. 1	ļ		. 1) .		2		1	1				
10	6											1		
11	18	.] 8	ϵ	i) g) 4	1) {	3	2 5			1		1	
2	3	1 2	Į.	1 4)	~}	1	ļ.	1					{
1 7	5 5	3	2	!	1					1	1	B		
19		. 4	L E	5 2	2 2	3 3	3 1	1						
1 1	108 24		j		5	- 1		2 2: 3 10	. 1 ~	2 1	n I	4	2	1) 3 7

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE INDIANS.

=	CAUSE OF DEATH.	All ages.	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	4,801	718	437	226	163	112	1,656	418	292	328	284	199
2 3	MalesFemules	2, 377 2, 424	898 825	201 236	107 119	78 85	54 58	833 823	180 238	138 154	127 201	147 137	105 94
4	Unknown cause	960	187	97	52	26	25	387	84	64	38	89	27
5	MalesFemales	460 500	105 82	42 55	24 28	18 18	14 11	198 189	80 54	28 36	18 25	13 26	18 14
7	1. General diseases. General diseases—A	1,095	228	192	79	61	38	598	126	56	58	26	24
8 9	Males. Females.	554 541	128 105	89 103	39 40	27 84	20 18	298 300	60 66	31 25	23 35	12 14	14 10
10	Measles $\{ egin{matrix} \dot{ ext{M}} & & \\ egin{matrix} \dot{ ext{M}} & & \\ \dot{ ext{F}} & & \end{aligned}$	111	21 14	15 16	12 6	4 12	6 4	58 -52	24 20	. 14 . 10	4 6	1 6	2
11	Scarlet fever $\left\{ egin{array}{l} \egin{array}{l} egin{array}{l} egin{array}{l} a$	4 5	2 1		i			2 2	1	1	i		
12	Diphtheria $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	6 6	1 2	2	2	1		4 5	1		1		
18	Whooping cough $\left\{ egin{matrix} M \\ F \end{array} \right\}$	57 75	25 23	16 28 6	4 9	5 3 4	1 5 2	51 63 18	8 7 11	1 2	2 4		1
14	Malarial fever $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	56 58 48	5 7 3	8 5	1 5 3	1	1 4	21 16	6	2 3 2	2 3	3 2	3
15 16	.Timenan	39	6	5	1 4 3	4 2	2	18 14	4 5	1 4	2 4	2 2	5
17	Typhoid fever $\left\{egin{array}{l} \frac{A}{F} \\ \end{array}\right\}$ Cholera morbus $\left\{egin{array}{l} \frac{M}{F} \\ \end{array}\right\}$. 39 . 21 . 18	1 5 4	5 3 1	3 2 2	1 1	1	12 12 8	8 2 2	2 2	11		1 i
18	Colitis ${\mathbb{M} \choose F}$.	3	1 1		2			1					*
19	Diarrhea $\left\{ egin{array}{l} M \\ F \end{array} \right.$	83 28	16	6 8	8 8	1.3	2	28 28	2 4	i			
20	Dysentery $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	39 85	5 8	13 11	5 2	1 4	1	25 25	2 4	2	i	2	2
21	Enteritis $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	20	9	3		8		15 6	2 1	1	2		
22	Cholera infantum ${\mathbb F}^M$.	22 34	18 16 9	6 15 6	8	3	8 2	22 34 22	4	2			
23	Fever	1	6	12	4	8	2 1	27 6	2	2	8	1 1	1 2
24 25	$\begin{array}{cccc} \text{Cerebro-spinal fever.} & \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \\ \text{Smallpox.} & \left\{ \begin{matrix} \mathbf{H} \\ \mathbf{F} \end{matrix} \right. \end{array}$	1	2 2	1	1,	1		5 2	4		. 3	1	i
26	Erysipelas F .			1				1	2		1	2	
27	Septicemia $\left\{ egin{matrix} \mathbf{F} \\ \mathbf{F} \\ \end{array} \right\}$	1	1	1				1	1		1		1
28	Venereal diseases $^{\mathrm{M}}_{\mathrm{F}}$.			1				1 1	1		1	1	1 1
20	Others of this group $\left\{ egin{matrix} M \\ F \end{array} \right\}$. 2			i i			1			i		
80	General diseases—B	49	21	2	1			24	3	2		. 2	
31 32	MalesFemales	. 28 21	18 8	1	·····i			14 10	2 1	1		1	
38	Alcoholism $\left\{ egin{array}{c} M \\ F \end{array} \right\}$		1					1					
84	Parasitic diseases		1						i				
35 36	Lead poison M . Other poisons M .		2					2	2	1		. 1	
37	Inanition \mathbb{F}		9 8	1				10 10				1	
88	General diseases—C		19		$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$			28				. 1	
89 40	Males Females	70	10		2	2		14				. 1	
41	Old age $\left\{ egin{array}{ll} M \\ F \end{array} \right.$												
42	Premature birth $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		7 5			.		5	 				
48	Malformation $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		11					1		: :::::::	:		-
44	Debility and atrophy $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$		1		2	1		5 1				11	-
45	Others of this group $\left\{egin{array}{c} M \\ F \end{array}\right\}$	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$			1	: ::::::	: :	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$:::::	: :::::::			

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued. INDIANS.

30 to 34 35 to 39 40 to 44 45 to 49 50 to 54 55 to 59 60 to 64 65 to 69 70 to 74 75 to 79 80 to 84 85 to 89 90 to 94 95 m 197 146 180 183 186 119 134 126 109 83 88 31 38 102 80 94 69 74 66 76 67 58 39 39 15 15 18 26 33 37 25 23 25 30 29 17 22 16 7 7 14 21 28 14 14 12 17 12 5 6 10 3 2 12 12 14 11 9 13 13 17 12 16 6 4 5	d over. Unknov 30 8 22 4 1 3 1
102 80 94 69 74 66 76 67 58 39 39 15 15 26 33 37 25 28 25 30 29 17 22 16 7 7	8 22 4 1 1 3 1 3 1 1
26 33 37 25 . 28 25 30 29 17 22 16 7 7	22 4 1 3 1
	1 3 1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1
23 21 28 16 20 18 19 10 10 9 11 1 1	
12 7 15 7 22 9 10 11 4 4 7 1	1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	
$egin{array}{c c c c c c c c c c c c c c c c c c c $	····i]
$\begin{bmatrix} 6 \\ 2 \end{bmatrix}$ $\begin{bmatrix} 2 \\ 2 \end{bmatrix}$ $\begin{bmatrix} 2 \\ 3 \end{bmatrix}$ $\begin{bmatrix} 1 \\ 1 \end{bmatrix}$ $\begin{bmatrix} 1 \\ 1 \end{bmatrix}$ $\begin{bmatrix} 1 \\ 1 \end{bmatrix}$	
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	
	• • • • • • • • • • • • • • • • • • • •
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	
1 4 2	
1	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	
1 2 2 8 8 22 18 24 14 18	17
2 8 5 11 4 8 7 6	6
$egin{array}{ c c c c c c c c c c c c c c c c c c c$. 11
3 5 10 2 8 7 4	5
3 3 9 8 14 6 7	11
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	1

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE INDIANS—Continued.

]	CAUSE OF DEATH.	All ages.	Under 1	1.	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	1,187	38	82	82	24	22	148	98	115	170	147	88
2 3	MalesFemales	560 627	20 18	14 18	16 16	14 10	10 12	74 74	38 60	41 74	62 108	81 66	47 41
4	Anemia $\left\{egin{array}{l} M\dots\\ F\dots\end{array}\right.$	1								1			
5	Diabetes $\left\{ egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \end{array} \right.$	2									••••••		
6	Rheumatism $\begin{cases} M \\ F \end{cases}$	7 18								i	i		1
7	Scrofula and tabes $\left\{ egin{array}{ll} F & \\ F & \end{array} \right.$	48 87	6 8	1 8	8 3	4 2	·····i	14 12	10 7	3 5	2 2	1 3	8
8	$\mathbf{Hydrocephalus}$	5 12	2	1 4	2	1 1	2	4 10	1		i		
9	Tuberculosis, general $\left\{ egin{array}{l} H \\ F \end{array} \right\}$	2	ļ								2		
10	Consumption $\dots \qquad \begin{cases} M \dots \\ F \dots \end{cases}$	472 526	9 11	11 10	13 11	9 7	9	51 48	25 47	84 67	60 101	77 62	43 89
11.	Cancer	6 13	1					1				i	
12	Tumor $\left\{ egin{array}{ll} \mathbb{M} & \dots & \mathbb{M} \\ \mathbb{F} & \dots & \mathbb{N} \end{array} \right\}$	6	[1	1 1	1	2		l	
18	Dropsy $\left\{ egin{array}{l} \mathbb{M} \dots \\ \mathbb{F} \dots \end{array} \right.$	18 12	1 2 1	1				3 2	2 4	1	•••••	8	
14	Others of this group $\dots M_F$.						 		4	 	1		
15	2. Diseases of the nervous system	1 192	1 47	21	16	6	9	99	19	11	5	13	4
16 17	Males	108	33	9	7	2 4	2 7	53 46	9	7	3	10	8
17 18	Females $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	84 10	14 2	12	9	1	1 1 2	5	10 2	4	2	8 2	1
19	Meningitis. \mathbb{F} .	14 29	3 7	3 5	3			9 15 17	4 2	1	2	6	1
20	American (M.	24	3	4	4	3	8	17	4	1		1 1	
21	Paralysis $F \dots F$	5 13			1			1	2	1			1
22	ON	10		1	1			2		 	1		
23		1					1	1					
	Tetanus and trismus nascentium $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$												
24	Choreu	1 8	1			1		2	1	1 3	1		1
25	Epitepsy(F	8 7 24	19	8	1	ī		4		<u>-</u>		1	
26	Convenients	12	19 5	2	2		2	23 11				i	
27	F	12			1			6	2	2		1	
28	Trackses of the brain	8	1	1 2				8	2	í	1	···········	i
29	Diseases of the spinal cord $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	2											
80	F	ļ											
31	Others of this class $\cdots \cdot $	1											
82	8. Diseases of the circulatory system	78	2	1		2		5	4	1	5	4	2
33 3 4	Males Females	48 35	1	1		2		1	2 2	1	3 2	2 2	2
35	Pericarditis $egin{cases} m{\mathrm{M}} & \dots & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & \dots & \dots & m{\mathrm{M}} & \dots & \dots & \dots & m{\mathrm{M}} & \dots & m{\mathrm{M}} & \dots & \dots & \dots & \dots & m{\mathrm{M}} & \dots &$	į.										1	1
36	Diseases of the heart $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	88	i	1		2		3	2 2	1	8 2	1 2	1
87	Angina pectoris $$	2											
88	Diseases of the arteries $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$												
39	Aneurism $\{ F : \}$	i											
40	Embolism $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$												
41	Others of this class $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1	1					1					

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS-Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
76	50	55	E+	37	81	28	07	on.	10					1-
			51			20	27	23	10	11	3	3	1	15
48 33	28 22	21 34	24 27	14 28	16 15	8	15 12	13 10	6	4 7	2	$\frac{2}{1}$	1	11 4

		•••••			1			1	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •			
············i	2	2	8	1 1		2		2 1	i					1
2	1		2		1	1	. 1	1						1
	1	8		1				1						1
			• • • • • • • • • • • • • • • • • • • •						• • • • • • • • • • • • • • • • • • • •					
•••••														
41 31	27 19	17 28	19 18	12 17	13 11	16 6	13 12	6	8	3 5	2	1 1		9
		1	2 4	4			[1				1		
1		1 2		4]]					1			1	
		1	1	1	1	1 1	1	1	1	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			
•••••					1	·····		2 1		1	• • • • • • • • • • •			
							· · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·					
4	1	3	2	4	2	5	4	3	8	2	1		1	6
	1	8						2	2	1	l———			9
$\frac{2}{2}$			1	2 2	1 1	3	8 1	ĩ	ī	î	1		1	ä
• • • • • • • • • • • • • • • • • • •									1					
	1		1											
		1				1 1	2	1						
·····		2		1			1	1	1	1				2
				ī		1 2		1 1	ī	ļ	1		1	
				**********	••••				,,,,,,,,,,			• • • • • • • • • •		
			1											1
•••••														ļ ¹
$\frac{1}{2}$,										
,														1
·····														
••••••				1.	¹ -									
•••••				1										1
9	3	6	6	6	4	4	7	4	4	8		1		
5	1	4		ļ			4	2	Í			1		-
ĭ	2	2	2 4	3	2 2		8	2	1 8	1 2				

5 4	1 2	8 2	2	3 3	1 1	3 1	4 2	2 2	$\frac{1}{3}$	$\frac{1}{2}$		1		
		1			ı									
							1							
					: :::: :::									
					·····i									
								1						

PART II—VITAL STAT—44

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE INDIANS—Continued.

-	CAUSE OF DEATH.	All ages,	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	566	118	70	80	28	13	254	46	23	21	12	20
2	Males Females	285 281	58 55	85 85	12 18	12 16	7 6	124 130	19 27	16 7	10 11	7 5	10 10
4	Croup $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	33 36	15 16	10 9	4 4	2 3		31 32	2 2	2			
5	Pneumonia $\left\{egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	215 194	32 23	20 23	6 9	9 11	6	78 69	14 22	16 4	7 10	6 5	10
6	Laryngitis $\left\{egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	4	2					2	8		1		
7	Bronchitis{M	23 38	9 15	5 8	1 4 1	1 2	3	17 27 1	ı			1	1
8	Pleurisy {M {F	5 4								i			
9	Asthma	3 8							1		2		
10	Others of this cass	6	1		1			2	1	5	1 4	8.	5
11	5. Diseases of the digestive system	159	19	16	5	<u>4</u> 1	1	69 35	15		1		2
12 13	Males	76	20	6	4	3	1	34	4	8	3	4	8
14	Dentition	8	2 2	1	1			3	1				
15	Angina[F.	1 10	2		1 1			1 4	3				
16	Gastrius\r.	11	3	1		1		3	1 1		11	2	2
17	biseases of the somaen\r	. 14	3	2	1	1		6	1	1	1	2	
18	Obstruction of the bowels $\left\{\begin{matrix} \mathbf{m} \\ \mathbf{F} \end{matrix}\right\}$ Appendicitis $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{K} \end{matrix}\right\}$. 8									1		
19 20	[M.	. 8		. 1				1					
21	Other diseases of the bowels $\left\{ egin{aligned} \mathbf{F} \\ \mathbf{F} \end{aligned} \right.$. 11	2		1			5 8			1	1	1
22	(M	. 5 1 2	1							1		1	
28	(2.	. 8	1		2			$\frac{1}{2}$					1.
24	ſM.	. 4											
25	Peritonitis $\left\{ egin{matrix} M \\ F \end{array} \right\}$. 8	2			1	i	3 1	2 2	2	-		
26	Ascites $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$. 3							 	i		1	
2	Others of this class $\left\{ egin{matrix} \mathbf{F} \\ \mathbf{F} \\ \end{array} \right\}$. 20 22	14	6	. 1	1	·	. 18 16	3			i	i
2	6. Diseases of the urinary system and male organs of generation.	48		. 1				. 1	1		- 3	-	. 2
29 30		34		i			.	i	i	1	. 2		
3	(B)	6					-	:		2	. 2		
3	(· ·					-	: :::::				-		
8	(~					: ::::::		:	. 'i				
3	(· ·		-		-						1		. 1
3	, i			i		-		. 1	- 11				
8				l	-	-		-		1	-		1
3 3													
3	Diseases of the tubes						-						[
4	The state of the s	1						1					
4	Others of this class	- 1		1			,		ı				1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS-Continued.

80 to 84	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
16	12	26	18	16	26	16	11	17	12	10	1	4	8	7
8 8	7 5	18 18	10 8	6 10	13 18	8 8	6 5	8 9	9	4 6	1	2 2	1 2	4 3
7 8	5 4	12 13	8 3	6 10	12 9	8 7	5 8	8 6	9 2	8 4	1	2 2	1 1	4 1
	1	1	1											
, , , , , , , , , , , , ,	i		1		i		1 1	2	1	2				2
1					1 1	i i		1		1				
••••••	1				1		1					• • • • • • • • • • • • • • • • • • • •	i	
9	2	6	4	5	5	4	5	8	4	1		1		4
6 8	1	2 4	3.	1 4	4 1	4	2 3	2 1	3 1	i		i		4
			• • • • • • • • • • • • • • • • • • • •											
1			1		1									
·············i	• • • • • • • • • • • • • • • • • • • •	1 1		1	1	1	······i	1		1		1		
		1												
2	 	}									· - · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •		
							1 1	1	1			• • • • • • • • • • • • • • • • • • • •		2
i				1								• • • • • • • • • • • • • • • • • • • •		
			1			1								
••••••				1	1		1		1					1
1	1 1	2						1	1					
				1					1			· · · · · · · · · · · · · · · · · · ·		1
1		1		1	1	1								
1	2	2	3 2	4	1	6	4	2	2	2 2	$\frac{1}{1}$	1		
••••••	1	2	1	3	1	3	.4	2	1	2				
			1			1			1			*********		
			1			i					1			
1	1		1											
				1								1		
1		2												
•••••					1	-			ļ					
		1											1	
1		'1	 					i	1	1	l.	1		

Table 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE INDIANS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	66									11	12	10
2	Abortion	4			•••••	• • • • • • • • • • • • • • • • • • • •					2	1	1
3 4	Childbirth Puerperal septicemia	50 11									6 3	9	6 8
5	Extra-uterine pregnancy												
6	Others of this class	1				•••••						1	
7	9. Diseases of the bones and joints	14			1	1	• • • • • •	2	5		1	2	1
8 9	Males Females	7			i	i		2	1 4		1	1	1
10	Diseases of the spine $\cdots \qquad {M \over F}$	1											1
	•	5			1	1		2	3	•••••			• • • • • • • • • • • • • • • • • • • •
11	Abscess, lumbar and psoas $\dots {M \choose F}$	1										1	
12	Diseases of the bones $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	8 							1		1	1	
13	Diseases of the hip-joint $\ldots \ldots igl\{^{M}_{F} \ldots$	2 1							i				
14	Others of this class $\ldots \{ F \}$	1	 -										
15	10. Diseases of the skin	7	2			••••••		2			• • • • • • • • • • • • • • • • • • • •		
			ļ					ļ					
16 17	MalesFemales	5 2						1					
18	Abscess $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	3 2	·····i					1					
19	Carbuncle M .	[
20	Others of this class $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	2	1					1					
21	11. Diseases of the absorbent system	2										1	
22 23	Males Females	2										·····i	
24	Addison's disease $\left\{egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$												
25	M.												
	[μ				.,,,,,,			• • • • • • • • • • • • • • • • • • • •					• • • • • • • • • • • • • • • • • • • •
26	Others of this class $\cdots \qquad M_F$.	2										i	• • • • • • • • • • • • • • • • • • • •
27	12. Accidents and injuries	219	21	5	4	9	4	48	17	12	12	17	15
28 29	MalesFemales	140 79	10 11	5	2 2	5 4	1 3	18 25	8 9	8	10	15	11
30	M.	5		[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	2	[-	8				1	
	(a)	15 13		1	1	1 1	i	3 2	8	1 1	1		1
31	F.	4			ī			1	 	2			
82	Exposure and neglect $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	14	5 7	i		3	1 1	6 12	i	2			·····i
88	Gunshot wounds $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1.6							1	1	1	1	8
34	Homicide	. 12			 						1	1	1
85	(M	1 4	J				1	· / · · · · · · · · · · · · · · · · · ·	11	·····	·····		
	Infanticide	·											
	}\F.	1									1		
36	Injuries by machinery $\dots \qquad \begin{Bmatrix} M \\ F \end{Bmatrix}$	4									1	.	
	Injuries by machinery $egin{cases} F & & & \\ M & & & \\ F & & \\ Railroad accidents & & & \\ M & & \\ F & & \\ \end{array}$	16									1	3	2 1
86	Injuries by machinery $egin{cases} F & & & \\ M & & & \\ F & & \\ Railroad accidents & & & \\ M & & \\ F & & \\ \end{array}$	16	1					1			1	.	2 1
36 37	Injuries by machinery $egin{cases} F & & & & & & & \\ M & & & & & & & & \\ F & & & & & & & \\ Railroad accidents & & & & & \\ F & & & & & & \\ Suffocation & & & & & \\ F & & & & & \\ F & & & & & \\ \end{array}$	16 4 1	1					1			1	.	1
36 37 38 39	$\begin{cases} F \\ \text{Injuries by machinery} & \begin{cases} M \\ F \end{cases} \\ \text{Railroad accidents} & \begin{cases} M \\ F \end{cases} \\ \text{Suffocation} & \begin{cases} M \\ F \end{cases} \\ \text{Suicide by shooting} & \begin{cases} M \\ F \end{cases} \\ \end{cases}$	16 4 1	1					1				3	
36 37 38 39 40	$ \begin{cases} F \\ F \\ Injuries by machinery & \begin{cases} M \\ F \\ F \end{cases} \\ Railroad accidents & \begin{cases} M \\ F \\ S \end{cases} \\ Suffocation & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by shooting & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by drowning & \begin{cases} M \\ F \\ F \end{cases} \\ \end{cases} $	16 4 1 5 1	1					1				3	1
36 37 38 39	$ \begin{cases} F \\ \text{Injuries by machinery} & \begin{cases} M \\ F \end{cases} \\ \text{Railroad accidents} & \begin{cases} M \\ F \end{cases} \\ \text{Suffocation} & \begin{cases} M \\ F \end{cases} \\ \text{Suicide by shooting} & \begin{cases} M \\ F \end{cases} \\ \text{Suicide by drowning} & \begin{cases} M \\ F \end{cases} \\ \text{Suicide by poison} & \begin{cases} M \\ F \end{cases} \\ \text{Suicide by poison} & \begin{cases} M \\ F \end{cases} \\ \end{cases} $	16 4 1	1					1				3	1
36 37 38 39 40	$ \begin{cases} F \\ F \\ Injuries by machinery & \begin{cases} M \\ F \\ F \end{cases} \\ Railroad accidents & \begin{cases} M \\ F \\ S \end{cases} \\ Suffocation & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by shooting & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by drowning & \begin{cases} M \\ F \\ F \end{cases} \\ \end{cases} $	16 4 1	1					1				3	1
36 37 38 39 40	$ \begin{cases} F \\ Injuries by machinery & \begin{cases} M \\ F \end{cases} \\ Railroad accidents & \begin{cases} M \\ F \end{cases} \\ Suffocation & \begin{cases} M \\ F \end{cases} \\ Suicide by shooting & \begin{cases} M \\ F \end{cases} \\ Suicide by drowning & \begin{cases} M \\ F \end{cases} \\ Suicide by poison $	16 4 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			1		1				1	1
36 37 38 39 40 41 42 43	$ \begin{cases} F \\ F \\ Injuries by machinery & \begin{cases} M \\ F \\ F \end{cases} \\ Railroad accidents & \begin{cases} M \\ F \\ F \end{cases} \\ Suffocation & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by shooting & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by drowning & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by poison & \begin{cases} M \\ F \\ F \end{cases} \\ Other suicides & \begin{cases} M \\ F \\ F \end{cases} \\ Sunstroke & \begin{cases} M \\ F \\ F \end{cases} \\ \end{cases} $	16 4 1 5 1	1			1		1				1	1
36 87 38 39 40 41 42 43	$ \begin{cases} F \\ Injuries by machinery & \begin{cases} M \\ F \\ \end{cases} \\ Railroad accidents & \begin{cases} M \\ F \\ \end{cases} \\ Suffocation & \begin{cases} M \\ F \\ \end{cases} \\ Suicide by shooting & \begin{cases} M \\ F \\ \end{cases} \\ Suicide by drowning & \begin{cases} M \\ F \\ \end{cases} \\ Suicide by poison & \begin{cases} M \\ F \\ \end{cases} \\ Other suicides & \begin{cases} M \\ F \\ \end{cases} \\ Sunstroke & \begin{cases} M \\ F \\ \end{cases} \\ Sunstroke & \begin{cases} M \\ F \\ \end{cases} \\ Surgical operations & \begin{cases} M \\ F \\ \end{cases} \\ \end{cases} $	16 4 1 1 5 1 1 4 8 1 1	1			1		1				1	1
36 37 38 39 40 41 42 43	$ \begin{cases} F \\ F \\ Injuries by machinery & \begin{cases} M \\ F \\ F \end{cases} \\ Railroad accidents & \begin{cases} M \\ F \\ F \end{cases} \\ Suffocation & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by shooting & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by drowning & \begin{cases} M \\ F \\ F \end{cases} \\ Suicide by poison & \begin{cases} M \\ F \\ F \end{cases} \\ Other suicides & \begin{cases} M \\ F \\ F \end{cases} \\ Sunstroke & \begin{cases} M \\ F \\ F \end{cases} \\ \end{cases} $	10 4 1 1 5 1 1 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			1		1		4 1 1	1	1 2 2 2	1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown
14	9	5	. 3			*******	1							1
				• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •								
18	9	4	2				• • • • • • • • • • • • • • • • • • • •				• • • • • • • • • • • • • • • • • • • •			1
1		1	1	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	1							
• • • • • • • • • • • • • • • • • • • •														
• • • • • • • • •									• • • • • • • • • • • • • • • • • • • •					
	1				1	1								
	1				1	. 1								
								:						
						· · · · · · · · · · · · · · · · · · ·								
								·····						• • • • • • • • • • • • • • • • • • • •
· · · · · · · · · · · · · · · · · · ·														
				• • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •					
• • • • • • • • • • • • • • • • • • • •	1]·····	 		[·····	1		 				· · · · · · · · · · · · · · · · · · ·]	ļ
			·····	• • • • • • • • • • • • • • • • • • • •	1							•••••		
•••••								*********						
	1	2	l				1				1			
							ļ <u>-</u>							
• • • • • • • • •	1] 1			J		1		.		1			
		1			·····				• • • • • • • • • • • • • • • • • • • •			• • • • • • • • •		·····
	1	i					l							
		ļ												
			:		[!]						1			
••••••								• • • • • • • • • •						
1							ļ			- <i>-</i>			ļ	• • • • • • • • • • • • • • • • • • •
								ļ					, page 12 20 10 40 10 10 10 10 10 10 10 10 10 10 10 10 10	***************************************
1														
													[
• • • • • • • • • • • • • • • • • • • •	· • • • • • • • • • • • • • • • • • • •	J				}				·····				
											• • • • • • • • • • • • • • • • • • • •			
1														
	,													
15	9	12	9	8	6	11	7	8	8	3	1	2	8	6
		j	<u> </u>	ļ	ļ———			ļ			1	2	8	6
15 11 4	9 8 1	12 10 2	9 5 4	8 7 1	6 4 2	11 8 8	7 3 4	8 4 4	8	3 2 1	1	2	3	6 4 2
··········	8	j	<u> </u>	ļ	ļ———	8		ļ		2	1		8	6 4 2 2 1
	8 1	j	<u> </u>	ļ	ļ———	8		ļ		2	1		8	6 4 2 1
	8	10 2	<u> </u>	ļ	ļ———	8		ļ		2	1		3	6 4 2 1
11 4	8 1	10 2	<u> </u>	ļ	ļ———	8		ļ		2	1		3	6 4 2 1
	8 1	10 2	<u> </u>	ļ	ļ———	8 8 1		ļ		2	1		8	6 4 2 1
11 4	8 1	10 2	<u> </u>	ļ	ļ———	8 8 1		ļ		2	1		8	6 4 2 1
11 4 1 1	2	10 2	5 4	ļ	ļ———	8 8 1		ļ		2	1		8	6 4 2 1
11 4 1 1 2 2 2	2	10 2	1 2	ļ	ļ———	8 8 1		ļ		2	1		8	1
11 4 1 1	2	10 2	1 2	ļ	ļ———	8 8 1		ļ		2	1		8	66 42 11 11 11 11 11 11 11 11 11 11 11 11 11
11 4 1 1 2 2 2	2	10 2	1 2	ļ	ļ———	8 8 1		ļ		2	1 1		8	6 4 2 1 1
11 4 1 1 2 2 2	2 1	10 2 1 1 1 1 1	1 2	ļ	1	8 8 1 1 2 2	1 1	1	1	2	1 1		8	6 4 2 1 1 2 2
11 4 1 1 2 2 2	2 1	10 2 1 1	1 2	1	1 2	1 1 2 2	1 1	1	1	1		1	8	6 4 2 1 1 2 2
11 4 1 1 2 2	2 2 1	10 2 1 1 1	1	1	1 2	1 2 2	1 1	1	1	1			3	
11 4 1 1 2 2 1	2 1	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1		1	3	
11 4 1 1 2 2 1	2 1 1 2 2	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1		1	3	
11 4 1 1 2 2 1	2 1 1 2 2	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1	1	1	3	
11 4 1 1 2 2 1	2 1 1 2 2	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1	1	1	3	
11 4 1 1 2 2 1	2 1 1 2 2	10 2 1 1 1	2	1	1 2	1 2 2	1 1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2 1 1 2 2	10 2 1 1 1	2	1	1 2	1 2 2	1 1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2 2 1	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2	10 2 1 1 1	2	1 1 1	1 2	1 2 2	1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2	10 2 1 1 1	2	1 1 1	1 2	1 2 2	1 1	1	1	1	1	1	1	
11 4 1 1 2 2 1	2	10 2 1 1 1	2	1	1 2	1 2 2	1 1	1	1	1	1		1	
11 4 1 1 2 2 1	2	10 2 1 1 1 1 1	2	1	1 2	1	1 1	1	1	1	1		1	
11 4 1 1 2 2 1	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10 2 1 1 1	2	1	1 2	1	1 1	1	1	1	1		1	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE CHINESE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,150	48	11	7	8	7	81	18	10	12	40	57
8	MalesFemales	1,045 105	25 28	8 8	5 2	3 5	4 8	45 36	8 10	6 4	7 5	86 4	49 8
4	Unknown cause	58	2					2		2		••••••	2
6	MalesFemales	55 3	1 1					1 1		1 1			2
7	1. General diseases. General diseases—A	75	8	1	1	,	. 2	12	2		2	4	3
8 9	MalesFemales	62	1 7	1	_i		1 1	3 9	2		2	4	3
10	Measles $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$												
11	Scarlet fever $\left\{ egin{matrix} M \\ F \end{array} \right\}$												
12	Diphtheria $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3			i			i	2				
18	Whooping cough $\cdots \qquad \stackrel{\mathrm{M}}{F}$	1 2	i	1			i	1 2					
14	Malarial fever $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	2											
15	Influenza $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$												
16	Typhoid fever $\cdots \qquad \stackrel{M}{F}$.	1.5					1	1				1	1
17	Cholera morbus ${ m M} { m F}$	4											
18	Colitis ${\rm M \choose F}$												
19	Diarrhea ${\bf F}$	1	1					1					
20	Dysentery $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	1						·····i				2	1
21	Enteritis ${ m M} \cdot { m F}$												
22	Cholera infantum $\binom{M}{F}$.	1	1					ii					
23	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		i					i			2	1	
24	Cerebro-spinal fever $\left\{ egin{matrix} M \\ F \end{array} \right\}$										ļ		
25	Smallpox $\left\{ egin{matrix} M \\ F \end{array} \right\}$												
26	Erysipelas $\left\{ egin{matrix} M \\ F \end{array} \right.$	1											
27	Septicemia $\left\{ egin{matrix} M \\ F \end{array} \right.$, -	1					1					
28	Venereal diseases $\left\{ egin{matrix} M \\ F \end{array} \right\}$		2					2					1
29	Others of this group $\left\{ egin{matrix} K \\ F \end{array} \right\}$												
30	General diseases—B		8			•••••		3					
81 32	Males	. 9	3					8			-		
- 1	Females	· ₁											
88	Alcoholism $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$												
34	Parasitic diseases $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$												
35	Lead poison $\left\{egin{array}{l} \mathbf{H} \\ \mathbf{F} \end{array}\right\}$												
36	Other poisons $\left\{ egin{array}{ll} m{M} \\ m{F} \end{array} \right\}$		8					3					
37	Inanition $\left\{egin{array}{ll} M \\ F \end{array}\right\}$	1											
88	General diseases—C		b		-			5				1	
89 40	MalesFemales	. 8	3					3				ļ	,
41	Old age $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$												
42	Premature birth $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		1					1					
43	Malformation $\left\{egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array}\right.$		1					1					
44	Debility and atrophy $\left\{ egin{matrix} M \\ F \end{array} \right\}$		1					1				1	
45	Others of this group $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$:	·							

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

OHINESE.

cnown	r. U	95 and over.	90 to 94	85 to 89	80 to 84	75 to 79	70 to 74	65 to 69	60 to 64	55 to 59	50 to 54	45 to 49	40 to 44	35 to 39	30 to 34
17				2	4	7	17	44	68	81	148	175	159	134	81
15 2	:-			2	2 2	7	16 1	48 1,	59 4	80 1	141 7	172 3	156 8	127 7	74 . 7
6	- -		• • • • • • • • • • • • • • • • • • • •				1	5	5	9	. 9	7	7	3	
5 1							1	5	5	9	9	7	7	8	
							1	2	2	5	11	8	11	8	4
	-						1	2	2	5	11	8	11	8	4
•••••							• • • • • • • • • • • • • • • • • • • •		•••••						
	٠٠		-				• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •						
•••••			. 												
										•					
•••••	::[::			[[
												1		1	
			• • • • • • • • • • • • • • • • • • • •			•••••						·			••••••
	:														
• • • • • •							,	1		8		1	8	2	2
•••••	••					•••••	• • • • • • • • • • • • • • • • • • • •								
	-					•••••					2		1		1
	-		•••••												
• • • • • •	-		· · · · · · · · · · · ·			••••••									
							1		1			1			
	. ::														
								1		1	3	4	2	2	1.
•••••			•••••		••••••	••••••									
•••••							*********								
										1	4	1	2	2	
•••••							• • • • • • • • • • • • • • • • • • • •								••••••
									,		[
•••••	••	*****		*******	•••••			•••••		•••••		•••••			
											1				
									1				1		
• • • • • •	••			******	• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • • • • • • • • • • • • •								
			*********										1	1	
											1		1		
• • • • • •	· · · ·							•••••							
1								, ,	1		8		1		
1									1		8		1		——————————————————————————————————————
			*********										[
• • • • • •	٠٠ ٠٠		· · · · · · · · ·								1	· · · · · · · · · · · · · ·			
	1													• • • • • • • • • • • • • • • • • • • •	•••••
			•••••			• • • • • • • • • • • • • • • • • • • •									
							•••••	*******	1		2	• • • • • • • • • • • • • • • • • • • •			
	::					• • • • • • • • • • • • • • • • • • • •			· · · · · · · · · · · · · · · · · · ·			********	1		
1	[[[[
	1			********		••••••	•••••	*********		• • • • • • • • • • • • • • • • • • • •	·			• • • • • • • • • • • • • • • • • • • •	•••••
	<u> </u>			2	2	3	8	8	8	2	1	1	1		
				2		3	2	7	3	2		1	1		
••••					2	•••••					1		- -		
	-			2	2	3	2 1	5 1	3						
															• • • • • • • • • • • • • • • • • • • •
•••••	.					• • • • • • • • • • • • • • • • • • • •									
			• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •								•••••
	1					•••••		2		2		1	1		
	.1														
			•••••			• • • • • • • • • • • • • • • • • • • •					1				

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE CHINESE—Continued.

	CAUSE OF DEATH,	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 10	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	417	2	1	1		1	5	5	-		70	30
2 8	Males	898	1	1	1			3	3	- 1 1	1	16 15	27
4	Females M .	19	1				1	2	2		1	1	3
	F.	2		•••••									
5	Diabetes	1											
6	Rheumatism $\{ F, \dots, \{ F \} \}$									••••••			
7	Scrofula and tabes $$	1					····i	i		1		• • • • • • • • • • • • • • • • • • • •	
8	Hydrocephalus $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	1 1	·····i	1 1				1 1		• • • • • • • • • • • • • • • • • • • •			
9	Tuberculosis, general $\left\{egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	8			1			1					
10	Consumption $\left\{egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	353 15	1					1	1 2		1	15 1	25 3
11	Cancer $\left\{egin{array}{l} M \dots \\ F \dots \end{array}\right.$	21 2							1				1
12	Tumor $\left\{egin{array}{l} \mathbf{H} \ \\ \mathbf{F} \ \end{array}\right.$	4								• • • • • • • • • • • • • • • • • • • •			
18	Dropsy $\left\{egin{array}{ll} \mathbb{F} \dots & \mathbb{F} \dots \\ \mathbb{F} \dots & \mathbb{F} \dots \end{array}\right.$	8								• • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · ·	
	O. T.	4							1				1
14	, '	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •										
15	2. Diseases of the nervous system	42	6	1		1		8		1	1	1	
16 17	MalesFemales	86 6	8	1		····i		4		i	1	1	2
18	Inflammation of the brain $ ig\{^{M}_{\mathbf{F}} \dots$						[• • • • • • • • • • • • • • • • • • • •			
19	Meningitis $\left\{egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} & \ldots \end{array}\right\}$	5 4	2 2	1		i		8		i			1
20	Apoplexy $\left\{ egin{matrix} M \dots \\ \mathbb{F} \end{array} \right.$	16 1										1	
21	Paralysis	8											
22	M.	1						1					
28	Tetanus and trismus nascentium $\{H,\}$												
	OM						•••••						
24	Onores	1	}										
25	Epilepsy $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$												
26	Convulsions $\left\{egin{array}{l} M \dots \\ F \dots \end{array}\right.$	2	1					1					
27	Mental diseases $\left\{egin{matrix}M\\F\end{array} ight.$	1									1		
28	Diseases of the brain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	2											
29	Diseases of the spinal cord $\ldots {M \choose F}$												
30	Locomotor ataxia ${M \choose F}$	2											
31	Others of this class $\left\{egin{matrix}M\dots\\F\end{array}\right.$	3											1
32	8. Diseases of the circulatory system	105					1	1		1	2		4
33 34	MalesFemales	99					1	1		1	1		4
35	Pericarditis $\left\{ egin{array}{l} M \\ F \end{array} \right.$	1											
36	Diseases of the heart $\dots \{ egin{array}{c} M \\ F \end{array} $	98					1	1		1	1		4
37	Angina pectoris $\left\{ egin{array}{ll} \mathbf{F} & \dots & \dots \\ \mathbf{F} & \dots & \dots \end{array} \right\}$	5									1		
88	Diseases of the arteries $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$												
89	Aneurism $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	1											
40	Embolism $\left\{ egin{array}{ll} M \ldots \\ F \ldots \end{array} \right.$:[::::::						
41	Others of this class $\cdots egin{array}{c} M \\ F \end{array}$			l			:::::::				: :		

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE-Continued,

30 to 34	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
36	62	71	69	51	21	22	10	5						2
	60					20	18							
38 3	2	71	68	49 2	21	20	18	5	1					2
			1	1										
	1													
•••••	ļ								- · · · · · · · · · · · · · · · · · · ·					
														
 1						1	·····							
80 8	56 1	67	62 1	42 1	16	17 2	15	8	1					1
2		2	4	1	4	1	8	1						1
	1			1										
• • • • • • • • • • • • • • • • • • • •	3			1		• • • • • • • • • • • • • • • • • • •								
			1	4	1	1		1						
		2												
		} - -										-		
3	1	6	9	3	2	2	1			1				1
8	1	6	9	3	2	1	1			1				1
• • • • • • • • • • • • • • • • • • • •			· • • • • • • • • • • • • • • • • • • •			1				·····		•••••		
• • • • • • • • • • • •														
1			[[[
1		2	5	3	2	1				1				
•••••						i								
• • • • • • • • • • •		1	1				1							
• • • • • • • • • • •			1											
• • • • • • • • • • • • • • • • • • • •														
		1												
													•	
******		1						,,,,,,,,,						,,,,,,,,,,,
]	 								
1			1											
•••••														
			1											1
	. 1	1												
7	16	16	12	19	7	18	8	2		ı		.		. 1
7	15	14	12	18	7	·12	3		•••••	. 1				. 1
•••••	1	2				1						· ····		
• • • • • • • • • • • • • • • • • • • •				1										
. 7	15 1	12 1	12	17	7	9	.8	2		. 1				. 1
		1												
	-										}			
	.	. 1				3	1					.		
	-	1						-						
	-													
	1	1	1	1	1	1	1	1	1	1		1	1	

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	185	21	7	5	7	2	42	8	4	2	12	6
2 3	Males Females	157 28	14 7	5 2	4	3 4	2	28 14	4	8 1	2	11	4 2
4	. Croup $\{^{ ext{M}}_{ ext{F}}$.			••••••	•••••					• • • • • • • • • • • • • • • • • • • •			
5	Pneumonia $\left\{ egin{array}{c} M \dots \\ F \dots \end{array} \right.$	130 25	12 7	8 2	1	3 4	2	24 14	3 4	3 1	1	10 1	2
6	Laryngitis $\left\{egin{array}{l} M \dots \\ F \dots \end{array}\right.$					•••••				••••••			
7	Bronchitis $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	12 2	2	1	•••••	•••••		8	1				
8	Pleurisy $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	8									1	1	
9	Asthma $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	1											
10	Others of this class $\cdots \qquad \stackrel{M}{\underset{F}{\cdots}}$	6		1,									
11	5. Diseases of the digestive system	58		1.			1	2			1	3	
12 18	MalesFemales	51 7		i			i	2			1	2 1	1
14	Dentition \mathbb{F} .												
15	Angina\F	1											
16	Gastritis	2 1										1	
17	Diseases of the stomach F	2											
18	Obstruction of the bowels $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	3										1	
19	AppendicusF	9			******								
20	Fernia												
21	other diseases of the bowers	1											
22 23	Januarion and abscess of the $\{M, \dots, M\}$	6										1	
	liver. (F	1 20											1
24	TF.	7									1		
25 26	Ferrometes	2		1				1					
27	Others of this class (M.												
28	6. Diseases of the urinary system and male	75			-		1	1	1	1.			2
29 80	organs of generation. Males	70							1				1
80 81	Females	64							1	. 1			1
32	Calculus, urinary F .	. 4					· ······						1
88	Diseases of the kidney $\{F, \{M, \}\}$. 5											
84	Diseases of the bladder $\left\{egin{array}{l} \mathbf{F} \\ \mathbf{F} \end{array}\right\}$	1 1			-					1			
85	Others of this class $\left\{ egin{array}{ll} \mathbf{F} & \mathbf{F} \\ \mathbf{F} & \mathbf{F} \end{array} \right.$												
86	7. Diseases of the female organs of generation	. 1									. 1		
37	Ovarian tumors												
38 39	Oyarian diseases		t I					1	11		-		
40	Uterine tumors												
41 42	Uterine diseases					<u> </u>							

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE-Continued.

80 to 34	35 to 39	40 to 44	45 to 49	50 to 54	5 5 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
14	14	17	28	18	16	6	2	1				• • • • • • • • • • • • • • • • • • • •		
13 1	12 2	17	22 1	17 1	15 1	6	2	1						
11 1	10 1	15	16 1	13	13	5	1	1				• • • • • • • • • • • • • • • • • • • •		
	1	2	8	1	1				·				·····	
				i	i							• • • • • • • • • • • • • • • • • • • •		
1	1		2	1	1									
						1	. 							
1			1	2			1							
	1				• • • • • • • • • • • • • • • • • • • •							· · · · · · · · · · · · ·		
2	7	8	14	9	6	2	1	1.	1					
2	7	7	14	7 2	6	2	1	1	1.					
	[
		1												
1	1	2	2	·····i				1						
	. 1													
•••••														
					2]		 					
		1				1								
**********					1		1	******	1					
•••••									· · · · · · · · · · · · · · · · · · ·					
•••••	·····													
				1										
•••••														
•••••••		1	8	1										
	4	2	6	5	3									
1														
	1	1	8			1								
•••••														
••••••				1										
4	8	9	18	13	8	5	4	1						1
3	7	9	17	13	8	б	4	1						1
1	1		1	• • • • • • • • • • • • • • • • • • • •								• • • • • • • • • • • • • • • • • • • •		
3 1	6 1	7	17	11	7	5	4	1						1
•••••••														
•••••	1	2		1										
• • • • • • • • • • • • • • • • • • • •				· · · · · · · · · · · · · · · · · · ·	1									
• • • • • • • • • • •				1										
••••••														
••••••														
							 						ļ	
				[i				<u> </u>						

]			
	f .		1	ſ			1	(ſ	(1	i	(1

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3											1
2	Abortion												
8	Childbirth Puerperal septicemia.	1 2								•••••		•••••	1
5	Extra-uterine pregnancy												.:
6	Others of this class									• • • • • • • • • • • • • • • • • • • •			
7	9. Diseases of the bones and joints	1											
8	Males Females												
10	Diseases of the spine $\cdots \left\{ egin{matrix} M \\ F \end{array} \right.$												
11	Abscess, lumbar and psoas $-\cdots = \left\{ egin{matrix} M \\ F \end{array} \right.$												
12	Diseases of the bones $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1											
18	Diseases of the hip-joint $\ldots \ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$												
14	Others of this class $\dots \qquad {M \choose F}$												
15	10. Diseases of the skin	2											
	Males	2											
16 17	Females	1											
18	Abscess. $\{ egin{array}{ll} M & & \\ F & & \\ \end{array} \}$	1											
19	Carbunele $\left\{ egin{matrix} \mathbf{M} & \dots \\ \mathbf{F} & \dots \end{array} \right.$									********			
20	Others of this class $\cdots \qquad \stackrel{\left\{M\right.}{F}$.												
21	11. Diseases of the absorbent system												
22 28	MalesFemales												
24	Addison's disease $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$												
25	Diseases of the spleen $\dots M$.												
26	Others of this class ${\rm M} {\rm F}$												
	·	87	1										6
27	12. Accidents and injuries	81	1					1	2		1	3	6
28 29	Males Females	6	1					1	2			2 1	
80	Burns and scalds $\cdots \qquad \stackrel{M}{F}$.	1							i			i	
81	Drowning $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	8										1	1
82	Exposure and neglect $\left\{ egin{matrix} M \\ F \end{array} \right.$	2											
33	Gunshot wounds $\left\{ egin{matrix} M \\ F \end{array} \right.$. 3										1	
84	Homicide $ extstyle binom{M}{F}$	19											
85	Infanticide ${ m M}_{ m F}$.												
36	Injuries by machinery $\dots egin{cases} X \\ F \end{cases}$. 1											1
37	Railroad accidents $\left\{ egin{matrix} H. \\ F. \end{matrix} \right.$. 2									. 1		
38	Suffocation $\left\{egin{array}{l} \mathbf{F} \\ \mathbf{F} \end{array}\right\}$	4											
		3.											
89	Suicide by shooting $\{F, F\}$	·······											
40	butche by drowning												
41	Suicide by poison $$	4											1
42	Other suicides $\left\{ egin{matrix} ext{M} \\ ext{F} \end{matrix} ight.$												3
43	Sunstroke $\left\{ egin{matrix} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$	·····i	i				.	i					
44	Surgical operations $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$			ļ									
45	Wounds $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$								 				
46	Others of this class $\left\{ egin{aligned} \mathbf{H} \\ \mathbf{F} \end{aligned} \right.$	17											
)F.	. 1						.	.[] 1			-[-

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1	1													•••••	
		[
1	1					•••••						• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • •	1
	1								,						
		·													-[
	1				• • • • • • • • • • • • • • • • • • • •					•••••		• • • • • • • • • • • • • • • • • • • •			:
•••••					٠٠٠٠٠٠٠		••••								. }1
															.] };
•••••					• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •									٠١,
										•••••					: }:
			<i></i>												: }:
															. };
			• • • • • • • • • • • • • • • • • • • •	******				• • • • • • • • • • • • • • • • • • • •		••••••		• • • • • • • • • • • • • • • • • • • •			1'
******			1			1									:
			1			1									:
						1									1
															٠,
			1							•••••					: }
•••••							• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •			. }
	•••••														Ϊ.
															-[
• • • • • • • • • • • • • • • • • • • •															- :
••••••		[[· · · · · · · · · · · · · · · · · · ·	.[};
															. };
															٠,
***********															: }:
10	18	12	18	11	5	1		2	2					5	-
9	18	12	13	11	5	1		2	2					4	
			1		2										$\cdot $ }
•••••															. 1
1	2	1	1	1											: }
			1											1	1
1			1												. ;
											6		1		11
	l				1							(······			13
5	5	8	2	2										2 1	1
5	5	8	2	2										2 1	1.
5	5	8	2	2											$\{ \cdot \}$
5	5	8	2	2											: } : }
5	5	8	2	2											: } : }
5	5	8	1		2										: } : }
5			1		2										: }
5	1		1												: }
5		1	1												: } } } }
1		1	1	2											:\}:\}:\}
5	1	1	1	2		į.									
1		1	1 1 1	2		1		1	1						
· · · · · · · · · · · · · · · · · · ·	1	1	1 1 1	2		1		1	1						
· · · · · · · · · · · · · · · · · · ·	1	1	1 1 1	2		1		1	1						
· · · · · · · · · · · · · · · · · · ·	1	1	1 1 1	2		1		1	1						
· · · · · · · · · · · · · · · · · · ·	1	1	1 1 1	2		1		1	1						
	1	1	1 1 1 4 4	2		1		1	1						

T	Α	R	Τ.	E	1	\cap	
7	7_7	ىد.			T	\smile	

DEATHS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

 $\mathbf{T}_{\mathbf{ABLE}}$ 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE WHITE.

All causes	=	CAUSE OF DEATH,	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
Males				94, 269	23,747	10,986	7,276	5, 158	141, 431	13,969	7,666	11,763	18,689	21,436
Unknown cause	2	Males	253, 491	52, 972	12,593	5,746	3.708	2, 596	77, 615	7,205 6,764	8, 931 3, 735	5, 981 5, 832	9,448 9,246	11,112 10,324
Temarks													97	128
1. General diseases		Males Females	2, 286 1, 820	786 589		27 27	25 20	14 18	917 704				46 51	63 65
Maise		1. General diseases.			9.204	4, 352			46, 437	5.684	1.928	1,997	2,615	2,342
Meusles	- 1		42, 252	14, 965	4,762	2,202	1,564	1,134	24,627	2,739	883	982	1,412 1,203	1,273 1,069
Scarlet fever			1,785	477	600	259	119	74	1,529	183	29	14	28 28	13 21
Department F. C, 0.044 347 088 755 694 887 2.961 1,516 314 95	11	Scarlet fever $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	1,672 1,623		215 190	265 256	285 257		1,053 998		77 79	29 32	19 20	13 12
Malarial fever	12		5,044	247	688	785	694	587	2,951	1,516	314	95	39 52	23 3 2
Mathim layer	13	-	1,762	912	420	184	98	47	1,661	65	8	4	2 1 77	66
Thilluthan P. S, 716 196 47 39 17 18 307 37 29 45		CM	847	71	85	84	24	16	180	62	25	41	71 58	47 58
Cholera morbus M. Self 184 60 67 28 8 8 347 43 28 12 25 18 Colitis M. 456 229 655 16 16 8 8 300 28 22 25 25 18 Colitis M. 456 276 60 16 16 8 31 10 2 2 2 3 10 10 2 2 3 3 10 10 2 2 2 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 3 10 10 2 2 3 10 10 10 10 10 10 10		Thindenza	8,715 5,157	198 42	47 30	32 35	17 45	18 58	307 205	87 248	29 257	45 568	60 888	87 774
18			846	184	60	67	28	8	347	43	1	12	590 21 21	428 17 19
Diarrhen	18	•	456	229	55	16	16	3	319	10		2	4	8 6
Description	19		1	750	144	42	9	11	956	55	11		17 10	17 20
Cholera infantum	20	Dysentery $\left\{ egin{matrix} M \\ F \end{array} \right.$	1,874	195	98	48	81	13	380	28	9	8	40 20	37 22
Fever	21	Enternas	6,746	3,780	943	208	86	63	5,080			36 87	44 61	63 88
Corebro-spinal fever \begin{array}{c c c c c c c c c c c c c c c c c c c		,	6,005	4,804	978	144	47	27	6,000		1	9	2	1
Smallpox. M				13	2	2	1		19	2	2	58	8 45 27	3 34
Erysipelas		(M.	152	217 10	107	70 6	2	81	22	2	2	9	27 22 17	26 13 7
Septicemia		(1. •	1	215	17	3	4	3	242	5	7	15	15 16	31 22
Veneral diseases	27	i .	1	128	21	15		18	189	55	81	36	71 182	64 196
General diseases—B	28	Venereal diseases $$	419 884				8 8	1	274 244	1			10 10	13 11
Males	29	Others of this group $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	932 750				6 5	5 5	75 57	25 15	11 7		18 18	28 20
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				·	-		l	-}			-	-	210	351
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			4,256		184 187	48	86 86	8	3, 830 3, 122	31	10	56	102	130 125
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		•	. 359		6	1		1	12	1		. 1	27	48
36 Other poisons. {M. branches 1,097 bgs. 40 bgs. 55 bgs. 31 bgs. 17 bgs. 162 bgs. 19 bgs. 8 bgs. 28 bgs. 37 Inanition. {M. street and seases. 3,496 bgs. 123 bgs. 18 bgs. 17 bgs. 10				1		. 1	8		. 2				. 2	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	36	•		40	1	81			152	19	8		76 80	89 75
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	37	· ·	1	11	123	18	17	10	II.	10	5	3	1	5 6
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	88	General diseases—C		11	755	154	49	43		62	32	- 31	57	69
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Females	. 18,947	8,593	370 385	85 69	84 15	20 28	11,724 9,085	32 30	16 16	19 12	24 83	23 46
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	41	μ.												
				3,885	·				3,835			1		
44 1 Dobitity and attempts [44.4] 9.400 H 4.004 MM MU MU MU MU MU MU M				692	11	2	I.	20	707 5.059	11	. 2	:	. 1	23
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				8,642	874		14	22	4,119		14	î	32	46

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

WHITE

to 84	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
21,280	22, 250	20, 334	20, 124	21, 372	22, 783	. 24, 867	26,742	26, 515	23, 293	16, 893	8,722	3,050	903	1,658
11,446 9,784	12, 395 9, 855	11,586 8,748	11, 485 8, 639	12,017 9,855	12, 489 10, 294	13, 135 11, 732	13,883 12,859	13, 594 12, 921	11,759 $11,534$	8, 125 8, 768	3, 927 4, 795	1,159 1,891	804 599	1,000 658
120	169	162	168	164	194	196	199	193	154	111	51.	18	1	135
66 54	96 78	99 68	106 62	88 76	115 70	119 77	118 81	106 87	76 78	54 57	22 29	9	1	77 58
2,037	1,852	1,535	1,421	1,428	1,581	1,804	2,086	2,207	2,025	1,604	823	264	71	178
1,094 943	1,006 846	834 701	805 616	774 654	788 748	859 945	965 1,121	1,025 1,182	890 1,135	710 894	365 458	93 171	29 42	99 74
11 18	7 18	3 9	10 10	7 2	1 7	2	2 2	1	3 1	2	i			2
10 8	5 7	5 5	1 1	<u>1</u>		1	1	1 1		i	1			1 1
25 24	11 14	1 7	11 0	7 10	5 5	8 5	2 2	1.2	3	1 1		1		3 2
2 5	2 2	3 3	1	i	1	2	i	1		1 1		1 1		4 7
47 58	51 33	46 30	57 29	88 81	47 88	42 41	47 44	43 50	39 29	19 27	10 12	2	i	7 3
86 90	82 87	116 108	108 114	111 160	136 201	212 320	254 385	327 441	307 490	294 410	150 217	42 96	8 20	8 11
610 885	483 262	302 203	239 134	184 122	137 104	105 86	62 71	· 49	18 21	5 12	5 4			. 18 . 11
20 21	17 34	27 27 25	36 18	37 81	38 32		47 42	48 50	35 41	18 35	11 17	3 8	3 2	4 2
5	6 8	13	9	9	8 5	1		13 12	15	7 6		2 3		1 1
8 17 24	8 28 21	21 18		42	72 45		98	110 89	97 100	78 87		10 15		11
24 89 29		85	42	50	37	79	87	88	78 137	75 89		7 16	4	1
29 47		59 59		70	69 86	102	109	184 107	101	65 98		5 9	4	7
81	81	84	. 85	91	95	130	195	175	153					. e
			4	8		. 1	4	1	1	1	1 2	1		
8 17 19		10	17	9 5	8	6	5 2	4	1			i		
14	20		18		10) 2		1						
89	40			. 52	1	1	53	44 85	39 30	24 21	1 8		1 1	:
12 78 172) 70	3 90	86	68	3 90) 48			3 (3	1	
10	5 20			t 15	14			ı 8		1]
10	7 25			7 40	8) 89	1	110) 90	6 61 0 87	1.	6	3
17 450		1		1	ì	ì	l.	1	1	1	1	1	1	5 8
840				6 265		7 14	3 133	3 70 1 49	64	1 25	2 1	7	3 2	1 6
110 219	6 127	1 23	0 21	1 184	1 12		8 7		1	3	4	1		2
4	4 6	5 5	1	3 30 1 3	1	1 1	1	1						
	5 1							3	2	1				i
	4 :	3 10	1 9	3 6		7 6	0 8	9 2	9 2		7 9	4		1
. 6	2 5	8 8 5	7 8 6	5 1	2 1	0 1	5 2 2 1	5 1	B 2		1	9	3 2	1 8
	6	5	5 1	2		1	. 1	- 1	1	1		- 1	·	Į.
	1 9			7 12 8 5			9 43	8 96	3 1,47			0 50	31 17	
. 8	36 4 38 5		57 S	8 6		2 26	6 54 7 29	5 1,18 4 82			1,28			0 1
						16		8 1,00	5 1,60	7 2,28	30 1,73	91	12 34	
• • • • • • •	1					M	12 18	1	0 16	1 11	15	57	21 B4 1	3 6
8	85 4 88 5	0 3	37 3 17 3	38 5 39 0	5 S	00 11 31 10	06 16	39 14 56 1.8	1	1	68	89 8	34]	6 2

PART II——VITAL STAT——45

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE WHITE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 20
1	1. General diseases—Continued. General diseases—D	79,166	2,590	1,236	606	421	288	5,136	1,020	1,058	3, 653	6,930	8,063
2 8	MalesFemales	39, 403 39, 763	1,441 1,149	655 581	335 271	201 220	149 134	2,781 2,355	509 511	401 657	$1,519 \\ 2,134$	3, 810 8, 620	4,034 4,020
4	Anemia $\left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} F & \dots & \left\{egin{array}{ll} M & \dots & \left\{egin{arra$	599 849	78 70	$\frac{15}{22}$	4 9	5 11	2 6	99 118	16 10	8 14	12 48	22 61	21 47
Б	Diabetes $\left\{ egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	1,384 1,261	7 4	5 4	5 2	$\frac{2}{9}$	5	24 22	83 82	56 41	56 31	50 47	65 44
6	Rheumatism $\cdots \qquad \begin{cases} M \\ F \end{cases}$	890 907	10 16	6 6	6	5 5	$\frac{6}{4}$	83 85	49 45	40 48	35 47	32 35	44 83
7	Scrofula and tabes \mathbb{F}	429 479	128 83	31 26	11 15	$\frac{2}{4}$	3 7	170 185	18 10	$\frac{2}{11}$	18 36	29 35	26 85
8	$\mathbf{Hydrocephalus}$	1,652 1,850	586 480	336° 285	$\frac{166}{122}$	89 95	68 58	1,240 1,040	156 180	47 87	35 41	31 22	24 21
9	Tuberculosis, general. $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	455 388	37 48	19 16	$\frac{12}{4}$	7 6	9 4	84 73	24 16	$\frac{12}{24}$	22 26	36 41	60 85
10	C on sumption	25, 948 21, 874	442 348	207 182	101 88	67 70	47 37	864 725	153 217	190 429	1,278 1,839	3, 017 3, 278	3, 686 8, 617
11	Cancer $\left\{egin{array}{l} M \\ F \end{array}\right\}$	6, 233 10, 524	6 9	$\begin{array}{ccc} \cdot & 4 \\ & 1 \end{array}$	3 1	2 8	4 1	19 15	8 12	9 12	15 16	41. 89	63 137
12	Tumor $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	673 986	17 14	5 6	10 9	10 9	4 5	46 43	19 12	11 14	23 21	27 32	29 84
13	Dropsy $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$. 798 885	20 10	5 5	$\frac{2}{2}$	4 1	$\frac{1}{2}$	32 20	16 14	18 15	11 18	14 16	11
14	Others of this group $\cdots \qquad M_F$:	342 310	120 72	22 28	15 15	8 7	5 7	170 129	17 13	18 12	14 11	11 14	7 15
15	2. Diseases of the nervous system	58, 876	11,948	3, 125	1,855	805	549	17,777	1,412	834	810	883	1,124
16 17	MalesFemales	31,788 27,088	6, 904 5, 039	1,698 1,482	728 627	416 389	278 271	10, 019 7, 758	771 641	464 370	447 363	460 428	602 522
18	Inflammation of the brain $\dots igc. igl\{^{ ext{M}}_{ ext{F}}igr.$	577 435	157 104	70 45	46 28	14 15	$\frac{12}{12}$	299 204	42 23	14 22	16 16	17 18	9 20
19	Meningitis $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	5, 825 4, 627	2,048 1,551	931 778	422 365	247 232	148 164	8, 791 8, 085	459 400	185 198	161 120	147 116	166 118
20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		120 91	24 20	10	8 9	8	167 134	18 16	15 16	35 32	57 51	115 85
21	Paralysis $\left\{ egin{matrix} \mathbf{H} \\ \mathbf{F} \end{array} \right.$	4, 327 4, 028	48 32	9 19	10 11	11 7	4 7	82 76	26 17	8	21 25	19 35	41 47
22	Paralysis, general (of insane) \ldots $\left\{ egin{matrix} M \\ F \end{array} \right\}$								1		1	1 1	13 5
23	Tetanus and trismus nascentium $egin{cases} rac{M}{F} \ . \end{cases}$	1	290 178	5 4	5	7 2	6 2	813 181	53	8		30 9 2	27 4 1
24	Chorea $$		2	1	1	2	1 2	6	3	13	6 14 65		60
25	Epilepsy $\left\{egin{matrix} M \\ F \end{array}\right.$	1	11	10	7	5	1 1	57 51	18 20	28	39	35	51 18
26	Convulsions $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1	2,729	502 454	185 158	84 91	58 52	4,560 8,484	75 77 2	14	21	29 32	50 88
27	Mental diseases $$. 945						001		. 3	. 9	26	39 92
28	Diseases of the brain $\left\{egin{array}{l} M \\ F \end{array}\right\}$		295	180 101	39 40	35 24	33 22	31	52	50	57	-69	58
29	Diseases of the spinal cord $\dots igl. igl{\Gamma}^{M}$	1	20	11 7	5 7		10 4	66 42	15		8	8	14
80	Locomotor ataxia $\left\{ egin{array}{c} M \\ F \end{array} \right.$	119		1			1		. 1			. 2	1 1
31	Others of this class $\dots igg(egin{array}{c} M \ F \end{array} igg)$	561	10	2		• •••••	. 1	13	1	1 5	1.6	3 20	86
82	8. Diseases of the circulatory system				-	-	-	-11	-				-
88 84	MalesFemales		920	50	33		58	1,100	864	1 478	3 424	540	588
35	Pericarditis $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1	10	1	. 2	3	8	24	11	1	2 2	i 17	10
86	Diseases of the heart ${M \choose F}$	1 .	581			35			7 839	0 449	5 38,		524
. 87	Angina pectoris		3							8 8	5	7 2: 1	. 2
38	Diseases of the arteries \cdots $\binom{M}{F}$	3	2 1	i		-				•-[:	i	••	
39	Aneurism		/				1	1	5	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	$\begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix}$	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	1 6
40	Embolism	1) 2	!	i i	1	1 1		1	1	• •	1	10
41	Others of this class $\cdots \in ^{\mathrm{M}}_{\mathrm{F}}$	358	326			3 5 L 1	íl i	51/ 3 53/ 38/	8 11	1	1	i'l	2 4

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE-Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	.90 to 94	95 and over.	Unknown
7, 582	7,012	5, 995	5,582	5, 315	5, 126	4,771	4,418	3,881	2,843	1,150	421	100	21	189
4, 017 3, 565	8, 747 8, 265	8, 179 2, 816	2,865 2,667	2, 684 2, 681	2,468 2,668	2,260 2,511	2,083 2,335	1,600 1,781	1,112 1,231	521 629	178 248	44 56	9 12	87 102
19 52	23 60	89 58	84 53	56 65	56 69	54 57	54 58	29 40	30 26	19 10	5 4	2	1,	2 2
67 82	64 51	95 57	85 74	122 122	118 159	156 179	156 152	· 118 115	82 68	35 24	6	3 2		8
44 44	44 39	89 44	54 50	53 60	83 54	69 77	81 91	75 70	57 65	37 42	12 20	1 5	1	7 8
19 41	24 26	14 24	19 26	7 26	18 15	19 17	22 15	14 8	4 9	4 9			1	1
36 13	21 12	19 10	15 8	10 4	5 4	4	1	1 4	2 2	1				4
$\frac{42}{40}$	38 26	27 28	36 27	29 14	14 10	9 10	10 12	5 2	6	1 2	i			2
$\frac{3,611}{2,916}$	3, 254 2, 837	2, 488 1, 558	1,968 1,080	1,575 909	1,227	949 655	714 586	489 418	294 289	100 120	28 54	6 10	1 3	56 55
121 815	209 610	855 915	524 1,196	725 1,286	818 1,410	858 1,829	872 1, 204	711 889	514 627	287 333	92 118	30 28	4 6	13 27
82 56	35 71	51 86	68 87	59 85	65 91	51 88	62 82	49 68	28 41	16 19	2 8			
17 30	28 20	88 88	49 58	98 51	58 63	82 89	102 122	106 115	89 97	69 69	32 32	4 9	3	3 1 5
9 26	12 13	19 18	18 13	10	11 9	9 10	9	8 7	6	2	1		1	
1, 815	1,789	1,875	2,858	2,807	3, 311	4, 041	4,670	4,870	4,394	2,883	1,190	888	77	168
764 551	1, 011 728	1,110 765	1,294	1,530 1,277	1,800 1,511	2,007 1,944	2, 449 2, 221	2,588	2, 281 2, 163	1, 431 1, 452	524	121	27	103 65
16 17	20 10	19 17	1,064	19	18	14	17	2,837 24	2,103 18 7	· 10	666 4	217	50	
188	142 77	109	14 129	16 97	14 71	5 58	14 63	8 44	39	5 13	1 9	1 2		8 12
89 191 116	259	66 405 308	88 503	50 729 688	45 93 <u>6</u>	47 1,133 1,078	48 1,806	32 1,840	20 1,146 1,119	17 754	5 260	8 57	9	4 88 21
99	196 166	192	518 227 155	268	867 835	413	1,207 528	1,263 647	1,119 624 644	741 408	357 151	111 32	80 14	15
53 · 35 18	82 47	100 57 17	56	188 88 13	277 86	413 84	522 26	631 17	15	455 8	202	68 2	14	16 1
18 29 11	12 11	16	4 17	15	13 13	13 5	21 5	22 6	18 8	11	3	2		2
11 8	10	10 1	8 1 2	2	7	. 8	1 2 2	1	1 1 2			1		
46	68	44	2 37 32	2 22 28	$\begin{array}{c} 1 \\ 24 \\ 20 \end{array}$	8 31	2 22 20	28 18	2 22 14	1 10 7	6	2		2
82 10	48 13	80 8	32 18	28 11	20 3	84 7		18 13			2 1	2		
10 87 51	29 74	8 17 59	7	6 58	5 70	10 91	7 10 127	5 99	4 5 91	4 2 59	1 28	7		14 10 5
50 110	69 139	62 120	50 64 189	64 155	63 165	102 183	93 199	92	96 193	67 138	82	12 15	1 8	i
77	115	78	138 110 84	116 51	101 38	1.10 44	181 52	209 167 28	165	108	52 51 1	18	ă	7
14 15 13	30 31 23	87 20 26	34 25 54	· 84 48	43 60	36 46	87 41	28 34 25	26 25 18	12	$ar{2}$	2		1 1
2	9	6 22	12 29	15	19 86	16 42	12 54	10 52	86	5 18	2 5	9	1	
14 89	19 40	84	40	25 55	86	44	58	54	39	21	8	2 1	1	9 2
1,877	1,715	1,902	2,175	2,806	3, 354	4,048	4,552	4,602	3,706	2,170	902	206	45	182
682 695	900 815	987 915	1,183 1,042	1,539 1,267	1,875 1,479	2,240 1,808	2,490 2,002	2,520 2,082	2,027 1,679	1,124 1,046	444 458	78 128	14 31	70 62
15 28	22 18	20 20	11 15	25 10	23 18	16 19	21 25	14 13	14 10	4 10	3	2	40	1 1
612 615	777 749	868 841	1,006 985	1,844 1,172	1,682 1,840	1,945 1,660	2, 204 1, 861	2,244 1,889	1,791 1,521	971 915	389 411	69 105	18 26	62 57
27 27	45 85	51 27	55 61	94 59	100 77	170 81	185 105	125 79	101 57	57 51	19 18	5		. 4
1	5 3	8 4	18 5	26 11	57 21	68 84	99 49	106 81	98 63	83 58	35 26	8 15	1 5	2
19 7	45 7	40 9	88 14	85 5	45 8	27 6	16 10	15 5	10 8	5	1	·····i		1
6 20	6 8	4 18	10 11	13 8	$^{12}_{15}$	11 8	15 11	16 15	13 17	. 7 5	1 4			2
1 2		1	i	$\frac{2}{2}$		3	·····i		3	1 2		ļ	l:::::::::::::::::::::::::::::::::::::	i

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE WHITE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	74, 471	16,644	7,541	3, 388	1,878	1, 153	30,604	2,396	730	1,153	1,754	2,134
2	MalesFemales	39,589 34,882	9,532 7,112	4, 111 8, 430	1,770 1,618	947 931	565 588	16, 925 13, 679	1, 221 1, 175	344 386	683 520	999 755	1,231 903
4	Group $\left\{ egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right.$	1,461 1,251	197 145	305 246	298 217	228 202	141 135	1,164 945	272 273	11 19	3 3	9	2
Б	Pneumonia $\left\{egin{array}{l} rac{M}{F} \end{array}\right.$	27, 461 23, 467	5,664 4,229	2,919 $2,442$	1,140 1,072	558 539	308 331	10,589 8,613	715 689	260 292	510 398	834 566	1,042 708
6	Laryngitis $\left\{egin{array}{l} M \ F\end{array}\right.$	310 266	46 32	46 44	$\begin{array}{c} 24 \\ 28 \end{array}$	34 30	19 18	169 161	52 42	9	1 5	4 4	2 8
7	Bronchitis $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \end{array} \right.$	6, 378 6, 569	2,788 2,098	716 596	236 258	91 104	67 69	3,848 8,120	101 98	32 26	84 49	42 65	56 t3
8	Pleurisy $\begin{cases} M \\ F \end{cases}$	751 575	26 18	38 22	20 16	17 7	8 7	109 70	26 28	14 10	40 17	42 45	43 37
9	Asthma $\left\{egin{matrix}M\\F\end{array}\right.$	580 510	24 16	$\frac{2}{2}$		1		27 19	7 5	$\frac{1}{2}$	8 1	8 7	7 9
10	Others of this class $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	2,653 2,244	837 574	85 78	52 32	28 89	22 28	1,019 751	48 40	17 31	87 47	66 67	79 78
11	5. Diseases of the digestive system	26, 623	3,650	719	302	201	180	5,052	784	815	990	1,262	1,469
12 13	Males Femal e s	13,601 13,022	2,094 1,556	370 349	159 143	92 109	89 91	2,804 2,248	405 379	456 359	504 486	552 710	629 840
14	Dentition $egin{array}{cccccccccccccccccccccccccccccccccccc$	292 270	183 169	100 94	6 4	1 1	2 2	292 270					
15	$\begin{array}{ccccc} \textbf{Angina} & & & & \\ \textbf{F} & & & & \\ \end{array}$	189 170	20 13	23 16	16 /14	14 7	7 14	80 64	30 39	9 18	4	13 6	6 7
16	Gastritis $\left\{egin{array}{cccc} M & & & \\ F & & & \end{array} ight.$	1,897 2,123	875 277	71 87	19 31	20 29	8 18	493 442	30 87	13 15	20 23	26 60	51 81
17	Diseases of the stomach $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	782 630	61 40	9 11	3 3	3	6 4	82 58	7 5	5 3	10 18	14 38	30 38
18	Obstruction of the bowels $\left\{ egin{matrix} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{aligned} ight.$	1,084 1,180	212 123	20 14	16 11	7 17	10 7	265 172	48 36	29 15	40 24	41. 87	59 64
19	Appendicitis $\left\{egin{align*}{l} M \dots \\ F \dots \end{array}\right.$		8 6	5 5	4 5	10 4	12 7	39 27	107 97	281 141	239 148	286 116	193 124
20	Hernia $\left\{egin{matrix}M\\F\end{aligned} ight.$. 480	58 17	5 2			$\begin{array}{c c} 1\\2 \end{array}$	64 21	8 4	5	18 2	11	15 2
21	Other diseases of the bowels \ldots $\left\{ egin{array}{l} \mathbf{H} \\ \mathbf{H} \end{array} \right\}$		99 78	14 13	4 2	4	1 2	120 99	5 6	5 7	10 13	13	15 24
22	Jaundice \prod_{F}	497 441	272 176	8 3	7 8	2 1	1 5	285 193	4 5	3	4	5	12 7
28	Inflammation and abscess of the M . liver. $\{F$.	618 563	38 26	5 1	1	2 6	7 8	49 37	10 7	8 12	8	24 19	35 26 60
24	Other diseases of the liver $\left\{egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned}\right\}$	1 '	35 31	4 7	6 5	$\frac{1}{2}$	1 2	47 47	7 9	10	10 7 141	25 24 188	45 133
25	Peritonitis	2,924	127 91	35 36	42 28	17 21	16 17	287 198 3	130 118	133 128 3	224	382 1	887
26	Ascites	106	3	1 75	34		17	748	23	8	. î	11	. 6 19
27	Others of this class $\left\{ egin{array}{l} \mathbf{F} \end{array} \right.$	1,282 1,260	609 506	60	81	13 17	8	622	21	11	10	13	29
28 29	6. Diseases of the urinary system and male organs of generation.		471	137	124	128	115	975	412	301	420	826 357	1,137
80	Males Females	16,088 11,419	286 185	68 69	55 69	71 57	61 54	541 484	221 191 187	143 158 114	192 228 165	469	612 415
31	Bright's disease $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	9,156	2					2	169	148	186	870	453
82	Calculus, urinary $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		6	61	F.4	63	54	6 421	11			. 2	2
88	Diseases of the kidney $\dots \qquad {M \atop F}$	L.	137	61 61 1	54 58	51	51	858 11	3	4 2 5	D D	18	25
34	(* •		5	6	2	8	6	107	1 20			. 2	6
35	Others of this class $\left\{ egin{matrix} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$		li .	8	9	6	3	63	17	13	83	77	126
86	7. Diseases of the female organs of generation Ovarian tumors.		-	. 1		11	1	11	1		. 54	_	
37 38	Ovarian diseases	92									. 1	. 1.2	16
39 40	Diseases of the tubes	1	11				. 1	1		. 1	. 1.6		1
41	Uterine diseases	. 111						.			. 11	. 21	_ 26
	1	1	11	1	-	1	-	10			11 19	1	- 1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued. WHITE—Continued.

30 to 34	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 80	90 to 94	95 and over.	Unknown.	
2, 291	2,687	2,496	2, 598	2, 957	3, 242	3,699	4, 103	4, 103	3, 417	2,390	1,125	848	98	151	1
1,304 987	1,687 1,050	1,549 947	1,579 1,019	1, 685 1, 272	1,714 1,528	1,786 1,913	1,899 2,204	1,872 2,231	1,522 1,895	997 1,398	466 659	119 229	28 65	79 72	2
i	1 2	1 1	·····i	i	2	1	1	i		1				1	$\}$ 4
1,105 798	1,380 858	1,280 757	1,809 785	1,843 960	1,255 1,143	1,314 1,381	1,306 1,494	1,249 1,445	964 1,181	600 838	269 368	66 128	15 31	56 44	5
10	6 4	11 2	9 1	10 8	6 7	7 3	5 1	2 4	3 5	1	1		***************************************		} 6
44 69	64 55	75 62	81 108	116 138	208 212	212 808	284 448	361 512	350 488	272 895	188 228	89 89	11 29	5 12	} 7
50 43	62 87	54 85	49 83	46 28	45 24	38 89	42 80	37 39	30 32	15 17	7 8	1 2		1 1 5	} 8
8 9	14 10	19 15	80 17	46 40	58 85	76 68	89 90	75 67	49 65	35 35 70	14 13	8 3 10	1	11	} 0
87 64	110 84	109 75	101 74	124 102	142 105	138 114	172 141	148 163	126 120	107	38 41	12	5	14	}10
1,386	1,531	1,598	1,528	1,570	1,667	1,677	1,694	1, 473	1,130	584	257	78	11 5	74	11
621 765	708 831	856 742	848 675	845 725	918 749	898 784	849 845	721 762	557 573	264 320	145	42	6	28 46	12 13
								5							}14
11 5	1	5 4	5	5 4 112	2 4 141	1 1 189	2 3	147	3 3	1 70	1 91	10	9	3	15
62 69	73 110	88 95 56	99 85 79	120	127	159	160 167 68	194	120 150	76 119	31 45 10	18	8 1	3 6 5	}16
34 43 48	48 45 44	20 35	51 59	51 67	40 68	71 54	49	58 54 68	49 32 65	14 15 17	11 12	3 4		5 2 4	}17
50	62	80	73	61	82	49 71 82	67 99 25	68 77 21	65 60 9	17 85 6	20	ĺ	2	4 9 1	}18
158 78		49	86 45 81	30 27	45 23 44	32 20 45	25 23 41	21 9 54	9	7 28	18 11	3	i 1	1 3 1 1	}19 }20
18 14	27 28 12	27 35	32	49 18	50	68	41 62 21	52	52 36 17	16	11 1 9	1 3		1 1 8	}21
14 19				8	22 18 25	11 22 24	21 24 24 34	26 20 26	17 16 19 19	4	5	1.	1	8 2 4	22
11 12 42				18	25 28 42	24 58 55	34 48 54	38	25	15	1	3			23
42 22 109		45 285	38	40 290	42 56 320 158	55 816 161	54, 278 168	46 181	126	20 35	14	1	1	1	24
109 74 100	99	140 122	141	172 61	158 86 99	67	56	134 40	29	13	7	3		6 8	} }25
351	302 5	7		101	5	90 8 18	80 8 18	67	4	4)	8	$-\begin{vmatrix} 1 \\ 26 \end{vmatrix}$
3 19	27	41	85	48	46	64	51	12 50 49	39	80			2	, r	27
1,271				1	59 2,489		2,804		1	İ		102			1
620 651		_		1,332		-	1,767	1,699	1,426	842 842	367 161	67 SF	7 18	48 20	29 30
514 504		782						1,120							}81
2 2 8		1	4			3		. 12	: 11	. 8	1 2				}32
28		38	82	: 43	40	46	78	60	5 67	40	25		2	. 2	}88
) 12	2 21		46	52	110	178	229		180	99	18		2	}84
72	2 92	2 112	126	189		188	221	258			1	1:		12 12	}85
224		1		ļ		i i		1	1		1		2 1	. 2	86
20	1	1			1	I .	1	1	1	7	5	-	1		. 87
2:			i					1	2 1						. 89
3:	2 5	5 95	I .	3 54 5 2		1				1 2	4				. 40
	7 6			1	1			3			2	2	1	l 2	42

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE WHITE—Continued.

CAUSE OF DEATH.	All ages,	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
8. Affections connected with pregnancy	3, 535								2	212	744	874
Abortion	240									12	45	65
Childbirth	906									37	183	189
Puerperal septicemia	1,542								2	93	375	412
Extra-uterine pregnancy	180						•••••			2	19	34
Others of this class	717				,		• • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	68	172	174
9. Diseases of the bones and joints	978	78	27	11	. 22	17	150	90	79	75	69	39
MalesFemales	555 418	38 35	13 14	5 6	17 5	15	88 62	43 47	45 34	52 23	45 24	25 14
Diseases of the spine $\{ egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \}$	175 138	19 16	5 6	1 8	7 4	5	87 29	18 19	15 11	15 4	16 9	7 3
Abscess, lumbar and psoas ${M \choose F}$	31 20	$\frac{1}{2}$					$\frac{1}{2}$	2	$\frac{2}{1}$		8 2	5
Diseases of the bones M .	196 135	15 11	4 8	3 2	6	8 2	36 24	11 14	13 13	. 20	12 9	9 7
Diseases of the hip-joint $\cdots egin{array}{c} M \\ F \end{array}$	85 38	1 3	1	<u>.</u>	3	1	6	12 10	13 5	15 10	6	4
Others of this class $\left\{egin{array}{l} M \dots \\ F \dots \end{array}\right\}$	68 87	2 3	3	1	4	1	8 8	2 2	2 4	2	3 3	
to. Diseases of the skin	879	257	80	16	9	4	316	22	10	9	25	4 28
Males. Females	489	185	16	10	8	1	165	16	6	5	10	13
$egin{array}{cccc} ext{Females} & & & & & \\ ext{Abscess} & & & & & \\ ext{F} & & & & \\ ext{F} & & & & \\ ext{T} & & \\ ext{T} & & & \\ ext{T} & &$	390 263	122 53	14	6	6 3	3 1	151 74	6	4	4	15 8	10 10
<u> </u>	196 70	53 2	6	3	3	2	67	6	3	2	9	8
Carbunele $\left\{egin{array}{ll} \mathbb{M} & \dots & \mathbb{M} \\ \mathbb{F} & \dots & \mathbb{M} \end{array}\right.$	34 156	1 80	5	3			2 88	1		Ī	3	î [.] 2
Others of this class $\left\{egin{array}{ll} \mathbb{F} & \mathbb{F} \end{array}\right.$	160	68	8	2	3	1	82		1	1	3	1
11. Diseases of the absorbent system	364	19	16	1	6	2	55	10	9	10	18	22
MalesFemales	188 176	11	10 6			2	38 17	8 2	4 5	6 4	8 5	10 12
Addison's disease ${ m M}_{ m F}$	61 55							1	2	$\frac{2}{2}$	$\frac{1}{2}$	3 4
Diseases of the spleen $\cdots : \{ egin{array}{l} M \ldots \\ \mathbb{P} \end{array} \}$	28 27	4 2	, 1		2		6 3		1		$\frac{2}{2}$	3
Others of this class $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right.$	99 94	15 9	10 5	11	4	2	32 14	7 2	$\frac{2}{4}$	4 2	5	-1 5
12. Accidents and injuries	25, 929	1,337	405	447	443	342	2,974	1,242	1,011	1,894	2,078	2,316
MalesFemales	19,808 6,121	762 575	216 189	269 178	250 193	197 145	1,694 1,280	847 895	835 176	1, 134 260	1,698 380	1, 933 385
Burns and scalds $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	1,008 1,333	47 42	102 97	153 96	128 112	63 91	493 438	76 195	25 62	16 51	44 48	4.5 77
Drowning $\left\{ egin{array}{ll} \mathbb{F} & \dots & \dots \\ \mathbb{F} & \dots & \dots \end{array} \right.$	2,688 285	15 9	27 18	22 11	27 13	34 4	125 55	300 25	334 23	258 31	268 20	224 11
Exposure and neglect $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	137 71	86 31	1 3	$\frac{1}{2}$		2	40 86	2	2 1	1	4 5	1
Gunshot wounds $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	782 116	8 2	1	. 1	2 4	1 3	8 12	16 8	64 6	104 10	109 24	96
Homicide $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	875 105		_i	$\frac{1}{2}$	2	3 2	4 7	8 8	9 5	20 6	59 13	59
Infanticide $\left\{egin{array}{l} \mathbf{M} \ldots \\ \mathbf{F} \end{array}\right.$	11 11	11 11					11					
Injuries by machinery $\{ egin{array}{c} M \\ F \end{array} \}$	108 5	<u>i</u>	. 1				1 1		1	. 12	14 1	16
Railroad accidents $\cdots \qquad \begin{Bmatrix} M \cdots \\ F \cdots \end{Bmatrix}$	3, 289 330	4	8 6	9 8	14 7	20 11	55 36	135 46	136 18	212 27	381 22	40°
Suffocation $\left\{egin{array}{c} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array}\right.$	695 411	824 243		11	1	6 5	860 276	10 15	11		30 8	21
Suicide by shooting $\dots \qquad \stackrel{\{M\dots\\F\dots}{}$	755 58									10	62	8
Suicide by drowning $\begin{cases} M \\ F \end{cases}$	110 50									. 3	6	
Suicide by poison $\dots \{ egin{array}{ll} M \dots \\ F \dots \end{array} \}$	540 346								4	18		6
Other suicides. $\left\{egin{array}{l} M \\ F \end{array}\right\}$				-	.				8 2	1	61	7
Sunstroke $\left\{ egin{array}{ll} \mathbb{M} & \mathbb{M} \\ \mathbb{F} & \mathbb{K} \end{array} \right.$		89	6 9	3 4	·····i	2	50 47	8	1 1	8	1	l.
Surgical operations $\left\{ egin{array}{ll} H \\ F \end{array} \right\}$		7 8	1		l.	. 1	10	6		. 5	9 84	1
Wounds $\{M, \{F, \dots, $		2	1	3	4	4	14	11	9	85	39	
(F	7, 374 2, 276	274 195		i i	69	61 29	528 54				1	75

CAUSE, COLOR, AND RACE.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE-Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over,	Unknown.
														15
755	508	297	28	4	1	1	1		3					1.
49 209	50 202	16 117	11	2					1					5
829	213	97	12	2		1			1					5
34	30	9	1			• • • • • • • • • • • • • • • • • • • •				· · · · · · · · · · · · · · · · · · ·		• • • • • • • • • • • • • • • • • • • •		1
184	103	58	4				1							8
52	48	57	48	54	42	34	46	45	22	. 15	6	2		
27	29 19	38	28	32 22	20 22	18 16	26 20	17 28	15 7	3 12	3	1 1		
25 5	19	19 10	20 7	8	7	8	6 5	5	6	1		.,		
7	10	5	5	11	5	7		3	1	2	1	1		
$\frac{3}{2}$	1 1	·····i	, 2	2 2	1 2	2	1	3						
10 10	11	11	10 8	18 4	6 5	7 2	11 4	5 9	7	2 7	$\frac{2}{2}$			
8	3	5 8	1	4	3	1	1							
2	3 4						7	1 5	1	1	1	1		
$\frac{1}{4}$	5 1	9 8	8 5	· 5	3 10	5 7	l ii	12	1 5	2				
35	43	45	40	42	50	55	52	35	40	19	12	8		. 3
14 21	24 19	25 20	24 16	27 15	34 16	28 27	29 28	19 16	25 15	15 4	7 5	1 2		2
9	19	17	18	16	18	15	18	9	8	7 2		1		. 1
14	10	11	9	7	9	11	14	5 5	6 7	2 2	1 2	2		1
4	2	3	7 2	5	8 2	8 4	9 2	5	2	1				
1 7	3 8	5 6	4 5	5 3	8 5	5 12	7	5 6	10 7	6 1	5 4			i
27	21	82		21	28	28	24	17	12	1				2
15	11	16	15	11 10	12 16	13	9	7	3	1				1
12	10	16			16	15 8	15	10	9	1				1
· 8 4	77	6		7	7	6	3 5	2 2	8	1				i
4	2	8 2	2 2	1 2	i	1	$\frac{1}{2}$	1 1	1 2					
4 8	1 2			8	5	4	5	4	1 4	1-1				. 1
4	2 2	7 8		4	8	8	8	7			000			346
2,228	2, 361	1,861	-	1,898	1,183	1,048	. 887	692	579	-	220	82		295
$^{1,846}_{382}$	1,960 401	1,558 303	1,397 278	1,150 248	916 217	814 234	633 254	448 244	338 241	195 188	82 188	31 51		51
46	49	49	32	27 32	18 32	25 48	19 30	15 85	11 27	16	8	8		102
72 199	09 222	186	1	1	88 8		48	1	21 2		1			. 69
28	20	1.4	11	12	1		9	5	10	1	2		-	1
8 2	9	8 2	11 2	7	7 8	9 2	6	. 4	4		2	i		.] :
80 15	78	54 5			30	23	11	7	6 2	1	1	2		. 18
64	15 55	22	26	13	12	10	5		1	2				
16		9	4	5		1	2					-		
									-					
15 1		. 11		5	2	3	5							
361	1	1		187	150	126	67		84	18			. 1	. 9:
19	15	15	19	15	17		1	1	1		j.	1	-	29
30 8	43 8	29	27		17	8	6	7	8	: B	1			l l
87 12	94	92	89	71 8		34	39				2			
9	9	10	10	15	10	8	1 7	4	. 9	1 2				
5	8	3	4	. •6	5	4	1			1				
61 36	66	65 26	52 20	57			5	5 7	8				· 1	
104	128	131	142	1 129	112								2	. 1
29 20	1	1	1			8	· 6	s 9	10) }	3 1	1]
2	: 6	- 0	5 5	9	7	12	[7	7 11	. 7	' 1	1.0			
10 87	10	10	3 22											
42	37	22	2 28	19	1	1.5	1 8	3 2			i		l	
1					. 1 2				., .	· 1				4

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE TOTAL COLORED.

1	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	37,029	7, 951	2, 239	1,034	549	867	12, 140	1,076	91,9	1,657	2,671	2,500
2 3	MalesFemales	19,828 17,701	4, 279 3, 672	1,175 1,064	529 505	264 285	166 201	6, 413 5, 727	502 574	408 511	727 930	1,388 1,283	1,306 1,194
4	Unknown cause	743	303	46	18	11	4	382	13	5	21	28	33
5	MalesFemales	391 352	154 149	22 24	10 8	5 6	2 2	193 189	11 2	4 1	9 12	9 14	16 17
7	1. General diseases. General diseases—A	6,363	1,828	684	815	162	121	3,110	357	289	311	428	362
8	Males	3,273	948 880	355 329	141 174	78 84	61 60	1,583 1,527	176 181	111 128	142 169	249 179	197 165
9	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8,090 87 101	21 26	20 20	13 20	5 11	5 4	64	10 11	7	2 2	2	1 4
11	Scarlet fever $\{M, K\}$	16 16		1 1	3 2	3	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	9 8	$\frac{1}{3}$	2	8	1	1
12	Diphtheria $\left\{ egin{matrix} M & \dots \\ \mathbb{F} & \dots \end{array} \right.$	129 135	9 5	19 15	16 17	19 11	12 15	75 63	41 43	$\frac{11}{20}$	1 4	1 2	i
18	Whoeping cough $\left\{egin{array}{ll} M \\ F \end{array} ight.$	152 189	68 73	46 50	19 27	$\frac{12}{14}$	1 11	146 175	4 12	i	1		
14	Malarial fever $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	372 376	32 28	22 27	10 23	13 12	10 8	87 98	40 31	17 27	28 38	40 84	27 25 9
15	Influenza $\{ H \}$	168 217	22 25	11 7 6	6	2	3 8	89 43 24	4 4 35	5 7 84	6 6 61	6 6 108	71
16	Typhoid fever $\left\{ egin{aligned} M \\ F \end{aligned} \right\}$	463 358 68	3 9 13	9 5	6 3 5	8 7 2	6	24 34 29	39 39	46 1	67	53	40 8
17	Cholera morbus	61 27	11	6	5 2		1 1	23 18	2	2	2	š	4 2
18	(M	31 188	18 72	7 26	1 15	3	1 2	22 118	1 6	$\begin{array}{c c} 1 \\ 2 \end{array}$	5	5	1
19 20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	156 156	57 35	18 18	12	3	2 2	98 57	4	3 2	3	10	5 7
21	$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 185 . 499	18 275 241	14 92 88	24 28	8 9	9 I	36 408 867	7 15	, 5 5	3 6	7 6 11	5 3 15
22	Cholera infantum $\{M, K\}$. 398	804 298	78 55	12 15	8 8	1 1	308 372					
28	Fever	1	2 5	$\frac{2}{1}$	i	i		4 8	8		1 2	2	
24	Cerebro-spinal fever $^{\mathrm{M}}_{\mathbf{F}}$	1	11 10	2 5	$\frac{3}{2}$	1 4	3 2	20 23	7 8	11 8	4		2 2
25	Smallpox $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	211	4 7	4 3	1 3	1	2	10 16	6 3	9	17 14		45 25
26	Erysipelas $\left\{ egin{matrix} M \\ F \end{array} \right\}$. 22	2 8					2 8			2	. 2	4 2
27	Septicemia $\left\{ egin{matrix} M. \\ F. \end{array} \right.$		12 6	1	$\frac{2}{2}$			15 8	6	1	12	18	23
28	Venereal diseases $\left\{egin{matrix} M \\ F \end{array}\right\}$. 84	46 39	6 2	3 2	$\frac{2}{2}$	i	57 46	1		2 4	7	11 5 8
29	Others of this group $\cdots \in \mathbb{R}^M$		3 1	1	1	1		3	1	1	1		. 1
80	General diseases—B	906	670	48	10	11	3	747	14	1	7	15	17
31 32		. 409	871 299	20 23	10	7	1	407 840	⁷	i	5	8	6
33	(M	. 9			1 1		1	2	1				1
34 35	CAT	1		1	1		1	4	1		-		
96	(M		5	2 2	4 2	8	1	15 5	2		. 1	27	3 4
37	Inanition $\left\{ egin{array}{ll} \mathbf{F} \end{array} \right.$		366 298	18 20	5	1 6		390 381	4 5]		.
38	General diseases—C	i	1,688	148	'	1	4	1,863	II.				i l
39 40	MalesFemales	1,418 1,507	881 752	73 75	25 26	14 18	4	993 870	4 12			3	4 5
41	Old age $\left\{ egin{array}{ll} \mathbf{F} \end{array} \right.$			<u>.</u>			ļ						
42	Premature birth $\left\{ egin{matrix} K \\ F \\ \end{array} \right\}$		374					874 299					
48	Malformation $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	58 50	57 50					. 57 50	1				
4 4	(* ·	1	881	75	25				12		3	7	
45	Others of this group $\left\{ egin{matrix} M \\ F \end{array} \right.$	22 22	22 22		.]	: ::::::		22 22				-: :::::::	

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

TOTAL COLORED.

Jnknown.	95 and over.	90 to 94	85 to 89	80 to 84	75 to 79	70 to 74	65 to 69	60 to 64	55 to 59	50, to 54	45 to 49	49 to 44	35 to 39	80 to 34
206	197	162	278	498	624	877	1,027	1,288	1,874	1,750	1,795	1,952	2,083	1,955
127 79	67 130	57 105	114 164	225 273	296 328	438 439	531 496	652 636	758 616	987 763	1,010 785	1,064 888	1,145 938	1,113 842
20	1	1	8	7	12	18	21	25	18	35	28	30	33	19
11 9	i	i	2 1	4 8	7 5	5 8	10 11	14 11	13 5	21 14	19 9	16 14	14 19	13 6
18	7	6	24	50	58	72	115	127	185	177	176	192	204	200
10	8	1	13	22 28	28 25	34	51	63	58	97	100	113	105	117
8 i	4	5	11	28	25	88	64	64	77	80 1	76	79	99	88
		• • • • • • • • • • • • • • • • • • • •						• • • • • • • • • • • • • • • • • • • •					1	1
•••••••				1			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •					i	
1														i
$\frac{2}{2}$	i	1 1	2 1	3 2	5 1	6	7 13	9 18	8 16	19 8	19 19	18 12	19 17	20 14
	3 1	2	$\begin{bmatrix} 2\\2 \end{bmatrix}$	6 13	8 8	7 11	10 15	14 16	9 20	8 18	10 8	11 9	7 14	4 8
1 1				1	1	2 3	1 8	4 6	6	13 5	20 8	21 20	28 19	32 10
			1	i		2 1	$\frac{4}{2}$	$\frac{2}{2}$	2	3 4	. 2	4	2 6	2 7
					······ <u>2</u> ·	1	1		3	1	1	2	i	1
2	i		$\begin{bmatrix} 2\\2 \end{bmatrix}$	2	5 2	2 6	7 5	5 4	67	7 4	3 4	5 6	8 1	8 8
		1	2	1 6	4	6 . 5	5 10	10 8	7 7	11 16	$\begin{array}{c} 9 \\ 12 \end{array}$	7 8	7 4	6 6
1 2			$\frac{1}{2}$	18	2	8 6	7	7 5	6 4	9 7	12 8	6 5	8	6
· · · · · · · · · · · · · · · · · · ·													• • • • • • • • • • • • • • • • • • • •	
									1	2	1	2	2	
1			•••••		i			1	1	1	2	$\frac{2}{1}$	2 1	1
					1	2	3	8 2	5	5 4	8	14 11	18 7	24 12
• • • • • • • • • • • • • • • • • • • •			1	1	1 1	2	1	2	$\frac{1}{2}$	1	2 	1	2	2
1			. i	1		1	3	4	8	8	7	9 7	12 12	7 5
			4	1 6				2	1	8	5	1	4 3	5 9
	1	i		1	2	2	6	3	4	4	1	3 2	1	8 1
1.	1	2	1	2	7	2	4	7	6	12	8	20	- 8	14
Ì	1	1. 1	1	1 1	5	1	2 2	8		5	7	11 9	7	11 8
					i	1				5 2	6	3 2	5 1	4
										1		1		•••••
*********								ı	9			6	2	
		1		1	1	1	i	2 2	2	2 1	1 1	6		2 1
	1	1		1	. 4		1	1		. 1	·····	1		1
	39	-		-	119	186	83 45	25	31	28	15	3	13	10
	93	62	62		64 51	80 49	38	44	14	18	7		5	8
		58		88	60	69	85 29	30						
		2	2	2	4	7	10	11	17	10	8	8	8	············
	1		7		4			14	14	18	ž		5	8

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE TOTAL COLORED—Continued.

=							===	1					
	CAUSE OF DEATH.	All ages.	Under 1	1	2	8	4	Under 5	5 to 9	10 to 14	15/to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	7,758	249	150	106	76	41	622	217	287	662	1,105	1,024
2 8	MalesFemales	3,939 3,814	145 104	79 71	64 42	35 41	17 24	340 282	02 125	98 189	257 405	583 572	486 538
4	Anemia $egin{cases} m{M} & \dots & m{K} & \dots & \dots & m{K} & \dots & \dots & m{K} & \dots & \dots & \dots & m{K} & \dots & \dots & \dots & \dots & m{K} & \dots & $	19 41	5 5	1	2	1		7 8	1 3	$\frac{1}{2}$	1 4	<u>2</u>	
5	Diabetes $\left\{egin{array}{ll} M \ldots \\ F \end{array}\right.$	20 28		 		i		i	i	1	1		2
6	Rheumatism $egin{cases} M \dots \\ F \dots \end{cases}$	76 78	1 3	i	1	1 1		3 5	4 8	2 5	2 7	3 1	3 (
7	Scrofula and tabes $$	62 70	4 5	4 5	4	2 8	1 3	15 17	5.8	5 9	3 7	9 5	4 7
8	Hydrocephalus $\left\{egin{matrix} M. \\ F. \end{array}\right.$	95 76	98 25	13 12	8	5 9	2 3	66 55	8 7	$\frac{4}{2}$	3 6	6	$\frac{1}{2}$
. 9	Tuberculosis, general $\left\{egin{array}{c} M \\ F \end{array}\right\}$	58 85	3 8	1 4	3 3	1		8 10	1 3	5 1	2 6	14 3	6 3
10	Consumption $\left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} F & \dots & \left\{egin{array}{ll} M & \dots & \left\{egic$	3,244 2,896	76 54	49 39	39 25	22 24	11 15	197 157	68 96	75 167	242 369	481 540	461 495
11	Cancer $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	155 884	$\frac{2}{1}$			1		3	2		1 2	7 8	4 8
12	Tumor. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	21 87	2					2			1 1	2 5	1 2
13	Dropsy $\{M, \{M, \{M\}\}\}$	150 146	2 1	3 2	5 2	1 2	1 1	12 8	5 3	5 3	2 2	11 8	3 8
14	Others of this group $\left\{ egin{matrix} M \\ F \end{array} \right.$	39 23	12 7	8 7	4 3	1 1	2 2	27 20	3				1
1 5	2. Diseases of the nervous system	3,687	1,169	216	97	52	41	1,575	102	71	81	· 88	110
16 17	MalesFemales	1,892 1,795	653 516	134 82	54 43	28 24	18 23	887 688	53 49	37 34	35 46	49 89	60 50
18	Inflammation of the brain $\ldots igcap_{{\mathrm{Id}}}^{\mathrm{M}}$	40	5 6	4 1	5	1 1	1 1	16 10	3 3	1 1	2	3 2	6 2
19	Meningitis	288 205	82 53	48 23	21 19	16	11 12	173 116	22 22	17 11	11 9	17 12	1½ 7
20	$egin{array}{ll} ext{Apoplexy}, & ext{M}. & ext{F} \end{array}$	336 420	5	2 1	i			7 6	1 1		3	8 2	9
21	Paralysis $\begin{cases} M \\ F \end{cases}$	289 267	5	1 1	1	1	1	9	2	1	3 2	4 5	7 3
22	Paralysis, general (of insane) \ldots $^{ ext{M}}_{ ext{F}}$	17											2
28	Fetanus and trismus nascentium $\{ egin{matrix} M & \dots \\ F & \dots \end{pmatrix}$	201 145	145 119	4				149 120	7 3	1.0	6 2	1	7 5
24	Chorea $\begin{cases} M \\ F \end{cases}$	1	110						a	4	i		
25	$\mathbf{E}_{\mathrm{pilepsy}}$ \mathbf{F}_{r}	43	5		·····i	1		6	1	1	3 1	1 3	Б 8
26	$\begin{array}{cccc} \text{Convulsions} & & & \\ M. & & \\ M & $	479 426	372 301	57 46	23 17	5 14	2 6	459 384	6	1 2	1 6		2 3
27	Mental diseases M .	43 47						304	10		2 3	4	2 3
28	Diseases of the brain $\dots M$.	168 165	31 30	23	4 3	4	3 3	65 41	11 9	5 10	5 14	9 2	5 10
29	Diseases of the spinal cord $\dots egin{smallmatrix} \mathbf{M}, \\ \mathbf{F} & \dots \end{bmatrix}$	16 21	2	3	ļ			2 3	i	1 1	1 3	2	<u>i</u> .
30	Locomotor ataxia $\{M, \dots, \{M,	5 3											
31	Others of this class $\begin{cases} M \\ F \end{cases}$		$\frac{1}{2}$					$\frac{1}{2}$			2	2 2	3
82	8. Diseases of the circulatory system		68	11	5	4	11	99	20	88	39	101	130
88	MalesFemales	1,374 1,285	39	8	2	2 2	7	58	6	16	20	50	72 58
84 85	Pericarditis. (M		29 1	3 2	3	2	4	41 3	14	22 1	19	2	4
36	Diseases of the heart M .	1,200 1,149	24	6	2 3	2	7	41	4	15	17	47	62 45
37	Angina postoria (M.	. 28	18	3	3	2	3	29	12	18	18	47	1
38	Diseases of the arteries $\binom{M}{F}$ $\binom{M}{F}$	41									1	2	6
89	Aneurism $\left\{egin{array}{ll} H & \\ F & \\ \end{array}\right.$												5
40	F M M												5
	Others of this class (M.	. 14	14					14					1
41	Others of this class	. 13	ll îî	l				ll ii	11				.1

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown
745	726	596	480	393	280	191	159	118	60	86	15	4	9	24
399 346	410 816	318 278	279 201	238 155	164 116	100 91	95 64	58 60	26 34	17 19	7 8	3 1	3 6	16
1	$\frac{1}{2}$	$\frac{2}{4}$	3 1	$\begin{bmatrix} 1\\2 \end{bmatrix}$	1	2	·····i	·····i					i	
2	3	б 9	2 2	6 4 9	1 4	3 1	2		3	2			1	
8	5 8	6 1	4 2	5	7 9 1	2 3 4	8	8	1	$\frac{2}{4}$		1	2	
$\frac{2}{2}$, š	i 8	i 1	4.		1	i	1	$1 \\ 1$		•••••			2
6 2	8	2		2	1	1	$\frac{1}{2}$							
364 808	2 859 241	1 264 183	1 240 100	1 182 74	111	69	65	1 30 17	15 7	10 5		1	1 1	11
6 20	11 47	15 57	105 12 62	24 50	50 23 39	13 30	27 17 21	17 10 16	7 2 14	1	$egin{array}{c} 3 \ 1 \ 2 \end{array}$	1 1	1 1	1
$\frac{2}{2}$	5 5	2 6	1 3	2 2		2 3	1 2	i	2	5	2	· · · · · · · · · · · · · · · · · · ·		1
7 8	14 8	17 13	11 18	8 13	19 10	6 9	7 6	12 15	3 6	$\frac{4}{3}$	3		2	1
2	1	3			·····i				1					1
92	110	149	171	231	185	184	146	188	98	59	41	22	14	10
53 89	62 57	78 71	78 93	118 113	94 91	81 103	61 85	56 77	37 61	16 43	15 26	9 13	6 8	7 9
1 15	1	$\frac{2}{1}$	2 1	2 3	2 1	2 1		1			• • • • • • • • • • • • • • • • • • • •		••••••	
3	8 3 20	8 24	1 8 89	5 4 50	2 1 40	2 41	$\begin{array}{c}1\\2\\31\end{array}$	$\begin{bmatrix} 1\\2\\24 \end{bmatrix}$	2	6	· · · · · · · · · · · · · · · · · · ·		1 2	2
6 7 8	20 24 14	26 16	92 47 17	51 89	52 23	52 23 24	30 15	86 24	18 38 13 19	13	8 14 6	5 6 2	2 3	1 3
11. 1	7	13 2	18 4	29 4	18 3	24	41	80 1	19	7 24	6 8	2 6	4	
1 4 8	4 3	2 2 2	$egin{pmatrix} 1 & 2 \ 2 & \end{bmatrix}$	3 2	1	2	2		2					
			1		1	1				• • • • • • • • • • • • • • • • • • • •				
5	1 6	6	4 2	1 6	4 2	1 2	3	1		1				
1 1		4 2	1	1 1	1	2			1					9
5 5	5 1	4 9	$\frac{2}{3}$	4 3	5 2	$\frac{2}{3}$	4 3	$\frac{2}{4}$	3	1	$rac{1}{2}$	1 1	i	
5 6	6 8	11 10	9 11	8 6	7	7 13	4 8	3 3	3 1	$\frac{2}{4}$	2	1		
2	. 3	1	1		$rac{1}{2}$	2	i		i	1	• • • • • • • • • • • • • • • • • • • •		1	1
********	1	8		$\begin{bmatrix} \frac{1}{2} \\ 1 \end{bmatrix}$	1 4	1	1		. 1					
150	2	2	4	5	2	8		1 190	1	hr.	40	15	12	10
150	122	133	189	268 185	235 120	219 123	91	71 68	114 56	75 42 33	40 16	3	5	19 19 7
66 1	109 4 2	127 2 4	134 2 4	$egin{array}{c} 128 \ 4 \ \end{array}$	115 2	96 1	96 '	1	58 1	33	24	12	7	
3 75 59	105	111	122 123	120	3 111 107	2 109	1 82 89	62 58	47 51	40 81	14 22	2 10	4 5	10
69 2 1	101 2 2	110 4 5	123 2 4	, 119 4 4	107 3 2	88 4 5	3	2 2 2	3 4	91	24	10		
1	i	4 1	3 1	8	3	3	7	6 3	4 2	$\frac{2}{2}$	2 2	1	$\frac{1}{2}$	1
5 1	9	12 6	10 2	3 1	1	6 1	i	2	1 1					
i	, 2	1		1 2	1		1 1	1						

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE TOTAL COLORED—Continued.

I. Diseases of the respiratory system												
	6, 033	1,522	745	351	156	98	2, 867	186	116	191	849	288
MalesFemales	8, 283 2, 750	819 703	875 870	183 168	74 82	42 51	1,493 1,374	80 106	48 68	100 91	211 138	179 109
Croup $$	66 52	33 27	9 7	11 1	4 6	$\frac{2}{2}$	59 48	5 5	$rac{1}{2}$			1
Pneumonia $\left\{ egin{matrix} M \dots \\ F \dots \end{matrix} \right.$	2,487 1,981	519 460	261 255	132 120	57 60	85 38	1,004 933	62 75	85 54	84 72	185 111	151 80
Laryngitis $\left\{egin{array}{l} H \dots \\ F \dots \end{array}\right.$	14 7	8	3 1	i	1 1	1	8 3	1 1	1	1		1
Bronchitis $\left\{egin{array}{c} M \dots \\ F \dots \end{array}\right.$	471 490	210 176	91 98	36 41	11 11	$\frac{2}{9}$	350 830	8 16	5 6	5 13	12 12	8 14
Pleurisy $\left\{egin{array}{l} rac{M}{F} \dots \end{array} ight.$	42 46	1	3	1	1		$\begin{bmatrix} 1 \\ 6 \end{bmatrix}$	1	1	1	7	8 7
$\qquad \qquad $	70 72	3	3	1			6	1 2			1 2	3
Others of this class $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	183 152	52 36	10 8	3 4	3	2	67 58	6	6 5	7	9	11 5
5. Diseases of the digestive system	1,756	. 300	188	29	14	14	495	51	49	85	148	185
Males Females	858 898	171 129	76 62	15 14	7 7	5 9	274 221	21 30	23 26	28 57	66 82	56 79
Dentition $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	100 98	42 42	51 43	6 8	1		100 93					
Angina $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	14 14	3	1			1 1	5	1 3	1			1
Gastrius\F	140	19	6	3	2 -1	1	31	5		8	8	2 14
precises of the scommen	35	4	$\frac{1}{2}$				6	$\frac{1}{2}$	2	i	ī	3 2
Obstruction of the powers	78	6	i			I I	8	2	Ī	8	1.1	10
Appendicius(F	46	1				1	2	8 7	1	10	4	13 5
Hernia(F	. 21	3	1				8			1		
V	. 14	3	l i	*******		1	5		1	1		2 2 1
F	. 19	10					10				3	2
Inflammation and abscess of the M. liver.	. 28			i		1	2		1	1	4.	5 2 9
Other diseases of the liver $\left\{egin{matrix}M\\ \mathbb{F}\end{array}\right.$. 43							1	1		8	12
remonusF.	. 266	9 4	3	4 2	1	1 2	12 12	9	16	32	46	89
Ascites	. 15										. 1	2 2
Others of this class $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	80	34	5	2	2	i	44	1	2		1	1
Diseases of the urinary system and male organs of generation.	1,940	26	22	12	6	7	78	II				97 54
Males Females	- 869	10 16		6	4 2	3	88 85	19	16	24	52	48
Ç	. 735							17	15	22	44	
•	. 2	1	1				1					1
•		18	7	6	$\frac{4}{2}$	3	31		i			
•	. 8		.				.	.		i	1	
·	1	3 2	i				3			. • 1	1.	7
		-					1		-			
		11	-						1	1	į.	. 2
Diseases of the tubes	. 38			-	-		· ·····	·	·	. 1		1
Uterine diseases	. 6											.] 1
	Angina	Angina	Angina	Angina	Angina	Angina F 98 42 43 8 2 43 1 3 1 3 1 3 3 2 42 43 3 3 2 44 43 3 3 3 2 44 44	Angina	Augina	Angina	Defitition	Definition P	Manual M

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued. TOTAL COLORED—Continued.

80 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
248	270	259	287	244	189	182	125	91	77	47	27	5	9	26	
170 78	151 119	155 104	149 88	146 98	112 77	86 96	63 62	47 44	35 42	25 22	12 15	2 8	8 6	16 10	ļ
187 60	1 130 88	1 188 74 1	117 63 1	117 70	77 55	58 67	47 38 1	34 26	27 25	17 17	8 10	1 2	2	1 <u>1</u> 7	}
ī 6	7 8	6 5	14 8	13 10	11 8	8 16	5 1 0	7 7	2 12	8 1	2 4	1	2	8 1	}
6 2 5	8 8 2 7	1 2 6 9	4 4 8 7	2 6 7 6	3 1 18	3 5 12 6	2 5 6	1 1 4 6	1 1 1	2 1				1	} }
15 6 115	0 12 111	8 18 115	10 6 108	7 6 94	8 5 80	10 2 55	5 6 41	1 4 88	5 8 16	2 3 9	2 1 5	1 2	1	1 2 7	}
45 70	46 65	55 60	68 45	40 54	45 35	28 27	28 18	22 11	10 6	6 8	1 4	1 1	1 1	4 8	
1 1		2 1	1	1 1			1		<u> </u>				1		: } : }
4 14 1	4 10 8	5 6 1	10 10 5 2	7 14 3 2	7 9 2 2	2 6 3	5 1 2 2	5 3	4 1 1	1 1	i 1		i		} . }
8 8	5	8 6	4 6	4	8 5 5	1 8 2 1	1 2	1 4 8	1		i			i 1	}
4 2	1	1 5 1	2 7 8	2 3	8 3 3	3 2	2 2 2	1 3	1 2	1		1			. } : }
2 2 1	1 1 1	1 1	1	1 1	1			ii							}
8 1 4	6 2	7 4 10	11 2 11	2 2 12	3	2 1 8	4	i 2	2 1	1	1	1		1	}
5 14 28	2 7 81	11 7 18	10 12	12 7 4 10	9 4 2 3	8 2 3 6	7 2	1 8 1		1	1			2	-13
1 2	2 1 4 4	2 1 5 6	1 8 8	4 2 8 8	3 1 1 5	1 3 2 4	1	2 2	1	$\frac{1}{2}$				1	- } - }
114	158	185	206	207	166	177	121	. 115	54	37	20	4	7	12	
62 52 51 46	85 78 72 60	96 89 81 78	112 94 94 81	127 80 109 68	95 71 80 65	97 80 81 76	77 44 61 42	71 44 50 88	26 20	22 15 14 13	10 10 6 10	$\begin{bmatrix} 2\\2\\1\\2 \end{bmatrix}$	2 1	9 8 6 2	1
·····	1	1				1							. 1	1	. }
8	8 2 2	4 2 1	3 2 3	3 1 4	4 1 4	$\begin{bmatrix} 2\\1\\3 \end{bmatrix}$	2	2 2 7	1 1 2	1	1		2	1	. } : }
11 8	7 10	10 7	12 9	11 11	7 5	10	1 11 1	1 12 3	4	7	3	1	1	. 1	}
31	20	19		5	1.	4	3	1						2	-
2 6 8	1 5 8	1 2 10	2	1	1	1	1	1							
2		}	. 1] .		2								1	-

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE TOTAL COLORED—Continued.

=		ı	1	1					, ,				
	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 20
1	8. Affections connected with pregnancy	237								3	47	69	52
2	Abortion	18									3 .	8	8
8	Childbirth	90 77		·	• • • • • • • • • • • • • • • • • • • •					$\frac{1}{2}$	12	23	21
5	Extra-uterine pregnancy	10					•••••		•••••	. 2	21	25 3	14
6	Others of this class	42									11	15	7
7	9. Diseases of the bones and joints	77	2	1	1	4	2	10	6	3	G	7	, ,
								ļl					
8	Males Females	45 32	2	1	1	1 3	1 1	6 4	24	2 1	2	3	5 2
10	Diseases of the spine $\dots \{ M \}$	17 11	1		1	2	1	3	1	1	3 1	2	4
11	Abscess, lumbar and psoas $\ldots egin{array}{c} M \ldots \\ F \ldots \end{array}$	5									1	4	
	•	4							2			• • • • • • • • • • • • • • • • • • • •	
12	Diseases of the bones $\cdots \{ egin{matrix} M & \dots \\ F & \dots \end{pmatrix}$	13 11				1	1	2		1		1	
18	Diseases of the hip-joint $^{ ext{M}}_{ ext{F}}$	5 4							₁ -		i	3	1
14	Others of this class $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right\}$	5		1				1	1			1	
1	`	2				1		1					
15	10. Diseases of the skin	41	4	1		1	<u></u>	6		1		8	8
16 17	Males Females	23 18	8 1	1	ļ	1		5				3	2
		11	2	1				3		1		1	1
18	(P	8		ļ	ļi								ī
19	Carbuncle $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	2											
20	Others of this class $\{M, K\}$	10	1			1		2 1				2	1
21	11. Diseases of the absorbent system	18	8	1				1	•••••		1	2	1

22 23	Males Females	5 8	$\frac{1}{2}$	1				1 3				2	i
24	Addison's disease $\left\{egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array}\right.$												
25	Diseases of the spleen $\dots \qquad \stackrel{\{M \dots \}}{F} \dots$	1											
	•	1 4											1
26	Others of this class $\cdots \qquad \begin{Bmatrix} M \cdots \\ F \cdots \end{Bmatrix}$	7	$\frac{1}{2}$	1			<u> </u>	3			1	2	
27	12. Accidents and injuries	1,720	178	33	29	25	26	286	50	78	142	215	201
28 29	Males	1,259 461	82 91	17 16	18 11	11 14	7 19	185 151	31 25	58 15	110 82	169 46	167 84
30	Burns and scalds $^{\mathrm{M}}_{\mathrm{F}}$	67	1	6	11	7	5	80	6	2	8	1	8
	·	137 160	2	9	6	12	15	44	17 9	7	12	11 18	20
31	Drowning $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	10		1 1	<u>.</u> .			3 1		$\frac{24}{1}$	19 4	18	20
82	Exposure and neglect $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	21 22	8 13	3				8 16	2		i	1	1
88	Gunshot wounds $\left\{egin{array}{l} M \\ F \end{array}\right\}$	183 22		 	ļ <u>;</u> .				2	11 2	28	41 7	84
84	Homicide M .	124			ļ			1		1	1 10	21	33
	(Γ	29 1	1					1	1		1	5	7
85	Infanticide $\left\{ egin{array}{ll} M & \dots & M \\ F & \dots & M \end{array} \right.$	1	Ī					i					
86	The following is a second of the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in the following in the following is a second of the following in t	4										1	1
87	Railroad accidents $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	154 19	2		1		1 1	4 2	5	1 <u>1</u>	16 1	24 2	20 8
38	Suffocation $\left\{egin{array}{l} M \ . \ \end{array}\right.$	52	33	3	1			87			1	2	1
		61	46	2			8	51	2	2	1	1 1	8
39	Suicide by shooting $\cdots egin{cases} \{M, \dots, $											ļ	
40	Suicide by drowning $\cdots igg(egin{array}{c} M & \cdots \\ F & \cdots \end{matrix}$	2 2										i	
41	Suicide by poison $\dots \left\{egin{array}{c} M \\ F \end{array}\right.$	11 18									5	3 9	2 3
42	Other spinides (M.	26									1	4	6
İ	(38	3		1			4	1			1 8	1
43	Sunstroke $\left\{ egin{array}{ll} \mathbb{M} & \mathbb{N} \\ \mathbb{F} & \mathbb{N} \end{array} \right\}$	8	2		- -	ļ .		2					
44	Surgical operations $\left\{egin{matrix}M \dots & \left\{egin{matrix}M \dots & \left\{e$	5 20									i	4	1 2
45	Wounds $\left\{ egin{matrix} \mathbb{M} & \dots \\ \mathbb{F} & \dots \end{array} \right.$	29 3	ļ			 				1	2	5	8
46	· · · · · · · · · · · · · · · · · · ·	1	88	7	3	4	1	48	6	8	30	1 44	80
46	Others of this class $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	105	83 26	7	3 4	2	1	48 83	4	2	4	3	89 8

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
35	23	G												2
1	2	1												
18	11	2											<u></u>	2
8	7	•••••		• • • • • • • • • • • • • • • • • • • •		•••••		[······					····	
3 5	1	3			• • • • • • • • • • • • • • • • • • • •									
6	7	6	5	1	3	5		2	2			1		
			·											
6	5 2	2 4	1	i	$\frac{2}{1}$	1		1 1	1 1			1		
1	$\frac{2}{1}$	1	1				· · · · · · · · · · · · · · · · · · ·							
2	1				1									
3		1		1	•••••						•••••••			
a	1	1	1		1	4		1	i 1		•••••			
• • • • • • • • • • • • • • • • • • • •	1	i	[,						
			2											
											•••••	1		
2	5	-1	3	2	.1	4	1	1.	1			. 1		
2	2 3	3	2	1	2 2	1 8	1	1	• • • • • • • • • • • • • • • • • • • •					• • • • • • • • • • • • • • • • • • • •
2	1	1 1	1 1	1	1	8	1		1			1		
	3	1	i		2									
		1	1			i								
	1	1		1 1	1	$\cdot \frac{1}{2}$								
				1		.2	1	1	,			1		
<u>-</u>			2	1			1		••••••					
1			1 1				1							
• • • • • • • • • • • • • • • • • • • •			1		,									
1			i	1			1							
178	155	101	64	57	41	39	20	21	11	13	5	2	3	42
		l											. 2	85
148 25	128 27	81 20	49 15	47 10	30	29 10	12 8	16 5	6 5	10	3 2	2		7
5 6	8	2 4	1 5	₁	3 6	2	1	$\frac{1}{2}$	2	2	1	·····i		1 1
15	18	12	6	6	. 4	3					1			. 11
1 2	1	1	. 1	1			1						, 1	1
• • • • • • • • • • • • • • • • • • • •	1				1					2	1		:	.
80 2	18 2	6 2	7	8		1		2						. 5
15	16	12	4	6										. 6
8	3	1	1		1									. 0
• • • • • • • • • • • • • • • • • • • •										.				
1				1										
16	18	8	4	5	4	4	8	6		. 1				. 5
1 1	1	1	1	$\frac{1}{1}$	8	1 2	1 .		1 .			· ······		. 1
т	.	.	-	1 2		z			i	1				
	. 2	2	1.											
	1											.		
1				ha										
4				1 1										
4 1				1		. 1								
4	8	2	3	8		1		. 1						. 1
• • • • • • • • • • • • • • • • • • • •	. 1		1	1	ļ	. 1		1		1				
. 4	8 8		2		ii					. i				
6	8	1	8	2		1	. 1	1				1		
	.1	.												

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE CHINESE.

	CAUSE OF DEATH.	All ages	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	914	39	11	6	8	7	71	18	8	12	37	53
2 3	Males	822 92	19 20	8 3	4 2	3 5	4 3	38 33	8 10	6 2	7 5	33	46
4	Unknown cause	21	1					1		1			
5	Males Females.	20 1	1					i		1			
7	1. General diseases. General diseases—A	58	4	1	1		2	8	2		2	4	3
8	Males Females	48 10	4	1	i		1	2 6	2		2	4	3
10	Measles $\begin{cases} M. \\ F. \end{cases}$				••••••								
11	Searlet fever												
12	Diphtheria $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	3			·····i			1					
18	M. (M.	1 2		1				1 2					
14	Malautal fayon (M.	1					1						
15	Industria (M.												
	Typhoid fever $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$. 11					1	1				1	1
16		2											- · · · · · · · · · · · ·
17	(L' •												
18	Colitis												
19)F.											2	1
20	Dysentery $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$		i					i					
21	Enteritis $\left\{ egin{matrix} M \\ F \end{array} \right\}$			-									
22	Cholera infantum $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	1 .	i					i	 				
23	Fever $\left\{ egin{matrix} \mathbf{f} \\ \mathbf{f} \end{array} \right\}$.] 2					:		: ::::::			1	
24	Cerebro-spinal fover $\left\{_{F}^{M}\right\}$							-					
25	Smallpox $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$			-					:	:			
26	Erysipelas $\left\{ egin{matrix} ext{M} ext{F} ext{.} \end{aligned} ight.$	1 1	i	-				: i	-				
27	Septicemia $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{smallmatrix}\right\}$. 2											
28	Venercal diseases. $egin{cases} M \\ F \end{bmatrix}$												1
29	Others of this group $\{F\}$. 2											
30	General diseases—B	Į.	5										
31 82	MalesFemales	. 5	3		-			9					
33	Alcoholism		.					-	.				
34	Parasitic diseases $\left\{ egin{array}{l} \mathbf{F} \end{array} \right.$												
35	Lend poison $\left\{ egin{array}{c} \mathbf{F} \end{array} \right\}$												
	Other poisons				-								
86	· M			3			4500						
37	1	1	11					- 2	1			. 1	-
88	General diseases—C		-		-	-	-	<u>`</u>	-	-		1	
39 40	MalesFemales	4			-								
41	Old age								:: :::::			:-[-
42	Premature birth			::									
43	Malformation	}		1 1			::::::::						
44	Debility and atrophy $^{f M}_{f F}$			i					i		-:		
45	Others of this group												

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued. OHINESE.

.]	Unknown.	95 and over.	90 to 94	85 to 89	80 to 84	75 to 79	70 to 74	65 to 69	60 to 64	55 to 59	50 to 54	45 to 49	40 to 44	85 to 89	80 to 84
;	6			1	3	2	8	29	42	55	110	143	130	114	72
,	5 1			1	$\frac{1}{2}$	2	8	29	38 4	54 1	105 5	$^{141}_{\ 2}$	127 8	108 6	65 7
-	* * * * * * * * * * * *	****		***********	• • • • • • • • • • • • • • • • • • • •		1	1	1	3	6	5	2		
							1	1	1	3	6	5	2		
								. 1	1		e	a	10	s	4
~								1	$\frac{1}{1}$	3	6	6	10	8	4
				· · · · · · · · · · · · · · · · · · ·				• • • • • • • • • • • • • • • • • • • •		 					
				• • • • • • • • • • • • • • • • • • • •		••••••						• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
		• • • • • • • • • • • • • • • • • • • •				•••••							•••••	1	•••••
									 	- <i></i>					
			• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·						1		1	2	2	2
			· · · · · · · · · · · · · · · · · · ·										1		1
			• • • • • • • • • • • • • • • • • • • •										••••••		••••••
		• • • • • • • • • • • • • • • • • • • •			· · · · · · · · · · · · · · · · · · ·								•••••		
	 		. ,		• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·									• • • • • • • • • • • • • • • • • • • •
						· · · · · · · · · · · · · · · · · · ·		1		1	3	4	2 l	2	1
						· · · · · · · · · · · · · · · · · · ·		• • • • • • • • • • • • • • • • • • •							• • • • • • • • • • • • • • • • • • • •
	,						. 			1	1	1	2	2	
				••••••	• • • • • • • • • • • • • • • • • • •										
		•••••				• • • • • • • • • • • • • • • • • • • •									
											1				
					· · · · · · · · · · · · · · · · · · ·				1				1		
				••••••		•••••							1	1	•••••
			• • • • • • • • • • • • • • • • • • •			· · · · · · · · · · · · · · · · · · ·					1		1		•••••
			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •								1	• • • • • • • • • • • • • • • • • • • •	•••••
	1												1		
										••••••					•••••
													1		
	1								• • • • • • • • • • • • • • • • • • • •						
				1	2	1		4		1					
				1	2	1				1					
•				1	2			4		,		• • • • • • • • • • • • • • • • • • • •			************
						*********		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •				***********	**********
•			•••••		•••••	•••••		••••••	- • • • • • • • • • • • • • • • • • • •						***********
•										1					

PART II----VITAL STAT----46

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE CHINESE—Continued.

	CAUSE OF DEATH,	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D.	358	2	1	1		1	5	5	1	2	15	29
2	MalesFemales	841 17	1	1	1		1	8 2	3 2	1	1 1	14 1	27 2
4	Anemia												
Б	Diabetes $\left\{ egin{array}{ll} \mathbb{M} \dots \\ \mathbb{F} \dots \end{array} \right\}$	2											
6	Rheumatism $\left\{ egin{array}{ll} M \dots \\ F \end{array} \right.$	1											
7	Scrofula and tabes $\dots \qquad {M \dots \brace K}$	1 1					1	1		1			
8	$ \textbf{Hydrocephalus.} \qquad \qquad \begin{matrix} M. \\ F. \end{matrix} $	1	_i .	1				1					
9	Tuberculosis, general $egin{array}{c} M \ \\ F \ \end{array}$	3			1			1					
10	Consumption $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	306 18	1					1	$\frac{1}{2}$		1	14 1	25 2
11	Cancer $\left\{egin{array}{ll} M \dots \\ F \dots \end{array}\right.$	19							1				1
12	(M.,	3											
	(F	1								 			
13	Dropsy $\{M, \dots, \{M, \dots, \{M\}\}\}$												1
14	Others of this group $\left\{ egin{matrix} M \\ F \end{array} \right.$	4											
15	2. Diseases of the nervous system	28	4	1		1		6		1	1	1	2
$\frac{16}{17}$	MalesFemales	23 5	2 2	1		·····i		3		i.	1	1	2
18	Inflammation of the brain $\ldots egin{array}{c} M. \\ F \end{array}$												
19	Meningitis $\binom{M}{F}$.	5 4	$\frac{2}{2}$	1.		i		3 3		_i			1
20	Apoplexy M .	10						 				1	
	(M	$\frac{1}{2}$											
21	Γ.								•••••				
22	Paralysis, general (of instanc) $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$												
23	Telanus andtrismusnascentium. $\{^{M}_{\mathbf{F}}\}$												
24	Chorea												
25	Epilepsy									[
26	Convulsions	. t											
27	Mental diseases $\left\{ egin{array}{ll} \mathbf{F} \\ \mathbf{F} \end{array} \right.$. 1									1		
28	Diseases of the brain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$												
29	Diseases of the spinal cord $\dots igg(rac{M}{F} igg)$: :::::::	
30	Locomotor ataxia $\left\{ egin{matrix} M \\ F \end{array} \right\}$	1											
31	Others of this class $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$. 3										.	, 1
32	3. Diseases of the circulatory system	1					. 1	1		. 1	2		4
33 34	Males Females	. 82 6	 				. 1	1	 	. 1	1 1		4
35	Pericarditis $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	1											
36	Diseases of the heart $\left\{ egin{matrix} \mathbf{H} \\ \mathbf{F} \end{array} \right\}$. 1	1		. 1	1		. 4
87	Angina pectoris $\left\{ egin{matrix} M \\ F \end{array} \right\}$.					
88	Diseases of the arteries $\left\{ egin{array}{l} H \\ F \end{array} \right.$			-				-					
				-						-			
39	Aneurism							-	-			-	
40	Embolism $\left\{ egin{matrix} \mathbf{F} \end{array} \right.$							-	: :	:	-		
41	Others of this class $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$: :::::::		:::::::		:	::::::	1	:	1		-	: :::::::

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	85 to 89	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
33	53	61	60	43	16	15	15	3	1					1
30 3	51 2	61	60	41 2	16	13 2	15	3	1					1
			.1	1										
	1													
				• • • • • • • • • • • • • • • • • • • •		•••••								
1						1							-	
27 3	48	57	55	37	12	12 2	13	2	1					
3 2	1	2	4	1 1	4	2	2	1						1
******	1	····		i	ļ		ļ	-						.
	2			1									-	
				1										
		. 2									.			
										-				
	1	-1	5	2	1	2						-	-	-
2	1	ન	5	2	1	1 1								.
	
			· ·····											
		. 1		2	1	. 1			:			:		· · · · · · · · · · · · · · · · · · ·
· • • • • • • • • • • • • • • • • • • •		. 1	1		.									
· · · · · · · · · · · ·														
	-	-	-		.									
• • • • • • • • • • • • • • • • • • •		:	:											
• • • • • • • • • • •														
							.							
• • • • • • • • • • • • • • • • • • • •		1	-											
		·							-		•-		•	
• ••• • • • • • •				.						·:		· -		
													.,	
			1	· ·····		1								
			:[•				•-
		1	i i					:-			:: :::::::			
	7 1		2 10	1.4		5 12	: :	3 :	2		1			
	7 1					5. 11			2	[1			
		í i	2	-1. 1	[1 1								
				1										
	7 1	8 1	10			5 9) !		2		1			
	··	i i	l 1	1										
			•-	-										
									•				••• ••••••	
			i			:: :	2							
													• • • • • • • • • • • • • • • • • • • •	
1					•• •••••			•				1	1	

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE CHINESE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	95 4 99
1	4. Diseases of the respiratory system	163	19		4	7	2						25 to 20
			ļ			-		39	- 8	3	2	11	6
3	Males Femules	138 25	12 7	$\begin{bmatrix} 5 \\ 2 \end{bmatrix}$	3 1	8	2	25 14	4	3	2	10 1	4 2
4	Croup $\left\{egin{array}{ll} M \\ F \end{array} ight.$												
5	Pneumonia	114 23	10 7	3 2	3	3 4	2	21 14	3	3	1	9	4
6	Laryngitis												2
7	Brown abittu M	12	2	1				3	1				
8	Diourius M	1 6									1	1	
	τ (μ	1		• • • • • • • • • • • • • • • • • • • •	,								
Ð	Asthma $\left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} K & \dots & \left\{egin{array}{ll} F & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \dots & \dots & \left\{egin{array}{ll} K & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots &$												
10	Others of this class $\cdots \qquad \begin{cases} M \cdots \\ F \cdots \end{cases}$	5 1		1		· · · · · · · · · · ·		1					
11	5. Diseases of the digestive system	49		1			1	2			1	3	1
12 13	Males Femules	42					i				1	2	
13 14	Dontition M							2				1	
	(r • • •	1											
15	(AT	л											
16	F	2										1	
17	Diseases of the stomach $ iggl\{ egin{smallmatrix} M \dots & M \\ \mathbb{F} & \dots & M \end{bmatrix}$	1											
18	Obstruction of the bowels $\ldots \{ egin{matrix} M \ldots \\ F \ldots \end{bmatrix}$	1											
19	Appendicitis $\left\{egin{array}{ll} M. \\ F. \end{array}\right.$	3										1	
20	Hernin $\{ egin{matrix} M \dots & \{ M \dots \} \\ F \dots & \{ M \dots \} \end{bmatrix}$												
21	Other diseases of the bowels $\cdots egin{cases} M \dots \\ R \dots \end{cases}$												
	(11	1			 								
22	Jaundice												
28	liver. \{\text{F}	i											ī
24	Other diseases of the liver $\ldots egin{array}{c} M \cdots \\ \mathbb{F} & \ldots \end{pmatrix}$	17											
25	Peritonitis	7 2		i				i			1		
26	Ascites		[·····								
27	Others of this class M .	2											
28	6. Diseases of the urinary system and male	69					1	1	1	1			2
	organs of generation.	64		}					1	 			1
29 30	Females	5								1			i 1
31	Bright's disease \prod_{F}	1				1	1		11	1	1		1
82	Calculus, urinary $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$												
88	Diseases of the kidney $\ldots \{ M \}$	5 1								i			
34	Diseases of the bladder $^{ m M.}_{ m F}$.[J			
85	Others of this class M .								110				
		[ſ	1	1	í		[[(
86	7. Diseases of the female organs of generation.						-					_	
87 88	Ovarian tumors					1			11			1	1
89	Diseases of the tubes					.		-	11			1	.
40 41	Uterine tumors							11	11				
42											. 1		.

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE-Continued.

80 to 84	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown,
13	13	16	22	11	12	4	2	1						
12 1	12	16	21 1	11	11 1	4	2	1						
		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	•••••									• • • • • • • • • • • • • • • • • • • •
11	10	14	15 1	8	10	3	1 i	1	•••••					
**********		• • • • • • • • • • • • • • • • • • • •												
	1	2	3	1	1 1								-	
1	1	• • • • • • • • • • • • • • • • • • • •	2											
		**********				1								
	1	••••••	1	2			1							
2	* 7	7	11	9	4	2								
2	7	6 1	11	$\frac{7}{2}$	4	2								
· · · · · · · · · · · · · · · · · · ·		1												
1	1	2	1	·····i										
.	1													
· · · · · · · · · · · · · · · · · · ·					1									
· · · · · · · · · · · · · · · ·		1				1								
												:		
· · · · · · · · · · · · · · · · · · ·				1										
		1	.	1										
	4	1	.	5	3									
1	11	1												
				1								-		
4	8	7		13		5						-		-
3 1	7	7	. 1	18		5	-				:	-		
3	6 1	5	. 16	11	6	5								
										-				
	1	2					:							
• • • • • • • • • • • • • • • • • • • •				1			-	-			-			
								-	-	-	-			
						1		1						1

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE CHINESE—Continued.

L	CAUSE OF DEATH,	All ages	Under 1	11	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	8. Affections connected with pregnancy	. 3									•••••	••••	1
İ	Abortion												
1	Ghildbirth	. 1	[1
	Puerperal septicemia	1											
	Extra-uterine pregnancy							• • • • • • • • • • • • • • • • • • • •					• • • • • • • • • • • • • • • • • • • •
1	Others of this class												
	Diseases of the bones and joints	. 1			• • • • • • • • •					• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
	Males	. 1											
	Females.	1					• • • • • • • • • • • • • • • • • • • •				• • • • • • • • • • • • • • • • • • • •		
	Diseases of the spine $\dots \{_{\mathrm{F}}^{\mathrm{M}}\}$												
	Abscess, lumbar and psoas $\dots = \left\{ egin{matrix} M \\ F \end{array} \right\}$												
	Diseases of the bones $\left\{ \begin{array}{ll} M \\ P \end{array} \right\}$. 1											
	Diseases of the hip-joint $\left\{ egin{matrix} M \\ F \end{array} \right\}$												
1.	(M												
	,				• • • • • • • • • • • • • • • • • • • •					• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
1	10. Diseases of the skin	. 1								• • • • • • • • • • • • • • • • • • • •			
	Males	. 1				····							
'	Females					l							
3	Abscess $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$												
	Carbuncle $$. 1											
.													
)	Others of this class $\left\{egin{array}{l} M \\ F \end{array}\right\}$								• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •		
. :	11. Diseases of the absorbent system								<u> </u>				
	Males Females												
i	Addison's disease $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$												
										• • • • • • • • • • • • • • • • • • • •			
•	Diseases of the spleen		1									1	1
1	Diseases of the spleen $$												
	Others of this class. $\fill \fill $												
3			1					1	2		1	2	
,	Others of this class. $ \begin{cases} M \\ F \end{cases}$ 12. Accidents and injuries. $ Males. $	54	1					1	2		1		
3	Others of this class. $ \begin{cases} M \\ F \end{cases} $ 12. Accidents and injuries.	54 48 6	1									2 1 1	
,	Others of this class. $ \begin{cases} M \\ F \end{cases}$ 12. Accidents and injuries. $ \begin{cases} Males \\ Females \end{cases}$ Burns and scalds. $ \begin{cases} M \\ F \end{cases}$	54 48 6 2 2	1					1	2			1 1	
3	Others of this class. $ \begin{cases} M \\ F \end{cases}$ 12. Accidents and injuries. $ \begin{cases} Males \\ Females \end{cases}$ Burns and scalds. $ \begin{cases} M \\ F \end{cases}$	54 48 6 2 2	1					1	2			1 1	
3 3 3 1	$ \begin{array}{cccc} \text{Others of this class.} & \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right. \\ \text{12. Accidents and injuries.} & & \\ & &$	54 . 48 . 6 . 2 . 2	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	54 48 6 2 2 2	1					1	2			1 1	
3 3 3 1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	54 48 6 2 2 2	1					1	2			1 1	
33333	Others of this class. Males. Females Burns and scalds. Drowning Exposure and neglect Gunshot wounds [M] MF	54 . 48 . 6 . 2 . 2 . 6	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 1 1 1	Others of this class. Males. Females Burns and scalds. Drowning Exposure and neglect Gunshot wounds Homicide MF MF MF MF MF MF MF MF MF M	54 . 48 . 6 . 2 . 2 . 6	1					1	2			1 1	
33333	Others of this class. Mark F	54 . 48 . 6 . 2 . 2 . 6	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 1 1 1	Others of this class. M F	54 48 6 2 2 6 1 1 15	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males. Females Burns and scalds. Browning Exposure and neglect Gunshot wounds Homicide Infanticide Injuries by machinery MF MF MF MF MF MF MF MF MF M	54 . 48 . 6 . 2 . 2 . 6	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 4 4 7	Others of this class. {M F } {F }	54 48 6 2 2 6 6	1					1	2			1 1	
333333333333333333333333333333333333333	Others of this class. Males. Females Burns and scalds. Browning Exposure and neglect Gunshot wounds Homicide Infanticide Injuries by machinery Railroad accidents MF MF MF MF MF MF MF MF MF M	54 . 48 . 6 . 2 . 2 . 6 . 1. . 15 . 1	1					1	2			1 1	
333333333333333333333333333333333333333	Others of this class. Males. Females Burns and scalds. Drowning Exposure and neglect. Gunshot wounds Homicide Infanticide Injuries by machinery Railroad accidents MF Suffocation MF Suicide by shooting MF MF MF MF MF MF MF MF MF M	54 48 6 2 6 1 1 15 1 2 2 2 2 2 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4	1					1	2			1 1	
333333333333333333333333333333333333333	Others of this class. Males. Females Burns and scalds. Browning Exposure and neglect Gunshot wounds Homicide Infanticide Injuries by machinery Railroad accidents MF MF MF MF MF MF MF MF MF M	54 48 6 2 2 6 1 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males. Females Burns and scalds. Burns and scalds. Exposure and neglect. Gunshot wounds Homicide Injuries by machinery Railroad accidents MF Suicide by shooting. MF MF Suicide by drowning. MF MF MF MF MF MF MF MF MF M	54 . 48 6 . 2 . 2 6						1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males. Females Burns and scalds. Burns and scalds. Exposure and neglect Gunshot wounds Infanticide Injuries by machinery Railroad accidents Suffocation Suicide by shooting MF MF Suicide by poison MF MF MF MF MF MF MF MF MF M	54 48 6 2 2 6 1 1 15 1 1 2 2 2 2 4	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males. Females Burns and scalds. Burns and scalds. Exposure and neglect. Gunshot wounds Homicide Injuries by machinery Railroad accidents Suffocation Suffocation Suicide by shooting Males. Mal	54 48 2 2 6 1. 15 1 1 2 2 2	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males. Females Burns and scalds. Browning Exposure and neglect. Gunshot wounds Infanticide Injuries by machinery Railroad accidents Suffocation Suicide by shooting Suicide by drowning Males. Males. Males. Males. Males. Marchitect. Males. Marchitect. Males. Suffocation Males. Suicide by drowning Males. Mal	54 48 6 2 2 6 1 1 1 1 2 2 2 2 4 4 1	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males	54 48 6 2 6 1 1 1 2 2 2 4 4 8 1	1					1	2			1 1	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Others of this class. Males	54 48 6 2 6 1 1 1 2 2 2 4 4 8 1						1	2			1 1	
333 333 333 333 333 333 333 333 333 33	Others of this class. Males. Females Burns and scalds. Burns and scalds. Exposure and neglect. Gunshot wounds Infanticide. Injuries by machinery Railroad accidents. Suicide by drowning. Suicide by drowning. Other suicides. MF Surgical operations. MF MF MF MF MF MF MF MF MF M	54 48 6 2 2 6 1 15 1 2 2 2 4 4 8 1						1	2			1 1	

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

OHINESE—Continued.

Unknowi	95 and over.	90 to 94	85 to 89	80 to 84	75 to 79	70 to 74	65 to 69	60 to 64	55 to 50	50 to 54	45 to 49	40 to 44	35 to 39	30 to 34
													1	1
														· · · · · · · · · · · · · · · · · · ·
													1	1
	•••••			*********										
							••••••			<i>-</i>				
									. <i></i>				1	
					·								1	
				• • • • • • • • • •			••••••							•••••

	***********	*******												
		•••••					• • • • • • • • • • • • • • • • • • • •							
	,,. ,,. ,									.,			1	
		•••••												
			-,											
•••••							• • • • • • • • • • • • • • • • • • • •	[[[• • • • • • • • •
				*********			• • • • • • • • • • • • • • • • • • • •							•••••
		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •				• • • • • • • • • • • • • • • • • • • •	•••••			1	• • • • • • • • • • • • • • • • • • • •		
											1			
		• • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·			•••••							
							• • • • • • • • • • • • • • • • • • • •							• • • • • • • • • • • • • • • • • • •
				 					 	,	1			
							• • • • • • • • • • • • • • • • • • • •							
							• • • • • • • • •	[[[l		ĺ	
	,													
•••••														
														• • • • • • • • •
	<i></i>		Į.					1						
							• • • • • • • • • • • • • • • • • • • •							
						1			3	6	6	10	8	- 6
							**********		ļ———	J		ļ	ļ.———	
						1			3	6	6	10	8 8	6 5 1
							************		ļ———	J		ļ	ļ.———	
									3	J	6	ļ	ļ.———	
									3	J	6	ļ	8	
									3	J	6	ļ	8	
									3	J	6	ļ	8	
									3	1	1	ļ	8	
									3	J	1	ļ	8	
									3	1	1	ļ	8	
									3	1	1	ļ	8	
									3	1	1	ļ	8	
									3	1	1	ļ	8	
									3	1	1 1 2	3	1	
									3	1	1 1 2	ļ	1 4	
									3	1	1 1 2	3	1 4	
									3	1	1 1 2	3	1 4	
									3	1	1 1 2	3	1 4	
									3	2	1 1 2	3	1 4	
						1			1	2	1 1 2	3	1 1	1
						1			1	2	1 1 2	3 3 1	1 1 1	1
						1			1	2	1 1 2	3	1 1	1 1 1
						1			1	2	1 1 2	3 3 1	1 1 1	1
						1			1	2	1 1 2	3 3 1	1 1 1	1
						1			1	2	1 1 2	3 3 1	1 1 1	1
						1			1	2	1 1 2 2	10	1 1 1	1
						1			1	2	1 1 2 2	3 3 1	1 1 1	1